BOOKS printed for J. WHISTON and B. WHITE, in *Fleet-ſtreet*, and R. BALDWIN in *Pater-noſter Row*.

I. DR. CHEYNE's natural Method of curing the *Diſeaſes* of the *Body*, and *Diſorders* of the *Mind* depending on the *Body*. 3d Edition, in One Vol. Octavo. Price 4*s*.

II. Dr. CHEYNE's Eſſay on the *Regimen of Diet*, &c. 3d Edition. Price 4*s*.

III. HIPPOCRATES on Air, Water, Situation, Epidemical Diſeaſes, and on Prognoſticks in *Acute Caſes*, by F. CLIFTON, M. D. 2d Edit. Price 5*s*.

IV. HIPPOCRATES CONTRACTUS, a THO. BURNET. Edit. 2da, 12mo. Price 3*s*.

V. Dr. HOFFMAN's Treatiſe of the extraordinary Virtues and Effects of ASSES MILK, in the *Gout*, *Scurvy*, *Nervous*, and various other *Diſeaſes*. Price 1*s*.

VI. DU VERNEY's Treatiſe of the *Structure*, *Uſes*, and *Diſeaſes* of all the Parts of the EAR, *with* 16 *Copper Plates*. Price 2*s*. *ſew'd*.

VII. Dr. HARRIS's Treatiſe of the *Acute Diſeaſes* of *Infants*. Tranſlated by *J. Martyn*, F. R. S. 2d Edit. Price 3*s*. 6*d*.

VIII. Dr. MIHLER's Elements of SURGERY, containing the eſſential Principles of the Art, according to the moſt approv'd Practice, *with* 25 *Copper Plates*. Price 5*s*.

Gal 4 88 b

Medulla Medicinæ Univerſæ:

OR, A

NEW COMPENDIOUS

DISPENSATORY.

Compiled at the Command of

His ROYAL HIGHNESS the DUKE,

For the Uſe of the

Military Hoſpital Abroad, during the late WAR.

By the KING's Phyſicians and Surgeons, the Surgeon-General, and Apothecary-General to the ARMY.

To which is added,

An Engliſh TRANSLATION,

With a COMMENT ſubjoined to each Preſcription.

By JOHN THEOBALD, M. D.

The FIFTH EDITION:

With a Large Additional APPENDIX,

And Directions annexed concerning BLEEDING.

LONDON:

Printed for J. WHISTON and B. WHITE, in *Fleet-ſtreet*, and R. BALDWIN, in *Pater-noſter Row*.

M.DCC.LVI.

30

PRESENTED BY
MUSEUM
B.M.
BRITANNICUM
LADY BANKS.

TO

A. ADDINGTON,

M. D.

SIR,

GIVE me leave to inſcribe this Fifth Edition of my MEDULLA MEDICINÆ UNIVERSÆ to Your Favourite Name. I hope I ſhall not offend by the Liberty I am taking in regard of this unauthorized Addreſs. But ſhould This happen to be actually the Caſe, I ſhall be under the leſs Uneaſineſs, as You have become acceſſary to Your own Trouble by an uncommon Politeneſs and Obliging Behaviour, which have laid me under an irreſiſtible Impulſe of paying You in return this Public Reſpect.

When Diſtinguiſhed Medical and Philoſophical Endowments are accompanied with an Extraordinary Complacency of Manners, the Character becomes truly amiable; and we are wont to contem-

plate with a Kind of Veneration Great Literary Accompliſhments, when They center in a Perſon furniſhed by Nature with a Singular Humanity and Beneficence. Hence it is by no means aſtoniſhing, that You ſhould be making, throughout our Auguſt Metropolis, ſuch a rapid Progreſs towards Eſtabliſhing Yourſelf in full Reputation: which Event I have the Pleaſure, without Fear of Contradiction, to pronounce will not in the leaſt be owing to any cuſtomary Caprice of Fortune, but be altogether derived from a real, genuine, intrinſic, Merit.

That a Proſperity may attend You equal to Your Abilities, and Engaging Deportment, is the ſincere and moſt ardent Wiſh of,

SIR,

Your moſt Obedient

Humble Servant,

Jan. 1, 1756.

JOHN THEOBALD.

THE

PREFACE.

THE MEDULLA MEDICINÆ UNIVERSÆ, Compoſed by the Command of His ROYAL HIGHNESS the DUKE, for the Uſe of the Military Hoſpital Abroad During the Late War, and Publiſhed for theſe Six or Seven Years paſt with a Tranſlation and Comment, I have the Pleaſure to find has met with a Favourable Reception from the World. And, indeed, the Gentlemen, who in Obedience to His ROYAL HIGHNESS's Commands were Employed in Compiling it, have undoubtedly given an Inconteſtable Proof of their Medical Sagacity, the Reſult of their Deliberations on This Occaſion being a Remarkable Inſtance, to what a Narrow Compaſs Solid Judgment and Long Experience can reduce the Preſcribing Province.

In order to render the Plan ſtill more Compleat, I have ſubjoined a Large

Additional APPENDIX to it, Containing Various Extemporaneous Forms, (Accompanied with a Detail of the Virtues of Every Particular Preſcription) Correſponding with Moſt Medicinal Intentions of Cure. For, however well Adapted the MEDULLA, *&c.* might be to the Removal of Diſorders Incident to the Human Body, yet a Variety of Forms would not, I conceived, be Diſagreeable to Thoſe Gentlemen who ſhould have the care of Sick Perſons, inaſmuch as Such Sick frequently grow weary of the Same Identical Medicine, let it be never ſo proper for them; not to mention Several Compoſitions Devoted purely to the Treatment Neceſſary for the FAIR SEX, and Some Occaſional Hints in reſpect of Children; and, by way of Corollary to the Whole, I have ſketched out ſome Directions concerning BLEEDING.

There is One Point, that is very Minutely and Circumſtantially Handled in This Piece, as it is of a pretty Extenſive Nature, and apt beſides (by Young Practitioners at leaſt) to be but Superficially Underſtood, namely a GONORRHOEA. The Intire Proceſs of That Diſtemper from

from the Beginning to the End, with its Symptoms and Concomitants, is Set forth with all Imaginable Candour, and without the Leaſt Reſerve; and a Method Laid down for its Cure, Confirmed by a Long Succeſsful Practice in regard of That Unlucky Diſorder.

Moreover, that Nothing might be Omitted, which could in the Leaſt Degree Contribute to Any Kind of Utility, Indexes are Subjoined, Regulated in the Exacteſt Manner Poſſible, of the Various Diſeaſes that Occur, and of the Remedies Appropriated to the Particular Caſes. And there is One farther Circumſtance attending the following Piece, viz. Whatever relates to the Cure of the Maladies Specified in it, is Delivered throughout in ſo Plain and Familiar a Stile, that Any Perſon of Tolerable Sagacity may on Many Occaſions be his own Phyſician: the Whole being Calculated for the Benefit of the Community no leſs than for That of the FACULTY of PHYSICK.

On Cloſing this Preface, I ſhall juſt take notice of the PANACEA, a Medicine Prepared by my Friend Mr. BACKAS, an Apothecary and Chemiſt, and Sold by him

him at his Shop without TEMPLE-BAR: which Acts on a Variety of Diſorders, and that, as is evinced from Experience, to the Great Relief of Thoſe who make uſe of it.

JOHN THEOBALD.

J: Banks 1759

Medulla Medicinæ Universæ:

SIVE

Materia Pharmaceutica

In Arctum Compendium Redacta.

CATALOGUS REMEDIORUM.

Bolus Anti-Dysentericus.

℞. Philon. Roman. ʒſs.
Rhabarb. Pulv. ϑſs.
Syrup. e Cortic. Aurant. q. ſ. Miſce.

Cataplasma Sinapinum.

℞. Farin. Semin. Sinapin.
Avenac. ana p. æ.
Acet. q. ſ. Miſce.

Collyrium e Vitriolo.

℞. Aq. Fontan. ʒviij.
Vitriol. Alb. ϑſs. Miſce.

Decoctum

Decoctum Anti-Emeticum et Febrifugum.

℞. Sal. Abſinth. ℥vj.
Coq. in Aq. Fontan. ℔iij.
Deſpuma, deinde inſtilla gradatim
Sp. Vitriol. q.ſ. ad Saturationem, et Adde
Aq. Alexeter. Spirituos. Sacch. Alb.
ana ℥iij. Miſce.

Decoctum Peruvianum.

℞. Cort. Peruvian. Pulv. ℥ij. Nitr. ℥ſs.
Coq. in Aq. Fontan. ℔iij ad Dimidias,
et Cola.
Doſis ab ℥ij ad ℥iij Sextis Horis.

Decoctum Serpentariæ.

℞. Rad. Serpentar. Virginian. Contus. ʒiij.
Aq. Fontan. ℔j. Coq. ad Medias.
Colatur. Add. Tinctur. Thebaic. Gutt.
xxx. Spir. Sal. Vol. Oleos. ʒj.
Syr. e Cortic. Aurant. ℥ſs. Miſce.

Electarium Adstringens.

℞. Pulv. e Bol. cum Opio,
Nuc. Moſchat. Toſt. ana ℥ij.
Syr. e Mecon. q. ſ. Miſce.
Cap. a ʒſs ad ℈ij cum Julap. Cretac.

Electarium Alexeterium.

℞. Pulv. Contrayerv. Comp. ʒij.
Rad. Serpentar. Virgin. Pulv. ʒj.
Syr. e Cortic. Aurant. q. ſ. Miſce.
Cap. ʒſs Sexta quaque Hora cum Julap. Diaphoretic.

Electarium Balsamicum.

℞. Conſ. Roſ. Rubr. ʒiij. Balſam. Locatell. ʒij. Syrup. e Cortic. Aurant. q. ſ. Miſce.
Cap. ʒſs urgente Tuſſi. Add. pro re nata Balſam. Sulph. Terebinth. ʒſs.

Electarium Diaphoreticum.

℞. Pulv. Contrayerv. Comp. ʒij.
Nitr. Depurat. ʒj. Syr. e Cortic. Aurant. q. ſ. Miſce.
Cap. ʒſs Sexta quaque Hora.

Electarium ad Gonorrhoeam Virulentam.

℞. Electar. Lenitiv. ʒiij.
Rad. Jalap. Pulv. ʒij.
Nitr. Depurat. ʒjſs.
Syrup. Simpl. q. ſ. Miſce.
Cap. ʒjſs primo Mane et Hora Somni.

ELECTARIUM ad GONORRHOEAM poſt Inflammationem.

℞. Elect. Lenitiv. ℥iv. Balſam. Copaiv. ℥ij. Pul. Rhei, Gum. Guaiac. Nitr. Dep. ana ℥j.
Syr. e Cortic. Aurantior. q. ſ. Miſce.

ELECTARIUM HÆMORRHOIDALE.

℞. Elect. Lenitiv. ℥ij. Flor. Sulph. ℥ſs. Nitr. Depurat. ℥ij.
Syr. e Cortic. Aurant. q. ſ. Miſce.
Cap. ʒj bis in Die.

ELECTARIUM HYDROPICUM.

℞. Gambog. Pulv. ℥jſs. Crem. Tart. Pulv. ℥j.
Zinzib. Pulv. ℥ſs. Syr. Alb. q. ſ. Miſce.
Cap. ℥ſs primo Mane.

ELECTARIUM JALAPII.

℞. Rad. Jalap. Pulv. ℥ij. Zinzib. Pulv. ʒiij.
Syr. e Cortic. Aurant. q. ſ. Miſce.
Cap. a ℥ſs ad ℈ij primo Mane.

ELECTARIUM ICTERICUM.

℞. Sapon. Caſtiliens. ʒiij.
Rhei Pulv. Spec. Hier. Picr. ana ℥ſs.

Syr. e Cortic. Aurant. q. ſ. Miſce.
Cap. ab ʒſs ad ʒj bis in Die.
Add. pro re nata Limatur. Mart. ʒſs.

Electarium Peruvianum.

℞. Cortic. Peruvian. Pulv. ʒiij.
Syr. e Cortic. Aurant. q. ſ. Miſce.
Cap. a ʒj ad ʒjſs Secunda vel Tertia quaque Hora, Intermittente Paroxyſmo, ad vices Sedecim cum Julap. Commun.
Add. pro re nata Rad. Serpentar. Virg. Pulv. ʒj.

Electarium ad Alvi Profluvium, ſive Diarrhoeam.

℞. Diaſcord. ʒiij. Rhabarb. Pulv. ʒj.
Syr. e Mecon. q. ſ. Miſce.
Cap. ℈ij cum Julap. Cretac.

Electarium Rheumaticum.

℞. Conſ. Cortic. Aurantior. ʒij.
Cinnabar. Antimon. Lævigat. ʒjſs.
Gumm. Guaiac. Pulv. ʒj.
Cortic. Winteran. Pulv. ʒiij.
Syr. e Cortic. Aurant. q. ſ. Miſce.
Cap. ʒj Mane et Veſperi.

Electarium Stomachicum et Scorbuticum.

℞. Conſ. Cortic. Aurantior. ℥iv.
Zinziber. Condit. ℥jſs.
Cort. Winteran. Pulv. ℥j.
Rubigin. Mart. ʒij.
Syr. e Cortic. Aurant. q. ſ. Miſce.

Electarium Sudorificum.

℞. Theriac. Andromach. q. v.
Cap. cum Julap. Volatil.

Emplastrum Attrahens.

℞. Reſin. Flav. Cer. Flav. ana ℔iij.
Sev. Ovill. Depurat. ℔j. M. F. Emplaſtrum. ſ. a.

Emplastrum Commune.

℞. Ol. Olivar. ℔viij.
Litharg. ſubtiliſſime Trit. ℔v.
Aq. Fontan. ℔ij. M. F. Emplaſtr. ſ. a.

Emplastrum Commune Adhæsivum.

℞. Emplaſtr. Commun. ℔iij.
Pic. Burgund. ʒiij. M. F. Emplaſtr. ſ. a.

Emplastrum Vesicatorium.

℞. Cantharid. ʒiv. Reſin. Flav. Cer. Flav. ana ℔j.

Sev. Ovill. Depurat. ℥iv. Acet. ℥vij.
M. F. Emplaſtrum ſ. a.

Emulsio Oleosa.

℞. Ol. Olivar ℥jſs. Syr. Alb. ℥j.
Aq. Font. ℥iv. Sp. C. C. per ſe ℥ſs.
Agitata Phiala fiat Emulſio.
Cap. Cochl. ij ſubinde.

Enema Commune.

℞. Aq. Fontan. ℥xij. Elect. Lenitiv. ℥ij.
Sal. Commun. ℥iij. Miſce.

Enema Dysentericum.

℞. Amyl. ℥jſs. Solv. Coquendo in Aq.
Font. ℥vj. et Add. Ther. Androm. ℥ij.
M. F. Enema, ſtatim poſt Sedem injiciendum.

Enema Saponaceum.

℞. Sapon. Mollis ℥ſs.
Solv. in Aq. Fontan. ℥x.

Enema Terebinthinatum.

℞. Decoct. Flor. Chamæm. ℥x.
Terebinthin. (Vitell. Ov. Solut.)
Mellis ana ℥ſs. Miſce.

Gargarisma.

℞. Aq. Hord ℔j. Mell. ℥iij.
Add. pro re nata Acet. ℥ij.
Vel Sp. Sal. Armon. ʒij. Miſce.

Gargarisma Leniens.

℞. Semin. Lin. ℥ſs. Coq. fere ad Syrupi Conſiſtentiam. Colatur, Add. Mell. ℥ij. Miſce.

Infusum Pectorale.

℞. Fol. Heder. Terreſtr. M. ij.
Rad. Glycyrrhiz. Inciſ. ℥ij.
Infund. per Horas Tres in Decoct. Hord. Bullient. Cong. j, et Cola.
Si addantur Mann. ℥vj, Nitr. Depurat. ʒvj, Fit Infuſum Solutivum.

Infusum Rosarum Rubrarum.

℞. Conſ. Roſ. Rubr. ʒvj. Infund. per Horas Tres in Aq. Font. Bullient. ℔iij. Colatur. Frigid. Add. Ol. Vitriol. ʒſs. Miſce.

Julapium Commune.

℞. Aq. Fontan. ℔j.
Alexeter. Spirituos. ℥jſs.
Syr. e Cortic. Aurantior. ʒvj. Miſce.

Julapium Cretaceum.

℞. Cret. Alb. ppt. ʒſs. Gumm. Arabic. ʒſs. Sacch. Alb. ʒj. Super-affund. Aq. Bullient. ℔ij. et Add. Aq. Cinnamom. Spirituos. ʒj. Miſce.

Julapium Diaphoreticum.

℞. Aq. Fontan. ℔ij.
Alexeter. Spirituos. cum Acet. ʒvj.
Syrup. e Cortic. Aurantior. ʒiij. Miſce.

Julapium Moschatum.

℞. Moſch. ʒj. Sacchar. Albiſſim. ʒij.
Terantur ſimul, et Add. Aq. Fontan. ʒx. Cinnam. Spirituos. ʒiv. Miſce.
Cap. Cochl. ij vel iij in Singultu, &c.

Julapium Volatile.

℞. Sal. Vol. C. C. ʒij.
Aq. Fontan. ℔jſs.
Alexeter. Spirituos. ʒjſs.
Sacchar. Alb. ʒj. Miſce.

Lambativum Commune.

℞. Ol. Olivar. ʒiij. Syr. Alb. ʒij.
Conſ. Roſ. Rubr. ʒſs. Ol. Vitriol. ʒſs. Miſce.

Mistura Anti-Emetica, et Ffbrifuga.

℞. Sal. Absinth. ʒij. Succ. Limon. ʒiij.
Aq. Fontan. ʒvj.
Cinnamom. Spirituos. ʒj.
Syr. e Cortic. Aurantior. ʒvj. Misce.
Cap. Cochl. ij vel iij Sexta quaque Hora.

Mistura Asthmatica.

℞. Oxymel. Scillit. ʒij.
Aq. Fontan. ʒiv.
Cinnamom. Spirituos. ʒij. Misce.
Cap. Cochl. ij Ter Quaterve in Die.

Mistura Astringens.

℞. Elect. e Scord. cum Opio ʒj. Aq. Font. ʒxij. Cinnam. Spirit ʒiij. M.
Cap. Cochl. ij post Singulas Sedes Liquidas.

Mistura Campechensis.

℞. Extract. Lign. Campech. ʒiij. Solve in Aq. Font. ʒvj. Cinnam. Spirit. ʒij. Add. pro re nata Tinct. Thebaic. Gutt. xxx, vel Phil. Roman. ʒj. Misce.

Mistura Paregorica.

℞. Syr. e Mecon. ʒiij. Aq. Fontan. ʒvj.
Alexeter. Spirituos. ʒij. Miſce.
Cap. Cochl. iv Hora Somni.

Mistura Purgans.

℞. Infuſ. Sen. ʒxij. Tinctur. Sen. ʒij. M.
Cap. ʒiij primo Mane.

Pilulæ Asthmaticæ,

et

Ictericæ.

℞. Gumm. Ammoniac. ʒij. Scill. Pulv. ʒj.
Sapon. Caſtil. ʒiij. Syrup. Alb. q. ſ. M.
F. Pilulæ ex Singulis Drachmis n°. x.
Cap. iij Mane et Hora Somni.

Pilulæ ex Colocynthide cum Aloe, vulgo Cocciæ Minores.

℞. Aloës Socotorin. Scammon. ana ʒij.
Pulp. Colocynth. ʒj. Ol. Caryoph. Aromat. ʒij.
Syr. de Spin. Cervin. q. ſ. Miſce.

Pilulæ Diureticæ.

℞. Scillar. ʒij. Spec. Aromat. jſs.
Balſam. Peruvian. ʒj.
Syr. e Cortic. Aurant. q. ſ. Miſce.

F. Pilulæ

F. Pilulæ ex Singulis Drachmis n°. x.
Cap. ij vel iij primo Mane et Hora Somni.

Pilulæ Mercuriales.

℞. Argent. Viv. ʒv.
Terebinth. Argentorat. ʒij.
Extract. Rud. ʒjſs.
Ol. Olivar. q. ſ. Miſce.

Pilulæ Rufi.

℞. Aloës Socotorin. ʒij.
Myrrh. Croc. ana ʒj.
Syr. de Spin. Cervin. q. ſ. Miſce.

Pilulæ Stypticæ.

℞. Alumin. Rup. Uſt. Pulv. ʒiij.
Sang. Dracon. Pulv. ʒj. Syrup. Alb. q. ſ. Miſce.
Cap. v. primo Mane et Hora Somni.

Pulvis Epilepticus.

℞. Rad. Valerian. Sylveſtr. Pulv. ℈ij.
Cinnabar. Antimon. ℈j.
M. F. Pulvis Mane et Veſperi ſumend.

Spiritus Mindereri.

℞. Sal. Armon. Vol. q. v.
Acet. Diſtillat. q. ſ. ad Saturationem.
Poſt Subſidentiam effunde.

Unguen-

Unguentum Cæruleum Mitius.

℞. Axung. Porcin. ℔iij.
Argent. Viv. ℔j.
Terebinth. ʒſs. M. F. Unguentum ſ. a.

Unguentum Digestivum.

℞. Unguent. Baſilic. Flav.
Nigr. ana ʒviij.
Balſam. Terebinthin. ʒiv. M.
F. Unguentum.

Index Remediorum.

Bolus Anti-Dyſentericus, Pag. 2
Cataplaſma Sinapinum, *ib.*
Collyrium e Vitriolo, *ib.*
Decoctum, Anti-Emeticum et Febrifugum, 3
Peruvianum, *ib.*
Serpentariæ, *ib.*
Electarium, Adſtringens, *ib.*
Alexeterium, 4
Balſamicum, *ib.*
Diaphoreticum, *ib.*
ad Gonorrhœam Virulentam, *ib.*
poſt Inflammationem, 5
Hæmorrhoidale, *ib.*
Hydropicum, *ib.*

Jalapii

Jalapii, *ib.*
Ictericum, *ib.*
Peruvianum, 6
Ad Alvi Profluvium, ſive Diar- *ib.*
Rheumaticum, [rhœam, *ib.*
Stomachicum et Scorbuti- 7
Sudorificum, [cum, *ib.*
Emplaſtrum, Attrahens, *ib.*
Commune, *ib.*
Adhæſivum, *ib.*
Veſicatorium, *ib.*
Emulſio Oleoſa, 8
Enema, Commune, *ib.*
Dyſentericum, *ib.*
Saponaceum, *ib.*
Terebinthinatum, *ib.*
Gargariſma, 9
Leniens, *ib.*
Infuſum, Pectorale, *ib.*
Roſarum Rubrarum, *ib.*
Julapium, Commune, *ib.*
Cretaceum, 10
Diaphoreticum, *ib.*
Moſchatum, *ib.*
Volatile, *ib.*
Lambativum Commune, *ib.*
Miſtura, Anti-Emetica et Febrifuga, 11
Aſthmatica, *ib.*
Aſtringens, *ib.*
Campechenſis, *ib.*
Paregorica,

	Paregorica,	12
	Purgans,	*ib.*
Pilulæ,	Asthmaticæ et Ictericæ,	*ib.*
	Cocciæ Minores,	*ib.*
	Diureticæ,	*ib.*
	Mercuriales,	13
	Rufi,	*ib.*
	Stypticæ,	*ib.*
Pulvis Epilepticus,		*ib.*
Spiritus Mindereri,		*ib.*
Unguentum, Cæruleum Mitius,		14
	Digestivum.	*ib.*

A NEW

A

NEW COMPENDIOUS DISPENSATORY:

BEING

A TRANSLATION

Of the Foregoing

PHARMACOPOEIA.

With a Brief Intimation under Each Recipe of its Particular Uſes and Efficacy.

A

NEW COMPENDIOUS

DISPENSATORY

BEING

A TRANSLATION

OF THE

PHARMACOPŒIA

A

NEW COMPENDIOUS DISPENSATORY.

Bolus Anti-Dysentericus.

A Bolus in a Bloody-Flux.

TAKE Half a Dram of Roman Philonium; Ten Grains of Rhubarb in Powder; and, with a Sufficient Quantity of Syrup of Orange-Peels, work the Ingredients into a Bolus.

This Medicine is Calculated for the Relief of Thoſe, who labour under any Degree of a Bloody-Flux. The Opiate Quality

Quality in the Philonium Quiets the Bowels, while the Rhubarb is Carrying off the Slimy Matter, whoſe Acrimonious, Corroding, Particles are Preying upon the Veſſels, and Opening their Inflamed Orifices. It is to be Given, when Bleeding, Vomiting, and Rhubarb without an Opiate have proved Ineffectual, and to be Repeated Every Night, in caſe the Diſorder continues Obſtinate. Rice-Gruel and the Chalk Julep are at the ſame time to be Uſed freely.

Cataplasma Sinapinum.
A Mustard-Seed Pultice.

Take Flower of Muſtard-Seed, and an Equal Portion of Oatmeal; and, with a Sufficient Quantity of Vinegar, Make a Pultice.

This Applied in a Sciatica to the Part Affected will greatly Warm, Irritate, and ſometimes Bliſter it, and conſequently be of Real Advantage; as by this means is Promoted a Free Perſpiration, and the Offending Matter gradually Thrown off by the Pores of the Skin. Bleeding and Purging, in Proportion to the Pain and Stubbornneſs of the Diſorder, ſhould

Precede

Precede the Application of it. It may be of Service likewiſe in Paralytic Caſes, and by its Stimulating Faculty Forward the Circulation of the Nervous Fluid, and Reſtore the Veſſels to their Former Natural State.

Collyrium e Vitriolo.

A Vitriol Lotion for the Eyes.

Take Half a Pint of Spring-Water, and Ten Grains of White Vitriol. Shake Theſe together, and Make a Lotion for the Eyes.

In All Inflammations of the Eyes and Defluxions on Thoſe Organs, This Cooling and Repelling Waſh may be uſed at diſcretion, after Bleeding and Bliſtering. And to render it ſtill more Efficacious, it may not be Improper to have recourſe to Internal Diuretics at the ſame time.

Decoctum Anti-Emeticum et Febrifugum.

A Decoction againſt Vomiting, and Fevers.

Take Six Drams of Salt of Wormwood. Boil This in Three Pints of Spring-Water. Skim

Skim it, and Drop into it gradually of Spirit of Vitriol as much as will Sufficiently Impregnate it. Then Add Three Ounces of Strong Alexeterial Water, with the Like Quantity of Doubly-Refined Sugar.

Fevers, from too Lax a State of the Fibres of the Stomach, are often attended with Nauſeas, and Frequent Reachings to Vomit. In That Caſe, This is a Good Medicine, inaſmuch as Three Spoonfuls of it Taken between whiles, particularly after Every Return of That Symptom, ſeldom fail in a Few Hours to give Relief. And, in regard of Agues and Intermittents, it is Obſervable that the BARK has frequently Succeeded after the Uſe of This Decoction, which before was Taken to no manner of Purpoſe.

DECOCTUM PERUVIANUM.
A DECOCTION of the BARK.

Take Two Ounces of the Bark in Powder, and Half an Ounce of Nitre. Boil Theſe in Three Pints of Spring-Water. When Half is Boiled away, Strain the Remainder for Uſe.

The

The Virtues of the BARK, That Noble Product of PERU, are too well known at this day, to ſtand in need of any Explanation, or Recommendation; which, beſides its Efficacy in Fevers, is Extended now to Wounds and Mortifications. On which ſcore Dr. MEAD Preſcribes a Dram of it Every Six Hours (with Alum and Oil of Vitriol between whiles) in that Terrible Species of the Small-Pox, juſtly ſtiled the Bloody Kind; where the Skin is over-run with Black Spots that are Real Gangrenes, and a Diſcharge of Blood iſſues by all the Outlets of the Body. He Injoins it again, or the Extract of it, (which is generally more Commodious) in the Small-Pox, whenever a Single or Double-Tertian accompanies the Fever attendant on That Diſtemper, to be Given at Due Intervals, till there be no Farther Returns of the Fits. Nor are there, as He ſuggeſts, in reality, the Leaſt Grounds, on this Occaſion, for Fearing any Obſtruction, that can ariſe from This Drug, to the Maturation of the Puſtules: but, on the contrary, as This Additional Fermentation of the Blood and the Perturbation of the Humours may eaſily put a Stop to Suppuration, by Suppreſſing of Theſe, all Things go on

Happily

Happily and Uninterruptedly. Though in the firſt place, as the Doctor obſerves, the Belly ought to be Looſened by a Clyſter. This Form of Taking it is contrived for Thoſe, whoſe Stomach, perhaps, would be apt to Recoil on Swallowing it in Subſtance. The Doſe is Five or Six Spoonfuls Every Three or Four Hours. If an Ague or Intermittent Fever be the Caſe, it will be of Great Uſe, before the Exhibition of it, to Unload the Stomach, and Firſt Paſſages, by a Gentle Vomit of about Five and Twenty Grains of Ipecacoanha. Should it go off by Stool, and ſo, in regard of the Intentions it is here Given to Anſwer, prove Unſucceſsful, Ten Drops of Liquid Laudanum, in any Proper Drink, will Prevent, almoſt with an abſolute Certainty, That no very Unuſual Effect of it.

Decoctum Serpentariæ.
A Decoction of Snake-Root.

Take Three Drams of Virginia Snake-Root Bruiſed, and Boil it in a Pint of Water to Half a Pint. Strain it off, and Add Thirty Drops of Liquid Laudanum, with a Dram of Sal Volatile Oleoſum, and Half an Ounce of Syrup of Orange-Peels.

This

This is Directed in Fevers of the more Malignant Kind, where the Pulſe is Low and Languid, the Body Clammy, and the Patient at the ſame time very Reſtleſs; as it Invigorates the Blood, Opens the Obſtructed Nerves, Procures Sleep, and is a moſt Powerful Alexipharmic. In the Small-Pox likewiſe, (agreeably to What Dr. MEAD intimates on That Head) where the Puſtules, that ought now to Ripen, make no Advances, from Nature's being Sluggiſh and Unable to Perform her Part, towards Suppuration, This Decoction, by rendering the Blood more Rapid in its Motion, and by Thinning the Humours, will Greatly help to Promote it. The Doſe is Two or Three Spoonfuls Every Four Hours. Bliſtering in a Degree, Proportioned to the Extremity of the Caſe, ought to accompany the Uſe of it.

ELECTARIUM ADSTRINGENS.

An ASTRINGENT ELECTARY.

Take Two Ounces of Powder of Bole with Opium, and Two Ounces of Toaſted Nutmegs; and, with a Sufficient Quantity of Diacodium, Make an Electary.

This is Recommended in Violent Looſeneſſes. Half a Dram, or Two Scruples of it, at a Doſe, along with the Chalk-Julep, generally Abates Thoſe Immoderate Evacuations of the Lower Belly; and, Repeated between whiles for a Day or two, will give an Effectual Check to the Diſorder. Bleeding, a Vomit, and Gentle Purging with Rhubarb, ought to Precede the Uſe of it.

Electarium Alexeterium.

A Cordial Electary.

Take Two Ounces of the Compound Powder of Contrayerva-Root; an Ounce of Virginia Snake-Root in Powder; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

Inflammatory Fevers often Degenerate into Thoſe of the Malignant Claſs, where the Pulſe is exceedingly Depreſſed, the Parts Convulſed, and the Circulation juſt, ſeemingly, on its Laſt Ebb. In this Calamitous Situation, Medicines of a Warm, Invigorating, Nature, together with Ample Bliſtering, will ſometimes produce Surpriſing Effects. On which account, in Circumſtances

Circumſtances of this Kind, Half a Dram of This Electary, with Three or Four Spoonfuls of the Diaphoretic Julep, Every Four or Six Hours, may very Rationally be adminiſtred.

Electarium Balsamicum.
A Balsamic Electary.

Take Three Ounces of the Conſerve of Red Roſes; Two Ounces of Locatelli's Balſam; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

Half a Dram of This Electary is Recommended to be Repeated on the Urgency of Such Coughs, as give Suſpicion of Tubercles, and Ulcerations in the Lungs; the Compoſition being looked upon as a Good Internal Vulnerary, and very Aptly formed for Correſponding with Such Purpoſes. Half an Ounce of Balſam of Sulphur with Oil of Turpentine may Occaſionally be Added to it. Bleeding ſhould be ordered before the Uſe of it, and a Bliſter applied between the Shoulders.

Electarium Diaphoreticum.
A Diaphoretic Electary.

Take Two Ounces of the Compound Powder of Contrayerva-Root; an Ounce of Depurated Nitre; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

Wherever Sweating is Indicated, Half a Dram of This Compoſition Every Six Hours, in ſome Proper Julep, is very likely to bring Relief, by keeping the Body in a Due Conſtant Moiſture, without any Danger of Over-heating it. Therefore, in all Obſtructions of the Cutaneous Pores, and Viſcidities of the Blood whatever, it may Judiciouſly enough, after Due Bleeding, be Preſcribed.

Electarium ad Gonorrhoeam Virulentam.
An Electary for a Virulent Gonorrhoea.

Take Three Ounces of Lenitive Electary; Three Drams of Jalap in Powder; a Dram and a Half of Depurated Nitre; and,

and, with a Sufficient Quantity of the Simple Syrup, Make an Electary.

A Violent Inflammation and Tenſion in the Urinary Parts and Paſſages being ever attendant on a Virulent Gonorrhœa, Nothing can be better adapted to the Urgency of Such Symptoms, than a Medicine of the Nature of This Electary; which, by its Cooling, Diuretic, and Laxative Properties, is every way qualified for Anſwering the Practitioner's Intentions of affording Relief.——Nor will any thing ſo much contribute to the Succeſs of it, as Previous Bleeding, and a Repetition of it, ſhould the Pain or Inflammation Continue. The Blending Purgatives with Medicaments that Paſs by Urine cannot, in this Caſe, well miſs of Succeſs; as Coſtiveneſs of the Body is apt to produce an Uneaſineſs, and, conſequently, Heat in the Inteſtines, which is naturally enough Communicated to the Urinary Parts, with which they have ſo Cloſe a Connection. It muſt alſo be here Obſerved, that a Proper Regimen in reſpect of Diet will not a little Contribute to a Cure. Every thing Salt, High-Seaſoned, and Heating muſt be Reſolutely Avoided; and, inſtead of Strong Spirituous Liquors,

the Patient muſt content himſelf with Liquids of the Cooling Kind, Such as Small Tea, Emulſions, or Barley-Water. The Doſe of the Above-Electary is a Dram and a Half Night and Morning. Should This Quantity give more than Four Stools, the Doſe muſt be Leſſened, if not ſo many, Increaſed.

N. B. When there is a Cordee in the caſe, and a Troubleſom Senſation in the Urinary Canal, with an almoſt Continual Provocation to make water, (the Urine the while being often Tinged with Blood) it will be Altogether Neceſſary, beſides the Uſe of This Remedy, to recur to Large Bleedings, for the Removal of Thoſe Irritations, and to the Aſſiſtance of Laudanum; Twenty Drops of which are to be Taken at Bed-time in ſome Proper Liquid, and to be Repeated as Circumſtances may Require. Mercurial Ointment alſo ſhould be Rubbed in at the ſame time the Whole Length of the Urethra, and, from the Beginning to the End of the Diſeaſe, the Part Affected Waſhed with Milk and Water, Warm. Should the Pain ſtill Obſtinately continue, Bleeding muſt be Repeated; and Four Grains of Calomel (Made into a Pill with Conſerve of Roſes) Taken Every other night,

night, during That Symptom, and Purged off the Third Day with a Doſe of This Electary.

ELECTARIUM ad GONORRHOEAM poſt INFLAMMATIONEM.

An ELECTARY for a GONORRHOEA after the INFLAMMATION.

Take Four Ounces of Lenitive Electary; Two Ounces of Balſam Copaiva; an Ounce of Rhubarb in Powder; an Ounce of Gum Guaiacum; and a Like Quantity of Depurated Nitre; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

At This Stage of the Diſtemper, All Heat and Inflammation of the Parts being intirely over, the Balſam and Gum are very judiciouſly ordered. Otherwiſe, a Long Courſe of Diuretics might cauſe too Great a Relaxation of the Veſſels, and bring on a Troubleſom Gleet; which Theſe Ingredients, by the Thickening Quality of the One, and Specific Efficacy, in Theſe Kinds of Caſes, of the Other, are admirably well contrived to Prevent. To be Taken as the Former twice a day.

N. B. If the Running ſhould notwithſtanding Continue, the Uſe of Balſam of Copaiva, from Seventy to a Hundred Drops, Morning and Evening, together with a Cold Bath, ſeldom fails of Procuring the Deſired Effect; and will at the ſame time keep the Body ſufficiently Open. But, as This Balſam in ſo Large a Quantity is wont ſometimes to ſit Untowardly on the Stomach, it will be Adviſable to Take about Thirty Drops of Elixir of Vitriol in a Glaſs of Fair Water, twice a day: which Expedient, though an Eaſy one, will nevertheleſs abſolutely Remove That Inconveniency.

From a Long Continuance of the Running, and often from a Prepoſterous Uſe of Aſtringent Injections, proceeds a STRICTURE, vulgarly and improperly called a CARNOSITY; it being, in reality, a Contraction, Shrivelling up, and Thickening of the Membrane that immediately Lines the Urethra; a Symptom frequently accompanied with a Gleet, and ſometimes with an Irritation to make water, the Urine, which comes away in a Double Stream in the Beginning, terminating in a Dripping. This Incident is One of the moſt Troubleſom and moſt Dangerous of the Whole Venereal Tribe; inaſmuch as it is

apt

apt to cauſe a Total Suppreſſion of Urine, a Conſequence of which is frequently a Collection of Matter in the Perinæum, that generally leaves a Fiſtula behind it. On which account no Accident of This Claſs merits our Conſideration and Regard more, nor admits of an Eaſier or more Certain Cure, if Early attended to. But, ſhould it be of any Long Duration, it turns out Obſtinate, and is not Remedied without Much Pains and Patience. The Removal of it conſiſts in Paſſing a Small Candle every or every other day, Rubbed with Oil, Gently and without Force up the Urethra, till it reaches beyond the Places Affected; which muſt be Suffered to Remain in the Paſſage Half an Hour for the Firſt two or three Times. After which it will be Proper to Let it Remain in the Urethra Three or Four Hours, provided it does not cauſe Pain. Should it bring on an Inflammation, Bleeding will be Requiſite, and ſome Gentle Phyſick; and the Uſe of the Candle muſt be Omitted for the preſent.

When Difficulties attend the Paſſing of This Candle, it will be Proper to Anoint the Part the Whole Length of the Urethra with Mercurial Ointment, and to Recur to Bleeding, Mild Purging, and the

Warm Bath, to Relax the Fibres Previouſly to the Uſe of it. And though we ſhould be Foiled in the First Attempts, yet, by Perſiſting, Time will get the better of it. The Candle is to be Repeated once a Week for ſome Months after the Complaint is Removed, and is Prepared after the following Eaſy Manner: viz.

Take Four Ounces of Yellow Wax; Three Drams of Roſin; and Half an Ounce of Factitious Cinnabar. Melt Theſe together, then Dip in ſome Thin Cambrick, and Roll it to the Size you would have it.

The Method is, to Begin with a Small Candle, and to Enlarge it Gradually till the Cure is Accompliſhed: which Conſiſting intirely in Stretching the Urethra, and Widening the Paſſage, all Medicated Candles, it is evident, are Impoſitions on the Public, and muſt be of the Worſt Conſequence to the Patient.

A Sudden Stopping of the Running, either through Cold or any other Accident, frequently produces a Swelled Teſticle, which is ever attended with Great Pain in the Back as well as in the Part itſelf. When This happens, it will be abſolutely Neceſſary to Take away immediately a Large Quantity of Blood, and to Apply a Pultice of Bread and Milk with ſome Mercurial Ointment in it, juſt Sufficient

to

to keep the Pultice Moiſt, the Teſticle in the mean while being Suſpended in a Bag-Truſs. In caſe of Coſtiveneſs, it will be Expedient to Inject a Clyſter Previouſly to the Exhibition of an Ipecacoanha Vomit. Should the Symptoms ſtill Subſiſt, notwithſtanding this Circumſpection and Management, Bleeding and the Vomit muſt be Repeated, This Practice ſeldom Failing to Bring on the Running again; which ſhould be ſuffered to Continue for ſome Time, e'er any Attempt be made to Check it. It may be Uſeful likewiſe every other night to Give Three or Four Grains of Calomel in ſome Conſerve of Roſes; and if the Pain be not Removed, it will be Requiſite Every Evening to recur to an Opiate, and to take care to keep the Body Open.

A Bubo, or Swelling in the Groin, is a very Common Symptom in This Diſtemper; which begins with a Hardneſs in Thoſe Glands, and, as That Hardneſs increaſes, grows extremely Painful. While Matters are in This State, it will (without waiting for Suppuration) be Proper to apply a Cauſtic, and make a Large Opening; and, when the Slough is Separated, to Deſtroy the Glands by Precipitate and Lunar Cauſtic: or, ſhould

Theſe

Theſe Applications happen to fall ſhort of Anſwering That Intention, to Cut them intirely out. For ſo long as They Remain, it is in vain to expect the Sore to Heal, which after This Management generally Heals Kindly; eſpecially, if ſome Mercurial Ointment be Rubbed upon the Legs, and the Unction Repeated between whiles, till the Cure be Perfected, or ſome Small Doſes of Calomel be Given over night. It will be Adviſable likewiſe to keep the Body Open, during the Whole Continuance of This Affair, by Proportioned Doſes from time to time of the Purging Electary.

Electarium Hæmorrhoidale.

An Electary for the Piles.

Take Two Ounces of Lenitive Electary; Half an Ounce of the Flowers of Sulphur; Two Drams of Depurated Nitre; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

This Compoſition is Cooling, Opening, and Deterſive, and therefore very well appropriated to the Uſe its Title expreſſes. The Doſe of it is a Dram twice a day. All Sulphureous Medicines are confeſſedly Great Sweetners of the Blood, by Sheathing

ing the Acrimonious Particles, which cauſe it to run into Preternatural Cohefions and to become Grumous, and have been Particularly Devoted to the Piles in all Ages. When there is any Degree of an Inflammation, it will be Neceſſary to Bleed; and, in caſe the Malady is External, to have recourſe to the Bread and Milk Pultice, Ointment of Elder-Flowers with an Opiate mixed in it, in the Proportion of Two Scruples of Opium to an Ounce of the Ointment, and to Sit over a Pan, and Receive the Steams of Hot Water, by way of Fomentation.

N. B. When the External Piles riſe in Tumours with Livid Spots in the Middle, we ſhould apply the Launcet to Them, and then Preſs out the Coagulated Blood which loads theſe Parts, and never Returns into the Maſs, but is Frequently the Parent of Much Miſchief, which This Method muſt neceſſarily Prevent.

Electarium Hydropicum.

An Electary in a Dropsy.

Take an Ounce and a Half of Gamboge in Powder; an Ounce of Cream of Tartar in Powder; Half an Ounce of Powdered Ginger; and, with a Sufficient Quantity

Quantity of the White Syrup, Make an Electary.

Gamboge acts moſt Powerfully on the Humours, and is therefore Preſcribed in Dropſies, and all Watery Corpulency tending to That Unwieldy Diſorder. But, as it Works Violently both by Vomit and Stool at the ſame time it is Draining the Body of Thoſe Redundancies, the Utmoſt Caution is neceſſary in the Exhibition of it. Its Roughneſs is Intolerable; and, though Corrected with all imaginable Care and Art, it is Fit only for Perſons of a Strong Conſtitution. What Phyſical Management can Effect in this regard, is Here done, by Means of the Cream of Tartar and Ginger; there being Nothing in the Whole Province of Medicine ſo Efficacious in Guarding againſt its Stimulating Faculties, and the Tumults it might raiſe, either in the Stomach, or Inteſtines, as Theſe Two Drugs. The Doſe, in the Form here Given, is Half a Dram to be Taken in the Morning.

Electarium Jalapii.

A Jalap Electary.

Take Two Ounces of Powder of Jalap; Three Drams of Powdered Ginger; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

The Jalap-Root is One of the Beſt Purges we have. It Works Efficaciouſly, and at the ſame time Mildly enough. 'Tis an Admirable Medicine in Dropſical and Over-loaded Habits. It Powerfully Attenuates Viſcous Juices, and Evacuates them ſometimes Surpriſingly by Stool; nor can any thing be legally Objected to it, but its Cheapneſs. The Form it is Preſcribed in Here deſerves Attention; the Ginger being like to Obviate any Flatulencies it might poſſibly, without Such a Reſource, create in Bowels of a very Senſible Texture. The Doſe of This Electary is from Half a Dram to Two Scruples, to be Taken Early in the Morning.

Electarium Ictericum.
An Electary in a Jaundice.

Take Three Ounces of Caſtile Soap; Half an Ounce of Rhubarb in Powder; Half an Ounce of the Species of Hiera Picra; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

Soap has long been held in Great Eſteem for its Warm, Attenuating, and Deterging Qualities. Thoſe Kinds of it, which are chiefly Appropriated to Medicinal Purpoſes, and Given Inwardly, come from Venice and Castile. From its Property of Rarefying the moſt Obſtinate Viſcidities, it is Preſcribed in all Obſtructions of the Viſcera, and Infarctions of the Veſſels, and is ranked amongſt the Firſt Tribe of Diuretics. But it is Principally Celebrated for its Virtues in Scouring the Liver in a Jaundice, and Promoting the Secretion of the Bile; for want of which Expedient This Fluid remains Unſtrained in the Maſs of Blood, and Tinges the Skin in the Manner as is Obvious to the Eyes of Every one. To Render the Above Electary ſtill more Powerfully

Powerfully De-obſtruent, Half an Ounce of Filings of Steel may Occaſionally be Added to it. The Doſe is from Half a Dram to a Dram, twice a Day.

Electarium Peruvianum.

An Electary of the Bark.

Take Three Ounces of the Bark in Powder; and, with a Sufficient Quantity of Syrup of Orange-Peels, work it into an Electary.

This is a Good Method of Giving the Bark, in caſe the Stomach can bear the Taking it in Subſtance. It is not only Serviceable in Intermittent Fevers, but likewiſe Specifically Efficacious in All Periodical Diſorders whatever. To make it the more Beneficial, an Ounce of Virginia Snake-Root may be on Occaſions Added to This Quantity of Electary; a Dram, or a Dram and a Half, of which may be Adminiſtred Every two or three Hours, in the Intervals of the Fits. But then Evacuations ought always to Precede the Uſe of it.

Electarium ad Profluvium Alvi, ſive Diarrhoeam.

An Electary for a Diarrhoea, or Looseness.

Take Three Ounces of Diaſcordium; an Ounce of Rhubarb in Powder; and, with a Sufficient Quantity of Syrup of White Poppies, Make an Electary.

As there is ever, in All Looſeneſſes, a Sharp, or Slimy, Matter Sticking to and Irritating the Coats of the Inteſtines, and Determining them to Thoſe Exceſſive and Preternatural Evacuations, the Rhubarb in This Compoſition is Serviceable in a Double Capacity; both as it Carries off This Hoſtile Matter from the Bowels, and at the ſame time Braces the Relaxed Fibres, and Reſtores them to their Former Healthy State. The Diaſcordium has its Share in Accompliſhing a Cure, partly from its Aſtringency, partly from its Opiate Quality, by rendering the Veſſels Inſenſible of the Pungency of the Morbific Particles. The Doſe of This Electary is Two Scruples, to be Taken in Some of the Chalk-Julep, and to be Repeated

Repeated in Proportion to the Urgency, or Continuance, of the Diſorder.

Electarium Rheumaticum.
An Electary in a Rheumatism.

Take Two Ounces of Conſerve of Orange-Peels; an Ounce and a Half of Cinnabar of Antimony Levigated; an Ounce of Gum Guaiacum in Powder; Three Drams of Winter's-Bark Powdered; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

As the Cinnabar and Gum are of the Claſs of Powerful Attenuants, and Plentifully Promote Natural Perſpiration, This Electary is very Rationally Directed in Rheumatic Pains; where ſtill Subſiſts an Obſtruction of the Pores, and the Blood, from too Great a Sizineſs, being Sluggiſh in its Circulation, Diſtends the Veſſels, and Cauſes Thoſe Uneaſy Muſcular Senſations. But, in Theſe Diſeaſes, Attended with any Degree of Inflammation, it would be very Injudicious to Order a Medicine of This Kind; as it would be Adding Heat to Heat in Contradiction to the very Firſt Elements of Phyſick,

and

and Fundamental Axioms of Practice. And indeed where there is no Inflammation, it would be Expedient, that Evacuations by Bleeding, and Purging, ſhould Previouſly take place. The Doſe of This Electary is a Dram, Morning and Evening.

Electarium Stomachicum et Anti-Scorbuticum.

A Stomachic and Anti-Scorbutic Electary.

Take Four Ounces of the Conſerve of Orange-Peels; an Ounce and a Half of Candied Ginger; an Ounce of Winter's-Bark in Powder; Two Drams of the Ruſt of Iron; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

This is a very Warm and Good Medicine for the Diſorders Specified by its Title. Flatulencies, and all Complaints, ariſing from Indigeſtion and a Cold Weak Stomach, cannot well Fail finding Relief from the Uſe of an Electary ſo Effectually Impregnated with Ginger. And, in Scorbutic Caſes, What may not one hope for from Ingredients, the Subtilty

tilty of whoſe Component Parts on the one hand, and Eſſential Weight and Gravity on the other, (Such are the Cortex Winteranus and Iron) are Directly Formed for Breaking and Deſtroying the Viſcidities and Groſs Concretions, which Obſtruct and Erode the Capillaries and Small Glands, or, in other words, Conſtitute the Scurvy? Nor is the Intention of Eaſing the Patient a little Forwarded by the Proportion the Conſerve of Orange-Peels bears in This Electary; as it is very well known, that This Diſtemper is an Abſolute Stranger to the Climates Productive of Thoſe Kinds of Fruits.

Electarium Sudorificum.
A Sudorific Electary.

Take Theriaca Andromachi, or Venice-Treacle.

This is a moſt Elaborate and Celebrated Compoſition, and the Capital Alexipharmic not only of Our Shops, but Thoſe of All Europe. It had for its Author the Perſon, whoſe Name it bears, Eminent in his Profeſſion, and Phyſician to the Emperor Nero. From the Great Quantities Made in That City, it has long

long obtained the Appellation of VENICE Treacle, from whence it is Tranſported to Moſt Parts of the Globe. It is an Excellent Cordial and Cephalic, being Enriched with many Ingredients for Anſwering All Purpoſes of that nature. Nor does it merit a Leſs Encomium in regard of its Quieting Powers; as Nothing of This Claſs of Medicine can be given either with Greater Safety, or Efficacy; the Dangerous Effects of the Opium being admirably well Guarded againſt by the Pungency of ſome Particular Drugs that enter This Compoſition. In All Fevers of the Low, Depreſſed, Kind it does wonders, eſpecially where Sleep is wanting. A Scruple, or Half a Dram of it, on Thoſe Occaſions, Given Succeſſively Every Six or Eight Hours, (more or leſs, according to the Circumſtances, Strength, and Conſtitution of the Patient) with Two or Three Spoonfuls of the Volatile Julep, oft Procures and Keeps up a moſt Deſireable Breathing-Sweat, the Forerunner generally of a Fortunate Criſis. Bliſtering pretty ſmartly at the ſame time in This Sort of Fevers is very Adviſable; as the Stimulating Faculty of Thoſe Flies will help to Enable Nature to Carry on the Circulation,

Circulation, till the Morbific Matter chance to be Thrown off by Regular Secretions.

Emplastrum Attrahens.
Drawing Plaster.

Take Three Pounds of Yellow Roſin; a Like Quantity of Yellow Wax; and a Pound of Tried Mutton Sewet. Melt Theſe together, and Strain the Mixture, while it remains Fluid.

This is Intended a Subſtitute for the Melilot Plaſter, whoſe Place it will fill very Advantageouſly. The Plant, which gave it This Appellation, being of no Significancy towards its Uſe, but, on the contrary, through its Diſagreeable Scent, very Obnoxious to the Patient, is Judiciouſly enough Omitted in This Compoſition.

Emplastrum Commune.
The Common Plaster.

Take a Gallon of Olive Oil, and Five Pounds of Litharge Finely Powdered. Boil Them together with about a Quart of Water over a Gentle Fire, continually Stirring, till the Oil and Litharge are United,

United, and They acquire the Due Conſiſtence of a Plaſter; and, if the Water is Waſted before the Operation is over, More Water muſt be Poured on Hot, to Prevent the Oil from Burning, and Growing Black.

This is to Supply the Place of the Diachylum Plaſter of Former Diſpenſatories. And, indeed, This Leſs-compounded Form is Here adopted, inaſmuch as the Plaſter under the Name of Diachylon has been Thus Prepared in Our Shops for ſo long a time, that no Objection can be made from Experience againſt it.

Emplastrum Commune Adhæsivum.

The Common Sticking Plaster.

Take Three Pounds of the Common Plaſter, and Three Ounces of Burgundy-Pitch. Mix according to Art for an Adheſive Plaſter.

This is of a Warm and Diſcutient Nature, and is a very good Subſtitute for All Plaſters of the Gum-Kind. In the Diſpenſatory of the Royal College, Yellow Roſin is Ordered inſtead of the Burgundy-Pitch. But This Latter Ingredient

dient ſeems to be rather Preferable; inaſmuch as it renders the Compoſition ſtill more Subſervient to Diſcuſſing and Suppurating Purpoſes.

Emplastrum Vesicatorium.
Blistering Plaster.

Take Four Ounces of Cantharides; a Pound of Yellow Roſin; a Like Quantity of Yellow Wax; a Quarter of a Pound of Tried Mutton-Sewet; and Seven Ounces of Vinegar. Mix, and Make a Plaſter according to Art.

The Flies, that Conſtitute This External Application, are the Product of Spain. Their Component Particles are ſo Sharp, Poignant, and Cauſtic, that, in a Few Hours Space, They cauſe the Scarf-Skin to Riſe on the Part to which They are Applied in Notable Bladders. Baglivi, an Eminent Roman Phyſician, wrote an Expreſs Diſſertation on their Uſe and Abuſe in Medical Purpoſes, wherein he has laid down Rules very well worth our Attention. The moſt Excellent Remedy in the world may be Proſtituted to Prepoſterous Practice, which, it is too plain, is often the Caſe in regard of Bliſters. To

Order them Indifferently in Fevers, and without Diſtinction, in Any Stage of the Diſtemper, does not diſplay the ſtrongeſt Indication of Phyſical Ability. Dr. MEAD Cautions againſt Preſcribing them too Early in the Small-Pox; though he lays Great Streſs upon their Effects on Several Emergencies in the Courſe of That Diſtemper. For Example, in the Cryſtalline Species, he tells us, that, beſides Diuretics and Cordials, on the Fifth or Sixth Day from the Firſt Appearance of the Diſorder, it is Requiſite to Apply Bliſters both Between the Shoulders and to the Inner Ankles; as, by Thus Drawing off That Serous Liquid, the Fever, which is apt to Rage the more when there is no Farther Drain and Derivation of Humours to the Skin, is Timely Obviated. Again, in the Watery Small-Pox, where it behoves one to be very Attentive to the Fever, (inaſmuch as the Extremely-Viſcid Matter of the Diſeaſe can neither be Brought to Suppurate, nor be Carried off by Diuretics,) along with Cordials in order to Raiſe a Sweat, and Digeſt the Humours, he Injoins an Application of Bliſtering Epithem to the Skin. And he Aſſures us moreover, that he has ſeen Some Eſcape the Jaws of Death by means of Bliſters,

ters, who Voided a great deal of Bloody Urine on the Eruption of the Malady.

Therefore, before one Reſolves on an Expedient of This Nature, it would be convenient to Conſider, whether the Fever be of the Inflammatory, or the Nervous, Kind. If of the Former, inſtead of Bliſtering, the Launcet ought to be Indulged, and a Lenient, Cooling, Diluting Method ſet on foot, which may Reſtrain the Heat and Ebullition of the Maſs of Blood, and by degrees Reſtore it to a Due Temperature. To the Obtaining which End, Emollient Clyſters, Judiciouſly Directed, will not a little Contribute. On the other hand, in Fevers of the Nervous Claſs, where the Symptoms are quite Reverſed, (the Pulſe being Low and Languid, the Spirits almoſt Exhauſted, the Eyes, far from Exhibiting any Signs of Inflammation, grown quite Dim) we ought by all means to Recur to a Liberal Uſe of Bliſters. Should They cauſe a Strangury, as They ſometimes will, the Drinking between whiles of the Gum-Arabic Emulſion, Specified in the APPENDIX to This Little Piece, will ſerve to Remove That Complaint.

Emulsio Oleosa.
An Oily Emulsion.

Take an Ounce and a Half of Oil of Olives; an Ounce of the White Syrup; Four Ounces of Spring-Water; Half a Dram of Spirit of Hartſhorn per ſe; and Mix for an Emulſion.

Oily Medicines, being of a Lubricating, Softening, and Relaxing Nature, are Singularly Uſeful on Many Emergencies. They are Particularly Serviceable in Gravelly Caſes; and, in regard of Expectoration, one can ſcarce Raiſe a Laudable one without Them. This Mixture ſeems Peculiarly Calculated for Freeing the Lungs from That Oppreſſion, which is Eſſentially conſequent to an Inflammation of Them. And, indeed, there cannot be Deviſed a Better. The Part the Spirit of Hartſhorn bears in it will, by Thinning the Fluids, greatly Facilitate That Diſcharge. Two Spoonfuls are to be Taken of it every now and then. It will be Proper alſo in any Cough, and Stuffing of the Glands, from the Catching any Sudden Cold.

Enema Commune.
A Common Clyster.

Take Three Quarters of a Pint of Water; Two Ounces of Lenitive Electary; Three Drams of Common Salt; and Mix for a Clyſter.

This will to All Intents and Purpoſes Efficaciouſly fall in with the View of Unloading the Bowels of their Coſtive Contents, and, conſequently, Procure an Immediate Relief on Many Occaſions to the Patient. The Addition of the Salt, by a Mild Gentle Stimulus, Infallibly Inſures its Effects, and Cuts off all Motives of a more Elaborate Preſcription. It may be Injected, Warm, whenever Nature calls for a Remedy of This Kind.

Enema Dysentericum.
A Clyster in a Bloody-Flux.

Take a Dram and a Half of Starch. Diſſolve it in Six Ounces of Boiling Water; and, Adding Two Drams of Venice-Treacle, Prepare a Clyſter.

The Venice-Treacle in This Compoſition Eſtabliſhes it of the Firſt Claſs in a Bloody-Flux; inaſmuch as by its Opiate Quality it renders the Bowels Inſenſible of the Action of Thoſe Acrid, Pungent, Particles, that Corrode their Delicate Texture; while the Gluey Faculty of the Starch furniſhes a Sort of Plaſtering to the Gaping Mouths of the Veſſels, and Effectually Cloſes their Orifices. As an Inflammation, in ſome degree, ever accompanies Thoſe Sanguinary Diſcharges, Bleeding, and That, ſometimes, Repeated, muſt by all means Precede Every other Attempt of Cure whatever. The Sovereign Virtues of the Ipecacoanha-Root muſt not be Omitted in this Place, That Noble Specific in Dyſenteric Diſorders. This Drug Works not only by Vomit and Stool, but is Poſſeſſed alſo of Peculiarly-Aſtringent Properties; and the Exhibition of it in Small Quantities, ſo as not to put it on Exerting its Force in the Stomach, renders it a moſt Powerful Alterative, and Singularly Efficacious in a Bloody-Flux. For which Reaſon, Modern Practice Orders Two or Three Grains of it in a Bole of Diaſcordium, or the like, to be Taken Succeſſively Every Eight or Ten Hours, along with ſome

Proper

Proper Julep, in That Preſſing Diſorder. But This Method's not to be Entered upon, till it has been Given either in Tincture or Subſtance by way of Vomit without putting a Stop to the Diſtemper. As to This Clyſter, it is to be Injected Warm, and to be Repeated according to the Urgency of the Symptoms. Being a Topical Remedy, it is often known to Succeed, when all other Expedients have turned out intirely Abortive.

Enema Saponaceum.

A Soap Clyster.

Take Half an Ounce of Soft Soap, and Diſſolve it in Ten Ounces of Warm Water.

Soap is Made by an Incorporation of Oil, or Fat Subſtances, with Thoſe of a Different Nature, by the Mediation of a Lixivious Salt. This Compoſition, therefore, Conſiſting of an Union of Two Bodies of very Oppoſite Textures, readily Unites with the Fluids of Any Kind: wherein by the Subtilty of its Parts, and the Roughneſs of its Salts, ſomewhat Softened with Oil, it Penetrates and Deterges the moſt Minute Paſſages. And becauſe

Such Alkalious Salts abound with Fiery Particles in their Compoſition, it Divides and Rareſies the moſt Obſtinate and Grumous Viſcidities. On which ſcore it is Devoted, as was before hinted, to Obſtructed Caſes, particularly, to the Jaundice. Now, from being Gifted with ſuch Strong, Penetrating, and Deterſive Powers, beſides Ridding the Bowels of their Exceſſively-Concreted Contents, it may, perhaps, partly by its Stimulus on Thoſe very Senſible Fibres, partly from its Fineſt Particles being Abſorbed by the Inteſtinal Veſſels, not a little Contribute towards Compaſſing the Intended Purpoſes. In Dry Gripes alſo, where the Fæces are Inveterately Retained, This, after Sufficient Bleeding, and Inefficacy of Medicines taken in at the Mouth, may perchance Determine them to an Immediate Deſcent, and Prevent an Increaſed Inflammation, which generally Ends in Death. It muſt be Injected, like All other Remedies of This Tribe, Warm.

Enema Terebinthinatum.
A Turpentine Clyster.

Take Ten Ounces of the Decoction of Camomile Flowers; Half an Ounce of

of Turpentine Diſſolved in the Yolk of an Egg; and Half an Ounce of Honey. Mix Theſe together for a Clyſter.

Turpentine, abounding with Warm, Aromatic, and Subtile Particles, might perhaps Deterge too much, and even Abrade the Fibrous Texture, were it not Mixed with the Yolk of an Egg, in order to take off from the Violence of its Properties, and Check its Activity. A Second Motive for Thus Mixing it, is to Divide it, ſo as to make it Eaſily Unite with an Aqueous Vehicle, which of itſelf it will not do. Thus Managed, it is Second to no Medicine in the world as an Ingredient in a Clyſter, where the Patient labours under an Obſtinate and Inveterate Obſtruction in the Kidneys, or Urinary Paſſages, from Gravel and Sabulous Matter, frequently enough incident to Thoſe Parts. The Above Preſcription, under Such Circumſtances, often Procures Inſtantaneous Eaſe. The Decoction of Camomile Flowers is Suppling and Relaxing the Diſtended Veſſels, while the Terebinthinate Powers are ſolliciting them to Diſcharge their Coſtive Contents. The Honey is not Prepoſterouſly Added, in order to Forward Either Intention. It

may not be Improper, perchance, to give a Caution, on this Occaſion, againſt Recurring to Forcible Diuretics in Theſe Exigencies; as it is Confirmed by Frequent Experience, that Such a Hardy Practice, when Deſtitute of Succeſs, ever brings on an Additional Pain, and ſubjects the Obſtructed Organs to the Hazard of being greatly Inflamed. Whereas Medicines of a Soft, Emollient, Lubricating Nature, Such as Manna, for Example, and Oily Mixtures, will, in a Competent Time, with all the Safety imaginable Work the Deſired Effect.

Gargarisma.

A Gargle.

Take a Pint of Barley-Water, and Three Ounces of Honey: to which Add Occaſionally Two Ounces of Vinegar, or Two Drams of the Spirit of Sal Armoniac. Mix for a Gargle.

This Gargle is of the Cool and Deterging Kind. Its Drift is to Cleanſe and Scour the Glands of the Mouth from the Phlegmatic Matter, that Stuffs and Swells them, and may be Uſed at diſcretion. As there is an Inflammation generally ſubſiſting,

ing, where Theſe Gargles are Indicated, a Vein ought by all means to be Opened before their Adminiſtration. Otherwiſe, through their Fretting Quality, inſtead of Aſſiſting, They may turn out very Vexatious, and even Detrimental, to the Patient. Where the Mouth has White Specks, which is no Uncommon thing in Young Children, Some of This may be Rubbed hard upon thoſe Places with a Rag tied upon a Spoon, or Skewer.

Deterging is One Intention of Gargling; the Other is That of Softening and Healing. On which account I ſhall here Inſert a Formula of a Gargle of the Smooth and Mucilaginous Kind, under the Title of

Gargarisma Leniens.
A Lenient Gargle.

Take Half an Ounce of Linſeed, and Boil it till it is almoſt of the Conſiſtence of a Syrup. Then Strain the Liquor, and Add Two Ounces of Honey, for a Gargle.

When the Mouth is Sore, Parched, and Dry with a Fever, This is very Uſeful to Cool and Supple the Parts, and ought to

be

be Retained for that end as long as conveniently it can.

Infusum Pectorale.
A Pectoral Infusion.

Take Two Handfuls of Ground-Ivy Leaves, and Two Ounces of Liquorice-Roots, Sliced. Infuse These for the Space of Three Hours in a Gallon of Boiling Barley-Water. Then Strain for Use.

N. B. With the Addition of Six Ounces of Manna, and Six Drams of Depurated Nitre, it becomes a Laxative and Diuretic Infusion.

Medicated Liquors of This Sort are made Subservient to very Good Purposes, where the Blood abounds with Acrimonious Particles, and Foreign Salts. Hence in All Scorbutic, or Consumptive, Habits, This may be used as a Common Drink, being of a Cooling, Healing, and Balsamic Nature. It is likewise a Proper Diluter in Fevers, and carries this Advantage along with it, that it is not in the least Costly. The Adding Manna and Nitre to it renders it Serviceable on Other Occasions; wherever the Body is too much Bound,

Bound, or an Indication preſents itſelf of Diuretic Medicines.

This Infuſion alſo, along with an Oily Linctus in order to Eaſe the Cough and Promote Expectoration, with the Addition of a little Nitre, may be Advantageouſly Drank in the Meaſles, from the Beginning to the End of That Diſorder; agreeably to What Dr. MEAD Advances on That Head.

INFUSUM ROSARUM RUBRARUM.

AN INFUSION of RED ROSES.

Take Six Drams of the Conſerve of Red Roſes. Infuſe it for Three Hours in Three Pints of Boiling Water. Strain it, and, when Cold, Add to it Half a Dram of Oil of Vitriol.

In too Lax a State of the Solids, This Infuſion, Unpompous as it is, promiſes to Produce very Good Effects. In Hectical Diſorders it is an Aſſiſtant to the BARK; and, being endued with a Degree of Aſtringency, it will Strengthen the Stomach and Firſt Paſſages, Remove Squeamiſh Nauſeas, by Conveying an Agreeable Senſation to Thoſe Parts, and is not Unſucceſsful even in an Exceſs of the Menſtrual Diſcharges in the Fair Sex. In Rheums

alſo

alſo and Defluxions, attendant on Some Species of Colds, the Uſe of This Infuſion will gradually Purſe up the Relaxed Glands, and Procure Relief in Thoſe Symptoms with Great Eaſe and Conveniency. A Draught of it is to be Taken three or four times a day.

Julapium Commune.
A Common Julep.

Take a Pint of Spring-Water; an Ounce and a Half of Spirituous Alexeterial Water; and Six Drams of Syrup of Orange-Peels. Mix for a Julep.

The Simplicity of This Mixture, it is preſumed, will be no Objection to it; ſince it will as Subſtantially Anſwer Every Purpoſe of This Sort of Preſcription, as One ten times more Complicated and Elaborate: the View of almoſt All Forms of This Nature being Principally to make Them a Vehicle for Powders, Boles, &c. (on which the Real Streſs is laid,) and to Waſh them down.

Julapium Cretaceum.
A Chalk Julep.

Take Half an Ounce of Prepared Chalk; Half a Dram of Gum Arabic; an Ounce of Fine Sugar; and Pour on the Whole a Quart of Boiling Water. Then Add an Ounce of Spirituous Cinnamon-Water.

In Acidities of the Stomach, in a Strangury ariſing either from Bliſters, or Any Other Cauſe, and in a Fiery Heat of the Blood in Fevers, This Julep is a Soft, Eaſy, yet Effectual Remedy. The Alkaline Subſtance of the Chalk Blunts and Sheaths the Acid Particles, whoſe Sharp Points Twinge and Vellicate the Ventricular Fibres; and, from the Entrance of its Fineſt Parts by the Lacteals into the Maſs of Blood, the Commotion, Raiſed by Sour Foreign Corpuſcles in That Vital Fluid, by degrees Subſides, and, with the Concurring Help at the ſame time of Bleeding, the Patient is Secured againſt any Higher Pitch of Inflammation. To be Drank of at diſcretion.

Julapium Diaphoreticum.
A Diaphoretic Julep.

Take a Quart of Spring-Water; Six Ounces of Spirituous Alexeterial Water with Vinegar; Three Ounces of Syrup of Orange-Peels; and Mix for a Julep.

In a Fever, where the Spirits are Low and Flagging, Two or Three Spoonfuls of This Julep, Taken Occaſionally, will Supply a more Proportioned Relief to the Weak Stomach of the Patient, than One Compoſed of much Stronger Materials. An Experienced Practitioner will ever have an eye to the Particular Circumſtances of his Sick, and no ways Attempt to Drive the Medicinal Wedge a Stroke farther, than it will Conveniently go.

Julapium Moschatum.
A Musk Julep.

Take a Dram of Muſk, and Two Ounces of Sugar. Rub Them well together, and Add Ten Ounces of Spring-Water; Four Ounces of Spirituous Cinnamon-Water; and Mix for a Julep.

The

The Intention of This Julep, as it ſtands Here, is to Give Relief in the Hiccups, That Convulſive, and, in Some Circumſtances, Threatning Diſorder of the Diaphragm. The Quantity to be Taken is Two or Three Spoonfuls, on Theſe Occaſions.

Muſk is reckoned a Great Cordial, and, from its Fragrancy and Volatility, muſt certainly be ſo, where it is not Offenfive by its Perfume. It has been frequently Experienced of Service in Several Hyſterical Complaints, both Inwardly Taken and Applied Outwardly to the Navel. On which account, This Julep will be Uſeful to Thoſe, who are Subjected to a Lowneſs of Spirits, and Vapours; and Help to Diſſipate the Clouds and Melancholy, which are Apt to Accompany a Depreſſed State of the Blood, and Vital Juices.

Julapium Volatile.

A Volatile Julep.

Take Two Drams of Volatile Salt of Hartſhorn; a Pint and a Half of Spring-Water; an Ounce and a Half of Spirituous Alexeterial Water; an Ounce of Fine Sugar; and Mix for a Julep.

The

The Active Particles, with which This Julep is Impregnated from the Volatile Spirit of Hartshorn, will Infallibly Correspond with the Intentions of Opening the Obstructed Pores of the Skin, (That Known Source of a Multiplicity of Disorders,) and Bringing on an Effectual Moisture; and consequently be of Service, not only in Downright Fevers, but whenever the Body, either from Fatigue, or Hard-Drinking, is become, as it were, Jaded, and requires Immediate Suppling and Relaxation, to Furnish it, by means of Some Such Method of Recruiting, with Fresh Powers for Brisk Action. On These Calls, a Few Spoonfuls of This Julep, Drank in Bed, and Repeated at Proper Intervals, will, without the Least Trouble, Communicate a most Agreeable Sensation, and, in the Gentlest Manner Imaginable, Remove All Weariness, Heat, and Tension of the Parts Whatever. It is likewise very Aptly Prescribed along with Diaphoretic Powders, or Boles; being What will Powerfully Assist the Views and Projected Operation of Those Attenuating Medicines.

Lambativum Commune.
A Common Lambative.

Take Three Ounces of Olive Oil; Two Ounces of the White Syrup; Half an Ounce of the Conſerve of Red Roſes; Half a Dram of Oil of Vitriol; and Mix for a Lambative.

There is often a Great Acrimonious Irritation Accompanying a Preternatural Relaxation of the Glands, ſo as to Produce very Troubleſom and Frequent Fits of Coughing. In which caſe, This Mixture will be of Double Service; the Olive Oil Blunting the Sharpneſs of Thoſe Stimulating Particles, while the Conſerve of Roſes and the Oil of Vitriol are Guarding againſt Rheum and Defluxions. A Spoonful of it is to be Taken on the Urgency of the Cough.

Miſtura Anti-Emetica et Febrifuga.
A Mixture againſt Vomiting and Fevers.

Take Two Drams of Salt of Wormwood; Three Ounces of Lemon-Juice; Six Ounces of Spring-Water; an Ounce of

of Spirituous Cinnamon-Water; and Six Drams of Syrup of Orange-Peels. Make a Mixture.

This Compoſition was Invented by the Famous Riverius, and long Called after his Name. It is an Admirable Remedy in Vomitings, and as ſure a Relief in That Diſorder of the Stomach, as the Fracastorian Confection has been Experienced to be in Looſeneſſes, from too Lax a State of the Inteſtines. A Spoonful of it is to be Taken after Every Provocation to Vomit.

Nor is its Uſe Confined within This Compaſs. It is alſo of Singular Service in Fevers, and mainly Forwards a Breathing-Sweat. And, in regard of Intermittents, it will ſometimes Prevent a Return of the Fit, when the Bark itſelf has Failed. Its Doſe, on Thoſe Occaſions, is Two or Three Spoonfuls Every Four or Six Hours.

Mistura Asthmatica.
A Mixture for an Asthma.

Take Two Ounces of Oxymel of Squills; Four Ounces of Spring-Water; Two Ounces

Ounces of Spirituous Cinnamon-Water; and Make a Mixture.

This Mixture is Juſtly Eſteemed for its Serviceable Properties in Aſthmatic Caſes. It Opens the Breaſt, Rarefying and Thinning the Viſcid Coheſions in the Veſſels, and of courſe gives more Liberty of Breathing; Deterging at the ſame time and Cleanſing the Small Glands, and Procuring a Paſſage for their Diſcharges. Bleeding ſhould Precede, and Bliſtering Accompany, the Uſe of it. Two Spoonfuls are to be Taken three or four times a day.

Mistura Astringens.
An Astringent Mixture.

Take an Ounce of the Electary of Scordium with Opium; Twelve Ounces of Spring-Water; Three Ounces of Spirituous Cinnamon-Water; and Make a Mixture.

This Medicine is Deduced from a Preſcription of Fracastorius, a Celebrated Italian Phyſician. It is of Excellent Service in All Fluxes Whatſoever, and a Great Strengthener both of the Stomach and

and Bowels. In its Influence upon Thoſe Diſcharges, the Opium has no Small Share, as may eaſily be conceived from the Virtues of That Famous Drug. Its Doſe is a Spoonful or Two after Every Stool.

But, Previouſly to the Entering on a Method of This Kind, an Ipecacoanha Vomit, or, at leaſt, Five and Twenty Grains of Rhubarb in a Bolus, ſhould by all means be Exhibited.

Mistura Campechensis.

The Campechy, or Logwood, Mixture.

Take Three Drams of the Extract of Logwood. Diſſolve it in Six Ounces of Spring-Water, and Two Ounces of Spirituous Cinnamon-Water. Add Occaſionally Thirty Drops of the Thebaic Tincture, or a Dram of Roman Philonium.

In All Fluxes, and Preternatural Diſcharges of the Lower Belly, where Bleeding and Other Neceſſary Evacuations have Preceded, This, from its Aſtringent and Opiate Qualities, will turn out a very Serviceable Medicine; and put an Effectual Stop to Diſorders iſſuing from Relaxed and Diſeaſed Veſſels, Allay their Irritation,

ritation, and Reſtore the Inteſtines to their Due Tone, and the Exerciſe of the Province Aſſigned them by Nature. A Spoonful of it is to be Taken at Proper Diſtances.

Mistura Paregorica.
A Composing Mixture.

Take Three Ounces of Diacodium; Six Ounces of Spring-Water; Two Ounces of Spirituous Alexeterial Water; and Make a Mixture.

Whenever Sleep and Reſt are Wanting, Four Spoonfuls of This Mixture, Taken on going to bed, will Agreeably anſwer That End, without Recurring to the Hazardous Efficacy of Stronger Opiates, which demand the Utmoſt Skill and Caution in their Adminiſtration. In a Fever likewiſe, in caſe of Great Reſtleſſneſs, a Spoonful of it may be Given Every Three or Four Hours, till the Patient ſink into a Gentle Slumber. Which Management is generally Attended with Better Conſequences, than where a full Sleepy Doſe is Preſcribed without ſuch Circumſpection.

It may not be Amiſs, perhaps, to Inſert in this place a Caution againſt too Early an Uſe of Opiates in the Small-Pox and Meaſles. As All Drugs, or Preparations, of an Opiate Nature Thicken the

the Humours, Render the Breath Shorter, and Obſtruct the Eruption of the Puſtules, while the Meaſles are Advancing to their Height, They are to be Given, as Dr. Mead Obſerves, very Sparingly; though, on the Declenſion of the Illneſs, their Exhibition is altogether Proper and Judicious. For when, from an Acrimonious Phlegm Infeſting the Lungs, a Cough Threatens a Hectic and Conſumption, Anodynes are to be Recurred to in order to Allay the Irritation; Little Gentle Purges being thrown in between whiles, and a Courſe Entered upon of Aſſes-Milk, along with a Change of Air, and Moderate Exerciſe. And in the Small-Pox, as the ſame Phyſician Inſinuates, one cannot Advantageouſly have recourſe to them before a Compleat Eruption of the Puſtules. Afterwards indeed Opiates may Safely be Adminiſtred, eſpecially where there is Youthful Vigour in the caſe, or the Patient is an Adult. For a very Tender Age does not ſo well Bear Such a Kind of Treatment. And where an Extravagant Reſtleſsneſs Prevails, a Medicine of This Nature may not only be Injoined to be Taken every day towards the Evening, but may be alſo Repeated Early the next Morning; inaſmuch

much as the Suppuration of the Matter Stagnating in the Puſtules is Promoted by Reſt and Sleep. But the Sick is not to be Indulged in the Uſe of Theſe, when, towards the End of the Diſeaſe, he is either Oppreſſed by Laborious Reſpiration, or in Danger of being Strangled from too great a Viſcidity of the Phlegm. In the mean while, if, the Belly being Coſtive, which generally happens, the Fever ſhould ſtill Subſiſt, a Stool muſt be Procured Every Other, or, at leaſt, Every Third Day, by a Clyſter.

Mistura Purgans.
A Purging Mixture.

Take Twelve Ounces of the Infuſion of Sena; Two Ounces of the Sena-Tincture; and Make a Mixture.

This Medicine is very Eaſily Prepared, and therefore very Handy on Occaſions, where the Body calls for a Remedy of This Nature. It is Cooling, as well as Laxative, Works its Paſſage through the Bowels without any Griping or Diſorder, and ſtands in need at the ſame time of no Over-ſtrict Regimen. Three Ounces of it, Drank Early in the Morning, is

a Doſe Proportioned to Moſt Conſtitutions. In the Piles, and All Coſtive Diſpoſitions of the Inteſtines, with any Spice of Inflammation, This Mild Purgative is very Beneficial; and, notwithſtanding its Gentle Way of Operating, will with Great Certainty Perform its Office.

In the Small-Pox alſo, after a Competent Evacuation by Bleeding, a Moderate Quantity of This Mixture may be Taken with Safety and Propriety on Any Day before the Eruption, as it may be likewiſe towards the End of This Diſtemper, namely, on the Ninth or Tenth Day, in All the Various Kinds of it; by way of Guarding againſt the Putrid Fever, which, from the Drying up of the Puſtules, or (if there be no Suppuration) a Subſiding of the Swelling of the Inflamed Skin, generally Comes on at that time. A very Rational Practice, for which we are Indebted to the Late Learned Dr. FREIND, and to Dr. MEAD.

Moreover, in an Eryſipelas, or St. Anthony's Fire, a Medicine of the Nature of This Mixture Exhibited after Due Bleeding, and Repeated according to the Continuance of the Diſorder, will as Effectually Contribute to Relieve it, as a Preſcription ten times more Complicated

ted and Pompous. A Bliſter between the Shoulders may Accompany the Uſe of it.

Pilulæ Asthmaticæ et Ictericæ. Pills for an Asthma, and the Jaundice.

Take Two Drams of Gum-Ammoniac; a Dram of Squills in Powder; Three Drams of Caſtile Soap; and, with a Sufficient Quantity of the White Syrup, of Every Dram of the Whole Compound Make Ten Pills.

The Three Reſpective Ingredients, that Enter This Compoſition, are of a Penetrating, Attenuating, and Deterging Nature, and, conſequently, Intirely Accommodated to the Removal of the Jaundice, Aſthmatic Complaints, and All Diſeaſes Derived from Obſtructed Veſſels. From the Diuretic-Quality of Theſe Pills, They are likewiſe ſerviceable in Hypochondriacal and Dropſical Diſorders. Three of Them are to be Taken Morning and Evening.

Pilulæ ex Colocynthide cum Aloe, vulgo Cocciæ Minores.

The Lesser Pill-Cochiæ.

Take Two Ounces of Socotorine Aloes, and a like Quantity of Scammony; an Ounce of the Pith of Coloquintida; and Two Drams of Oil of Cloves. Let the Dry Species be Reduced to Powder Separately, the Oil Mixed amongſt Them, and the Whole Formed into a Maſs with Syrup of Buckthorn.

This is a Good, Warm, Uſeful Purge, and very Efficacious on Many Occaſions; particularly in Cholic Pains, All Viſcidities, Watery Humours, and Flatulencies. But, as it is Endued with pretty Acrid Powers, to Prevent the Membranes from being too much Irritated, or, in other words, to render its Operation Milder, it will be Convenient to Mix a Grain or Two of Opium with the Ingredients. Its Doſe is Five and Twenty Grains, or Half a Dram.

Pilulæ Diureticæ.
Diuretic Pills.

Take Two Drams of Squills; a Dram and a Half of Aromatic Species; a Dram of Balſam of Peru; and, with a Sufficient Quantity of Syrup of Orange-Peels, of Every Dram of the Whole Compoſition Make Ten Pills.

Theſe are Effectually Detergent, and nevertheleſs a very Safe Diuretic; the Balſam of Peru being a Strong Bar againſt any Immoderate Relaxation of the Renal Glands, and Urinary Veſſels. This Balſam has been much Celebrated for Aſthmas, the Phthiſic, and Nephritic Pains, Obſtructions of the Menſes, Weakneſs of the Stomach, and the Jaundice. The Blending the Squills with it in This Compoſition will Conſiderably Forward Thoſe Intentions. Two or Three of Theſe Pills are to be Taken Morning and Evening, in Diſorders, where Diuretics are Indicated.

Pilulæ Mercuriales.
Mercurial Pills.

Take Five Drams of Quickſilver; Two Drams of Straſbourg Turpentine; and a

Dram and a Half of Rudius's Extract.

First Grind the Quickſilver with the Turpentine, till it appear no longer. Then Beat Them up with the reſt into a Maſs. If the Turpentine chance to be too Thick, make uſe of a little Olive Oil.

Wherever Mercurials are Indicated, Pills from This Maſs may be Adminiſtred with Great Proſpect of Succeſs, being Second to no Form, wherein Quickſilver is wont to be Exhibited. They are Beneficial in All Venereal Symptoms of the Leſſer Kind, as likewiſe in Scorbutic Habits, and Ulcerous Caſes, Greatly contributing to the Healing Thoſe Loathſom and Obſtinate Sores. Their Uſe is to be Continued for Some Time, which may be done with All the Eaſe Imaginable. The Doſe is Two Scruples of This Maſs, Formed into Five Pills.

Pilulæ Rufi.
Rufus's Pills.

Take Two Ounces of Socotorine Aloes; an Ounce of Myrrh; and an Ounce of Saffron. Make Them into a Maſs with Syrup of Buckthorn.

This,

This, from its Warmth to the Stomach and Bowels, and its Gentle Method of Working, is Deſervedly Ranked amongſt Some of our Beſt Purgatives. It is Peculiarly made uſe of in Cold Conſtitutions, and Indigeſtions; and, by Greatly Promoting the Menſtrual Diſcharges, will, without Any other Aſſiſtance, Frequently Cure a Chloroſis, or the Green-Sickneſs. The Quantity to be Taken of This Maſs is about Half a Dram. This Pill, Given in Moderate Doſes, *viz.* Four or Five Grains, three times a Day, will, from a Cathartic, become a very Good Alterative, and, Continued for Some Time, will Compleatly Relieve Any Obſtructed Habit.

Pilulæ Stypticæ.

Styptic Pills.

Take Three Drams of Burnt-Alum in Powder; a Dram of Dragon's-Blood Powdered; and, with a Sufficient Quantity of the White Syrup, Make a Maſs.

From the Powerful Aſtringency and Agglutinating Property of Theſe Pills, They are Succeſsfully Preſcribed in Moſt

Fluxes and Hæmorrhages. But, then, Care muſt be taken not to Recur to their Uſe, without the Neceſſary Caution in regard of Bleeding, Purging, &c. Five of Them may be Given Morning and Evening.

Dr. Mead, in Treating the Bloody Small-Pox, where Nature Calls for Remedies Endued with the Utmoſt Styptiſity, Injoins Alum and Dragon's-Blood in the Same Proportion, as They are Directed in This Compoſition. And, Speaking of Alum, he ſays, That This will prove a moſt Effectual Medicine, in caſe it be ſo Compounded, that Three Parts of Alum be Melted with One of the Inſpiſſated Juice, Called Dragon's Blood; and Orders the Maſs, when Cold, to be Reduced to a Powder; a Scruple of which, Made into a Bolus with Conſerve of Roſes, is Sufficient for a Doſe. This, and a Dram of the Bark, in Thoſe Deplorable Circumſtances, he Gives Alternatively, (ſo as not to make them Interfere with one another) along with Oil of Vitriol, in the Form which is kept in the Shops under the Title of Tincture of Roſes, Five or Six Spoonfuls of which are to be Drank between whiles. He Crowns the Whole Proceſs with the Application

plication of Bliſters, in caſe of a Delirium, which he aſſures us he has experienced, under Theſe Contingencies, not only Sufficiently Safe, but Attended ſometimes with Unexpected Succeſs.

The Virtues of Elixir of Vitriol, ſo much Countenanced by the Preſent Practice, cannot, perhaps, be more Opportunely Inſinuated, than in this place. In Reachings to Vomit, an Hectical Decay of Conſtitution, and Whatever Diſorder Proceeding from too Lax a State of the Solids, This Medicine will ſometimes Avail, when All Others have proved intirely Ineffectual. It is alſo a very good Aſſiſtant to the BARK, and is Properly Preſcribed in All Intentions, where That Celebrated Drug is found to Succeed. It is Beneficial in Several Diſtempers of the Head, and is a Preſervative againſt Epilepſies, Apoplexies, Palſies, and Rheumy Defluxions. It may be Given from Ten to Thirty Drops, in any Suitable Liquid, once, twice, or thrice a day, Obſerving to Take it when the Stomach is moſt Empty, as in the Morning Faſting, a little before Dinner, and in the Afternoon.

Pulvis Epilepticus.
Powder for an Epilepsy.

Take Two Scruples of Wild Valerian-Root in Powder, and a Scruple of Cinnabar of Antimony. Mix for One Doſe,

The Warm and Aromatic Qualities of the Valerian-Root Render it Uſeful in Many Intentions. Its Efficacy, as a Sudorific, is Supported by the Teſtimony both of the Antient and Preſent Practice. This Root is alſo Deterſive, and Diuretic, and Good in All Obſtructions of the Viſcera. In Hyſterical and Convulſive Caſes, where the Spirits are Hurried on with Great Impetuoſity, it will ſometimes Perform Wonders. And in Nervous Complaints, Particularly Thoſe of the Epileptic Kind, it has Few Equals. The Mixing This Antimonial Preparation with it Forwards the Exertion of its Virtues, and Conſtitutes a moſt Excellent Powder, to be Taken Night and Morning.

Ranked with This for Nervous Diſorders ſtands the Compound Spirit of Lavender; which has long been ſo Celebrated a Medicine for Decays of Age, and Convulſive and Apoplectic Shocks, (Such

as Bring on Palſies and Loſs of Memory,) as almoſt Univerſally to Obtain the Name of Palſy-Drops. It may be Taken from Twenty to a Hundred Drops at a time on Loaf-Sugar.

Spiritus Mindererі.
Mindererus's Spirit.

Take Any Quantity of Volatile Sal Armoniac, and as much Diſtilled Vinegar, as will Sufficiently Impregnate it. When it is Subſided, Pour it off.

A Few Drops of This Medicine, Taken in Bed, and Repeated a while after, in Some Warm Liquid, will Raiſe a Gentle Breathing-Sweat, and conſequently be Serviceable in Pains of the Limbs, and Stiffneſſes, Derived either from Catching Cold orFatigue. And Theſe Drops may alſo be Succeſsfully Uſed, Exhibited in the Like Manner, in Fevers: where, from a Sizineſs in the Blood, Nature is too Languid of herſelf to Throw off the Oppreſſion ſhe Labours under. Hence may They likewiſe be of Particular Advantage in Pleuritic Diſorders, provided They are Accompanied with Due Evacuations by Bleeding.

It may not be Improper, perhaps, juſt to Hint in this place, that Sometimes an Acute Pain will Obſtinately Fix itſelf in the External Muſcles of the Side: which, without Repeated Bleeding, a Scruple of Camphire, a Dram of Spirit of Sal Armoniac, and Three Drams of the Oil of Sweet Almonds, Mixed with an Ounce of the Ointment of Marſh-Mallows, and Rubbed in a few times on the Part Affected with a Warm Hand, will almoſt Infallibly Diſcuſs.

Unguentum Cæruleum Mitius.
The Milder Blue Ointment.

Take Three Pounds of Tried Hog's-Lard; a Pound of Quickſilver; and Half an Ounce of Turpentine. Rub the Quickſilver in a Mortar with the Turpentine, till it Diſappears. Then Add by degrees the Lard Warmed, and Mix Them Diligently.

This Ointment, if Liberally Applied, will Anſwer All the Intentions of the Stronger Unguent, and Effectually Raiſe a Salivation. It is Frequently Uſed by way of Friction upon the Legs only; and it will prove an Adequate Remedy for Venereal Complaints, that have not Taken too Inveterate

veterate a Root, by Rubbing in Half a Dram of it Every Night, and, in Some Conſtitutions, by Repeating the Application only once in Eight and Forty Hours. It muſt be Accompanied with Gentle Purging twice a Week, or Oftener, in caſe the Mouth begins to be Sore. It is likewiſe an Eſtabliſhed Practice to Anoint with it the Whole Length of the Urethra, in a Cordee from a Gonorrhœa, which Painful Symptom it very Rarely Fails to Abate.

Unguentum Digestivum.
Digestive Ointment.

Take Half a Pound of the Yellow and a Like Quantity of the Black Baſilicon; Four Ounces of the Balſam of Turpentine; and Mix for an Ointment.

This is a Good Preſcription for Effecting the Purpoſe Specified in the Title; and may be rendered Warmer by an Additional Quantity of the Balſam, or of Oil of Turpentine, in Caſes that Call for a more Powerful Digeſtive. As the Yellow Baſilicon, in the Dispensatory of the College, is more a Plaſter, than an Ointment, it will be Neceſſary to Add an Ounce

Ounce more of Oil to Every Four Ounces of the Whole Compoſition, in order to Reduce it to a Proper Conſiſtence for Medicines of That Denomination.

AN

AN

INDEX of DISEASES,

WITH

REMEDIES for their Reſpective Cures.

AGUE. Decoctum Peruvianum, Electarium Peruvianum.

Apoplectic Shocks. Compound Spirit of Lavender, (in the Comment on Pulvis Epilepticus.)

Apoplexy, to Preſerve againſt. Elixir of Vitriol, (in the Comment on Pilulæ Stypticæ.)

Aſthma. Miſtura Aſthmatica, Pilulæ Aſthmaticæ et Ictericæ, Pilulæ Diureticæ.

Bleeding. See Hæmorrhage.

Bloody-Flux. Bolus Anti-Dyſentericus, Electarium Adſtringens, Enema Dyſentericum,

Bubo. Electarium ad Gonorrhœam poſt Inflammationem.

Cachexy. Electarium Jalapii.

Carnoſity. See Stricture.

Clap. See Gonorrhœa.

Colic. Electarium Sudorificum, Pilulæ ex Colocynthide cum Aloë vulgo Coccæ Minores.

Conſumption.

Conſumption. Infuſum Pectorale.
Convulſions. Pulvis Epilepticus.
Cordee. Electarium ad Gonorrhœam Virulentam, Unguentum Cæruleum Mitius.
Coſtiveneſs. Enema Commune, Infuſum Pectorale Addita Manna, Miſtura Purgans.
Cough. Electarium Balſamicum, Emulſia Oleoſa, Lambativum Commune.
Diarrhœa. See Looſeneſs.
Dropſy. Electarium Hydropicum, Electarium Jalapii, Pilulæ Aſthmaticæ et Icthericæ, Pilulæ ex Colocynthide cum Aloë vulgo Cocciæ Minores.
Dry Gripes. Enema Saponaceum.
Dyſentery. See Bloody-Flux.
Epilepſy. See Falling-Sickneſs.
Eyes, Inflammations of, Collyrium e Vitriolo.
Sharp Defluxions on. Collyrium e Vitriolo.
Falling-Sickneſs, Pulvis Epilepticus.
to Preſerve againſt. Elixir of Vitriol, (in the Comment on Pilulæ Stypticæ.)
Fever, Hectic, Elixir of Vitriol, (in the Comment on Pilulæ Stypticæ,) Infuſum Roſarum Rubrarum.

Fever, Inflammatory, Enema Commune, Infuſum Pectorale, Julapium Cretaceum, Julapium Diaphoreticum, Miſtura Anti-Emetica et Febrifuga.

Malignant, or Nervous, Decoctum Serpentariæ, Emplaſtrum Veſicatorium, Julapium Volatile.

On the Spirits. Electarium Sudorificum, Emplaſtrum Veſicatorium, Julapium Volatile.

Gonorrhœa. Electarium ad Gonorrhœam Virulentam, Electarium ad Gonorrhœam poſt Inflammationem.

Gravel. Emulſio Oleoſa, Enema Terebinthinatum, Infuſum Pectorale Addita Manna.

Green-Sickneſs. Electarium Ictericum cum Limatura Chalybis, Electarium Stomachicum et Anti-Scorbuticum, Pilulæ Rufi.

Hæmorrhage. Pilulæ Stypticæ.

Heart-burn. Emulſio Cretacea, Julapium Cretaceum.

Hiccups. Julapium Moſchatum.

Hypo. Pilulæ Aſthmaticæ et Ictericæ.

Hyſteric Diſorders. Julapium Moſchatum, Pulvis Epilepticus.

Jaundice. Electarium Ictericum, Enema Saponaceum, Pilulæ Aſthmaticæ et Ictericæ, Pilulæ Diureticæ.

Indigeſtion.

Indigeſtion. Electarium Stomachicum et Anti-Scorbuticum, Pilulæ Rufi.

Looſeneſs. Bolus Anti-Dyſentericus, Electarium Adſtringens, Electarium ad Profluvium Alvi ſive Diarrhœam, Miſtura Aſtringens.

Lowneſs of Spirits. Julapium Moſchatum.

Lungs Inflamed. Emulſio Oleoſa, Infuſum Pectorale, Julapium Cretaceum.

Meaſles. Infuſum Pectorale.
Caution againſt Opiates Injudiciouſly Preſcribed in This Diſtemper. Miſtura Paregorica.

Menſes, to Promote, Pilulæ Rufi.
to Reſtrain. Electarium Adſtringens, Infuſum Roſarum Rubrarum.

Nephritic Diſorders. Emulſio Oleoſa, Enema Terebinthinatum, Pilulæ Diureticæ.

Nervous Diſorders. Compound Spirit of Lavender, (in the Comment on Pulvis Epilepticus.)

Pains in the Limbs. Spiritus Mindereri.

Pains in the Side. Spiritus Mindereri.

Palſy, to Preſerve againſt. Elixir of Vitriol, (in the Comment on Pilulæ Stypticæ.)

Paralytic

Paralytic Diſorders. Compound Spirit of Lavender, (in the Comment on Pulvis Epilepticus.)

Paralytic Numbneſs. Cataplaſma Sinapinum.

Phthiſic. Pilulæ Diureticæ.

Piles. Electarium Hæmorrhoidale, Miſtura Purgans.

Pleuritic Diſorders. Spiritus Mindereri.

Quinſey. Miſtura Purgans.

Reachings to Vomit. Elixir of Vitriol, (in the Comment on Pilulæ Stypticæ.)

Reſtleſſneſs. Electarium Sudorificum, Miſtura Paregorica.

Rheumatiſm. Electarium Rheumaticum, Julapium Volatile.

Rheum, and Defluxions. Electarium Balſamicum, Infuſum Roſarum Rubrarum, Lambativum Commune, Elixir of Vitriol, (in the Comment on Pilulæ Stypticæ.)

Saint Anthony's Fire. Miſtura Purgans.

Scurvy. Electarium Stomachicum et Anti-Scorbuticum, Infuſum Pectorale, Pilulæ Mercuriales.

Small-Pox. Decoctum Peruvianum, Decoctum Serpentariæ, Emplaſtrum Veſicatorium, Miſtura Purgans, Pilulæ Stypticæ.

Small-

Small-Pox. Caution againſt too Early Bliſtering in This Diſtemper. Emplaſtrum Veſicatorium.
Warning againſt an Injudicious Uſe of Opiates in it. Miſtura Paregorica.

Spleen. See Hypo.

Stiffneſs in the Limbs. Spiritus Mindereri.

Strangury. Enema Terebinthinatum, Julapium Cretaceum.

Stricture. Electarium ad Gonorrhœam poſt Inflammationem.

Vapours. Julapium Moſchatum, Julapium Volatile.

Venereal Symptoms. Pilulæ Mercuriales.

Ulcers. Pilulæ Mercuriales.

Vomitings. Decoctum Anti-Emeticum et Febrifugum, Miſtura Anti-Emetica et Febrifuga.

Weakneſs of the Stomach. Pilulæ Diureticæ.

White Specks of the Mouth in Young Children. Gargariſma.

Wind in the Stomach and Bowels. Pilulæ ex Colocynthide cum Aloë vulgo Cocciæ Minores.

FINIS.

THE

APPENDIX.

CATALOGUS
REMEDIORUM.

Balsamum Anodynum.

℞. Sapon. Castiliens. ℥j.
Opii ℥ß. Camphor. ℥vj.
Croc. ℥j. Sp. Vin. Rectificat. ℥xviij.
Digere in Arena per Decem Dies, et fiat Colatura.

Balsamum Guaiacinum.

℞. Gumm. Guaiac. ℔j.
Balsam. Peruvian. ℥iij.
Sp. Vinos. Rectificat. ℔ijß.
Digere, ut Gummi solvatur, et deinde Cola.

Bolus Alexipharmacus.

℞. Theriac. Androm. ℈j. Rad. Contrayerv.
Pulv. Rad. Serpentar. Virg. Pulv.
ana Gr. xij.
Croc. Gr. iv. Confect. Alkerm. q. s.
M. F. Bolus.

Bolus ex Alumine.

℞. Alumin. Nuc. Moſchat. Extract.
Cortic. Peruvian. ana Gr. xv.
Syr. Caryoph. q. s. M. F. Bolus.

Bolus Anodynus.

℞. Theriac. Andromach. ʒſs.
Pil. Matthæi Gr. viij. M. F. Bolus.

Bolus e Borace.

℞. Borac. Myrrh. Nuc. Moſchat. ana Gr. x.
Croc. Gr. iv. Syr. e Cortic. Aurant. q. s.
M. F. Bolus.

Bolus e Camphora.

℞. Gumm. Arabic. ʒſs. Camphor. ℈j.
Syr. e Cortic. Aurant. q. s. M. F. Bolus.

Bolus Catharticus.

℞. Rad. Jalap. Pulv. ʒſs. Ol. Junip. Gutt. ij.
Syr. e Cortic. Aurant. q. s. M. F. Bolus.

Bolus e Contrayerva.

℞. Rad. Contrayerv. Pulv. ʒ ſs.
Nitr. Depurat. Gr. xv.
Syr. e Cortic. Aur. q. s. M. F. Bolus.

Bolus e Gambogia.

℞. Gambog. Pulv. Cryſtallor. Tartar. ana Gr. x. Syr. e Spin. Cervin. q. s. M. F. Bolus.

Bolus ex Ipecacoanna.

℞. Ipecacoanh. Pulv. Gr. iv. Specier. Aromaticar. Gr. xvj. Syr. e Cortic. Aurant. q. s. M. F. Bolus.

Bolus ex Mercurio Dulci Sexties Sublimato.

℞. Calomel. Gr. x. Conſerv. Roſ. Rubr. q. s. M. F. Bolus.

Bolus e Myrrha cum Marte.

℞. Pulv. e Myrrh. Compoſit. ℈j. Flor. Martial. Extract. Sabin. ana ℈ſs. Syr. e Cort. Aurant. q. s. M. F. Bolus.

Cerevisia Anti-Splenetica cum Chalybe.

℞. Cortic. Tamariſc. ℥iv. Fraxin. ℥ij. Guaiac. Saſſafr. ana ℥j. Agrimon. M. iv. Abſinth. Cuſcut. ana M. ij. Coq. in Cereviſia non

Lupulat. Cong. vj. in qua, durante Fermentatione, ſuſpendant. Limatur. Chalyb. ℔ſſ. Antimon. Crud. ℥iv. inclus. Sacculo.

Cerevisia Astringens.

℞. Rad. Conſolid. Sigill. Solomon. ana ℥viij. Coq. in Cereviſia non Lupulat. Cong. vi ad Cong. iv. Colat. et in Cadum infuſ. Affund. Succ. Millefol. Plantagin. ana ℔j. et, durante Fermentatione, ſuſpendantur Burs. Paſtor. Centinod. Sanicul. Auricul. Mur. ana M. iv. Paſſul. Malag. ℔j. incluſ. Sacculo.

Cerevisia Chlorotica.

℞. Rad. Rub. Tinctor. Apii, Bruſc. Zedoar. ana ℥iv. Fol. Cardiac. Puleg. Artemis. ana M. ij. Thym. Dictamn. Cretic. ana M. j. Sem. Dauc. ℥iij. Gran. Paradiſ. ℥j. Limatur. Chalyb. ℔ſſ. Suſpendantur in Cereviſia, durante ejus Fermentatione, non Lupulat. Cong. iv. incluſ. Sacculo.

Decoctum Album.

℞. C. C. C. ℥ij. Cinnamom. Paululum. Coq. in Aq. Fontan. ℔iij. ad Dimidias. Colatur. Add. Sacchar. Albiſs. q. s. ad gratum Saporem.

Decoctum

Decoctum Emmenagogum.

℞. Rad. Apii ʒij. Calam. Aromatic. Baccar. Laur. ana ʒij. Zedoar. Cubeb. ana ʒj ſſ. Mac. ϑij. Galang. Gran. Paradiſ. ana ϑſſ.
Dictamn. Cretic. Puleg. ana M. j.
Coq. in Aq. Font. ℔ij. Vin. Alb. ℔j. ad ʒxxviij. Colatur. Add. Tinctur. Croc. (Aq. Theriacal. ppt.) ʒj. Miſce.

Electarium Æthiopicum.

℞. Conſ. Roſ. Rubr. ʒvj. Æthiop. Mineral. ʒj. Syr. e Cortic. Aurant. q. s. Miſce.

Electarium Asthmaticum.

℞. Mellis ʒij. Flor. Sulph. ʒj.
Zinzib. Pulv. ʒſſ. Croc. Pulv. ʒj.
Syr. Caryoph. q. s. M. F. Electarium.

Electarium Cephalicum.

℞. Conſ. Flor. Anth. ʒvj. Rad. Pæon. Mar. Subtiliſſime Pulv. ʒſſ.
Cinnab. Nativ. ʒiij.
Nuc. Moſchat. Condit. ʒj.
Syr. e Cortic. Aurant. q. ſ. Miſce.

Electarium Chalybeatum.

℞. Conſ. Abſinth. Maritim. ℥ij.
Specier. Aromatic. Cort. Winteran.
Pulv. ana ʒj. Sal. Succin. ℈j.
Chalyb. cum Sulph. ppt. ʒiij.
Syr. e Cortic. Aurant. q. s. Miſce.

Electarium Emmenagogum.

℞. Conſ. Abſinth. Maritim. ℥jſs.
Sal. Mart. ʒj. Croc. ℈ij.
Sem. Cardamom. Pulv. ℈j.
Syr. e Cortic. Aurant. q. s. Miſce.

Electarium Hystericum.

℞. Conſ. Rut. ℥j. Elec. e Bacc. Laur. ℥ſs.
Gumm. Ammoniac. (Tinctur. Caſtor.
q. s. Solut.) ʒij. Myrrh. Pulv. ʒj.
Croc. ʒſs. Syr. e Cortic. Aurant. q. s.
M. F. Electarium.

Electarium Lithontripticum.

℞. Terebinth. Argentoratens. (Vitell. Ov.
Solut.) ℥j. Cui Add. Sem. Bardan.
Lithoſperm. Pulv. ana ʒſs.
Alkekeng. ʒij. Syr. e Cortic.
Aurant. q. s. M. F. Electarium.

Electarium Nephriticum.

℞. Electar. Lenitiv. ℥iv. Terebinthin. Argentoratens. (Vitell. Ov. Solut.) ℥j. Cremor. Tartar. ℥ij. M. F. Electarium.

Electarium Paralyticum.

℞. Conſ. Flor. Anth. ℥j. Sem. Sinap. (in Aq. Font. Contus. et per Setaceam Traject.) ℥j. Sp. Lavend. Comp. ℥ij. M.

Electarium Restringens.

℞. Conſ. Roſ. Rubrar. ℥ij. Electar. e Scord. ℥ſs. Bol. Armen. Pulv. ℥iij. Sanguin. Dracon. ℥j. Syr. e Cortic. Aurant. q. s. M. F. Electarium.

Electarium de Spermate Ceti.

℞. Conſ. Cynoſbat. ℥ij. Sperm. Cet. ℥ij. Pulv. e Tragacanth. Comp. ℥ſs. Syrup. Dialth. q. s. M. F. Electarium.

Electarium e Symphyto.

℞. Conſerv. Roſar. Rubrar. ℥ſs. Pulp. Rad. Conſolid. Sacch. Alb. ana ℥j. Maſtich. Pulv. ℥j. Syr. Cydonior. q. s. M. F. Electarium.

Elixir Paregoricum, ſeu Asthmaticum.

℞. Flor. Benzoin. Opii Colat. ana ʒj.
Camphor. ℈ij. Ol. Anis. Eſſential. ʒſs.
Sp. Vinos. Rectificat. ℔ij.
Digere, et Cola.

Emulsio Arabica.

℞. Amygd. Dulc. Excorticat. ʒſs. Sem.
Quatuor Frigid. Maj. ʒvj.
Contus. Affund. Decoct. Hord.
Bullient.
(Gumm. Arabic. ʒj. incoct.) ℔ij.
Colatur. Frigid. Add. Syr. Dialth. ʒij.
M. F. Emulſio. s. a.

Emulsio Asthmatica.

℞. Milleped. Viv. N°. CXX.
Contund. in Mortario Marmoreo
ſenſim affundendo Aq. Puleg. ʒvj.
In Liquore fortiter Expreſſo ſolv. Gumm.
Ammoniac. ʒiij, et Cola.

Emulsio Cretacea.

℞. Amygd. Dulc. Excorticat. ʒſs.
Sem. Quatuor. Frigid. Maj. ʒvj.
Contus. affund. Decoct. Hord. ℔ij.
Colatur.

Colatur. Frigid. Add. Cret. Alb.
ſubtiliſſime Pulv. ℥j.
Sacchar. Perlat. ℥vj. M.
F. Emulſio. s. a.

HAUSTUS ALEXIPHARMACUS.

℞. Aq. Lact. Alexeter. ℥j ſ℈. Epidem. ℥ſ℈.
Theriac. Androm. ℈j. Tinctur. Croc.
Gutt. xxx. Syrup. Simpl. ℥ij. M.
F. Hauſtus.

HAUSTUS ANODYNUS.

℞. Aq. Lact. Alexeter. ℥j ſ℈. Cinnamom.
Spirituos. ℥iij. Diacod. ℥j. M.
F. Hauſtus.

HAUSTUS AROMATICUS ANODYNUS.

℞. Aq Menth. Piperitid. Simpl. ℥j ſ℈.
Tinctur. Aromatic. Gutt. xxxx.
Philon. Londinens. ℈j. Syrup. Simpl.
℥j. M. F. Hauſtus.

HAUSTUS CATHARTICUS.

℞. Infus. Sen. ℥j ſ℈. Crem. Tartar. ℈j.
Rad. Jalap. Pulv. Gr. xij.
Syrup. e Spin. Cervin. ℥ſ℈. Aq. Mirab.
℥ij. M. F. Hauſtus.

HAUSTUS DIURETICUS.

℞. Aq. Puleg. Simpl. ℥j ſ℈. Sal. Prunell. ℈ij.
Oxymel. Scillitic. ℥j. M. F. Hauſtus.

Haustus Emeticus.

℞. Aq. Lact. Alex. ℥ij. Rad. Ipecacoanh. Pulv. ʒſs. Syr. Violar. ℥j. M. F. Hauſtus.

Vel,

℞. Vin. Ipecacoanh. ℥ij. Syr. Roſ. Solutiv. ℥j. M. F. Hauſtus.

Haustus Peruvianus.

℞. Aq Cinnam. Simpl. ℥ij. Cortic. Peruvian. Pulv. ℥j. Syr. Caryoph. ʒiij. M. F. Hauſtus.

Haustus Salinus.

℞. Aq. Font. ℥j. Sal. Abſinth. ʒſs. Succ. Limon. Recent. ʒvj. Tinct. Cinnam. ʒij. Sacch. Albiſſim. parum, M. F. Hauſtus.

Haustus Sudorificus.

℞. Aq. Lact. Alexeter. ℥j ſs. Pæon. Comp. ʒiij. Pulv. Contrayerv. Comp. ℈j. Sp. C. C. per ſe, Gutt. xxx. Syr. e Cort. Aurant. ʒij. M. F. Hauſtus.

Infusum

Infusum Amarum Simplex.

℞. Summit. Abſinth. Marit. Rad. Gentian: ana ℥ij. Flaved. Cort. Aurant. Siccat. Sem. Cardam. Minor. ana ℥j. Infund. in Aq. Font. Bullient. ℔j. De Colatura Frigida cap. Hauſtul. Mane quotidie, et Hora Quinta Pomerid.

Infusum Amarum Chalybeatum.

℞. Rad. Gentian. ℥ij. Flaved. Cortic. Aurant. Siccat. ℥ſs. Cort. Winteran. Rad. Angelic. ana ℥j. Croc. ℥ſs. Summit. Abſinth. Marit. Centaur. Minor. ana Mſs. Limatur. Chalyb. ℥j. Infund. Frigide in Aq. Gentian. Comp. Vin. Alb. ana ℔j per Octo Dies, ſæpius agitando, et Cola.

Infusum Paralyticum.

℞. Rad. Raphan. Ruſtican. Incis. Sem. Sinap. Contus. ana ℥iv. Infund. in Aq. Font. Bullient. ℔iv. per Viginti Quatuor Horas Vaſe bene Clauſo, et Cola.

Infusum Rosarum Compositum.

℞. Rosar. Rubrar. Balaust. ana ʒij.
Cortic. Querc. ʒ ß. Infund. Calide
in Aq. Fontan. ℔ij per Horas
Duodecim. Colatur. Add. Aq.
Cinnamom. Hordeat. ʒiv.
Sacchar. Albissim. q. s. Misce.

Linctus Detergens.

℞. Ol. Lin. Oxymel. Scillit. Syrup. Croc.
ana ʒj.
Sacch. Cand. Alb. Pulv. ʒ ß. M.F.
Linctus.

Linctus Emolliens.

℞. Ol. Amygd. Dulc. Syrup. Violar.
ana ʒiij. M. F. Linctus.

Linctus ad Raucedinem.

℞. Ol. Lin. Recent. ʒj. Sperm. Cet. ʒ ß.
Sacch. Cand. Alb. Pulv. ʒvj.
Syrup. Balsamic. ʒj ß. M. F. Linctus.

Mistura Neutralis Higgiana.

℞. Sal. Russic. ʒ ß. Acet. Distillat. ℔ ß.
Aq. Fontan. ℔j. Syrup. Simpl. ʒj ß.
Misce.

Mistura

Mistura Nitrosa.

℞. Aq. Fontan. ℥vj. Ocul. Cancror. ppt.
Nitr. Depurat. ana ℥j ß.
Syr. e Cortic. Aurant. ℥ ß. Miſce.

Mistura Oralis Higgiana.

℞. Argent. Viv. Cret. Alb. ana ℥ ß.
Optime mixtis Add. Mell. Inſpiſſat.
℥ij.

Mistura Scillitica.

℞. Aq. Cinnamom. Simpl. ℥viij. Acet.
Scillitic. Syr. Dialth. ana ℥iij.
F. Miſtura.

Mistura e Valeriana.

℞. Aq. Menth. Piperitid. Simpl. ℥xij.
Rad. Valerian. Sylveſtr. Pulv. ℥j.
Sp. Lavend. Comp. ℥ ß. Syr. e Cort.
Aurant. ℥j. Miſce.

Pilulæ Æthiopicæ.

℞. Æthiop. Mineral. ℥ij. Ceruſs.
Antimon. ℥j. Gumm. Guaiac. ℥ ß.
Syr. e Cortic. Aurant. q. s. M.
F. Pilulæ e quavis ℥j N°. x.

Pilulæ Cachecticæ.

℞. Aloës Socotorin. Gumm. Ammoniac. ana ʒj ſſ. Chalyb. cum Sulph. ppt. ʒj. Ol. Anis. Gutt. vj. Syr. e Cortic. Aurant. q. s. M.
F. Pilulæ e quavis ʒj N°. xij.

Pilulæ Castoreæ.

℞. Caſtor. Ruſs. ʒij. Sal. Succin. ʒj. Balſam. Peruvian. q. s. M.
F. Pil. N°. 50.

Pilulæ Catarrhalis.

℞. Pil. Ruf. ʒj. e Styrac. ʒſſ. Ol. Cinnam. Gutt. ij. M.
F. Pilulæ N°. xx.

Pilulæ Chalybeatæ Catharticæ.

℞. Scammon. cum Sulph. ppt. ʒj. Gumm. Ammoniac. ʒij. Sal. Chalyb. ʒ ſſ. Ol. Caryoph. Gutt. iij. Syr. e Cortic. Aurant. q. s. M. F. Pilulæ ex quavis ʒj N°. x.

Pilulæ Colicæ.

℞. Pil. ex Colocynth. Simpl. ʒſſ. Laudan. Londinens. Gr. jſſ. Ol. Caryoph. Gutt. j. M.
F. Pilulæ N°. v.

Pilulæ

Pilulæ Dysentericæ.

℞. Cer. Flav. ʒſs. Terr. Japon. Sperm. Cet. ana ʒj. Sacch. Saturn. ℈j. Ol. Cinnam. Gutt. xij. M. F. Pilulæ ex quavis ʒj N°. x.

Pilulæ Emmenagogæ.

℞. Borac. Myrrh. ana ʒj. Ariſtoloch. Croc. ana ℈j. Ol. Puleg. Sabin. Caryoph. ana Gutt. ij. Syr. e Cortic. Aurant. q. s. M. F. Pilulæ ex ſingulis Drachmis N°. x.

Pilulæ de Guaiaco.

℞. Gumm. Guaiac. Aloës, ana ʒjſs. Balſam. Peruvian. q. s. M. F. Pilulæ.

Pilulæ Gummosæ.

℞. Galban. Myrrh. Sagapen. ana ʒj. As. Fœtid. ʒſs. Syr. e Cortic. Aurant. q. s. M. F. Maſſa Pilularis.

Pilulæ Hystericæ.

℞. Galban. Colat. As. Fœtid. Gumm. Ammon. ana ʒj. Caſtor. Camphor. Sal.

Sal. Succin. ana Gr. xv. Ol. Succin. Gutt. iv. Bals. Peruv. q. s. M. F. Pilulæ ex quavis ʒj N°. xij.

Pilulæ Martiales.

℞. Sal. Mart. ʒj. Aloës ʒij. Gumm. Ammon. ʒ ſs. Balſ. Peruv. q. s. M. F. Pilulæ. Vel,

℞. Chalyb. cum Sulph. ppt. ʒij. Croc. ʒ ſs. Extract. Gentian. q. s. M. F. Pilulæ.

Pilulæ Resinosæ.

℞. Reſin. Sacchar. Saturn. ana ʒj. Camphor. Balſ. Copaiv. ana ʒ ſs. Ol. Terebinth. Gutt. xij. Vitell. Ov. q. s. M. F. Pilulæ.

Pilulæ de Sanguine Draconis.

℞. Sanguin. Dracon. ʒij ſs. Sacch. Saturn. Alumin. Rup. ana Gr. xv. Terebinth. Argent. q. s. M. F. Pilulæ N°. 50.

Pilulæ de Spermate Ceti.

℞. Sperm. Cet. ʒj. Sacch. Cand. Alb. Pulv. ʒij. Syr. Balſamic. q. s. M. F. Pilulæ s. a.

Pilulæ Stomachicæ Catharticæ.

℞. Pilul. Ruf. ʒj. Reſin. Jalap. Sal. Tartar. ana Gr. v. Ol. Cinnamom. Gutt. j.

Elix.

Elix. Proprietat. q. s. M.
F. Pilulæ N°. v.

Pulvis Absorbens.

℞. Ocul. Cancr. ppt. Corall. Rubr. ppt. ana ℈j. M. F. Pulvis.

Pulvis Æthiopicus Higgianus.

℞. Flor. Sulphur. ℥iv. Argent. Viv. ℥xvj. Miſceantur optime, et triturentur, donec Pulvis Subtiliſſimus Æthiopicus fiat.

Pulvis Alexipharmacus.

℞. Pulv. Contrayerv. Comp. ℈j. Croc. Gr. x. M. F. Pulvis. Vel,

℞. Rad. Serpentar. Virgin. Gr. xiv. Caſtor. Croc. ana Gr. vi. M. F. Pulvis. Vel,

℞. Pulv. Contrayerv. Comp. Rad. Serpentar. Virginian. ana Gr. xv. M. F. Pulvis. Vel,

℞. Calc. Antimon. Gr. xv. Croc. Camphor. ana Gr. v. M. F. Pulvis. Vel,

℞. Pulv. Bezoardic. ℈j. Myrrh. Caſtor. ana Gr. iv. M. F. Pulvis. Vel,

℞. Pulv. e Chel. Cancr. Comp. ℈j. Croc. Gr. x. M. F. Pulvis.

Pulvis

Pulvis Anthelminthicus.

℞. Corallin. Pulv. Æthiop. Mineral. ana Gr. xv. M. F. Pulvis. Vel,

℞. Stann. Pulverat. ℈ß. Æthiop. Mineral. ℈j. M. F. Pulvis. Vel,

℞. Stann. Pulverat. ℈j. Æthiop. Mineral. ℈ß. M. F. Pulvis. Vel,

℞. Corallin. Pulv. Gr. xvj. Æthiop. Mineral. ℈ß. Sabin. Croc. ana Gr. iij. M. F. Pulvis.

Pulvis Antilyssus.

℞. Lichen. Ciner. Terreſtr. ʒß.
Piper. Nigr. ʒij.
In Pulverem ſimul contundantur.

Pulvis Astringens.

℞. Terr. Japon. Bol. Armen. Sang. Dracon. ana Gr. viij. Ol. Cinnam. Gutt. j. M. F. Pulvis.

Pulvis Bezoardicus.

℞. Pulv. e Chel. Cancr. Comp. ℔j. Lapid. Bezoart. Oriental. ppt. ʒj. M. F. Pulvis.

Pulvis Catharticus pro Pueris.

℞. Rhabarb. opt. Reſin. Jalap. Calomel. ana ʒj. Sacchar. Albiſſ. ʒiij. M. F. Pulvis.

Pulvis

Pulvis Martialis Compositus.

℞. Chalyb. ppt. ℥vj. Xylo-Caſſ. Nuc. Moſchat. ana ℥ſſ. Caryoph. Mac. ana ʒij. Sacchar. Alb. ℥ij. M. F. Pulvis.

Pulvis Partum Provocans.

℞. Cinnamom. Croc. ana Gr. x. Borac. ʒij. M. F. Pulvis.

Tinctura Anti-Phthisica.

℞. Sal. Mart. Sacchar. Saturn. ana ℥iv. Spirit. Vin. Tenuior. ℔ij. Digere per Horas Viginti, ut extrahatur Tinctura.

Tinctura Paralytica.

℞. Pulv. Cantharid. ℥ij. Ammeos ℥vj. Spirit. Vin. Rectificat. ℔j ſſ. Digere, ut extrahatur Tinctura, et Cola.

Tinctura Rhabarbari Vinosa.

℞. Rhabarb. ℥ij. Sem. Cardamom. Minor. ℥ſſ. Croc. ʒij. Vin. Alb. ℔ij. Digere per Tres Dies ſine Calore, et Cola.

Tinctura

Tinctura Sacra.

℞. Aloës Socotorin. Pulv. ℥j. Sem. Cardamom. Minor. Rad. Serpentar. Virginian. ana ʒj. Coccinell. ℈j. Vin. Alb. ℔ ß. Digere Leni Calore per Duos Dies, et Cola.

Vinum Arthriticum Purgans.

℞. Turpeth. Hermodactyl. ana ℥ij. Rad. Jalap. Hellebor. Nigr. ana ℥j. Cinnamom. ʒij. Zinzib. ℥ß. Flor. Lavendul. ℥j. Infunde per Dies Quatuordecim in Vin. Montan. ℔iv, et deinde Cola.

Vinum Chalybeatum.

℞. Limatur. Chalyb. ℥iv. Rut. Puleg. ana Mij. Rad. Pæon. Caſſamun. ana ℥j. Croc. ʒij. Infund. per Dies Quatuordecim in Vin. Alb. ℔iv, et Cola.

Vinum Enulatum.

℞. Rad. Enul. Campan. Sacchar. Alb. Ribeſior. Incis. ana ℥iv. Infunde Frigide per Dies Quatuordecim in Vin. Alb. ℔iv.

Vinum

Vinum Millepedum.

℞. Milleped. Viv. ℔ß. Infunde per aliquot Dies in Vin. Alb. ℔ij. Liquori fortiter Expreſſo Add. Croc. ʒij. Sal. Mart. ʒj. Sal. Succin. ℈ij. et poſt Tres vel Quatuor Dies Cola.

Vinum Scorbuticum.

℞. Acetos. Beccabung. Naſturt. Aquatic. Cochlear. Hortens. ana Miij. Rad. Enul. Campan. Ireos Violac. Raphan. Ruſtican. ana ʒjß. Sem. Cochlear. Hortens. ʒj. Vin. Alb. ℔iv. Digere per Duos Dies, et fortiter Exprime.

Vinum Stomachicum.

℞. Rad. Gentian. ʒß. Galang. Calam. Aromatic. Angelic. ana ʒij. Summit. Centaur. Minor. ʒj. Flaved. Cortic. Aurant. N°. iij cum Succo eorundem, Croc. ʒj. Infunde per Dies Quatuordecim in Vin. Canar. ℔iv, et Cola.

Unguentum Ophthalmicum.

℞. Tutiæ ppt. ʒj. Lap. Hæmatit. ppt. ℈ij. Aloës Socotorin. Gr. xij. Margarit. ppt. Gr. iv. Terantur ſimul in Mortario

tario Marmoreo, et cum s. q. Adipis Viperini F. Unguentum.

Unguentum Psoricum.

℞. Sulph. Viv. ʒiv. Sal. Armoniac. ſubtiliſſime Pulv. ʒij. Axung. Porcin. q. s. M. F. Unguentum.

INDEX

INDEX

REMEDIORUM.

BALSAMUM, Anodynum, Pag. 95
Guaiacinum, *ib.*
Bolus, Alexipharmacus, *ib.*
ex Alumine, 96
Anodynus, *ib.*
e Borace, *ib.*
e Camphora, *ib.*
Catharticus, *ib.*
e Contrayerva, *ib.*
e Gambogia, 97
ex Ipecacoanha, *ib.*
ex Mercurio Dulci Sexties Sublimato *ib.*
e Myrrha cum Marte, *ib.*
Cerevisia, Anti-Splenetica cum Chalybe, *ib.*
Astringens, 98
Chlorotica, *ib.*
Decoctum, Album, *ib.*
Emmenagogum, 99
Electarium, Æthiopicum, *ib.*
Asthmaticum, *ib.*
Cephalicum *ib.*

Electarium,

Electarium, Chalybeatum, Pag. 100
Emmenagogum, *ib.*
Hyſtericum, *ib.*
Lithontripticum, *ib.*
Nephriticum, 101
Paralyticum, *ib.*
Reſtringens, *ib.*
de Spermate Ceti, *ib.*
e Symphyto, *ib.*
Elixir Paregoricum, ſeu Aſthmaticum, 102
Emulſio, Arabica, *ib.*
Aſthmatica, *ib.*
Cretacea, *ib.*
Hauſtus, Alexipharmacus, 103
Anodynus, *ib.*
Aromaticus Anodynus, *ib.*
Catharticus, *ib.*
Diureticus, *ib.*
Emeticus, 104
Peruvianus, *ib.*
Salinus, *ib.*
Sudorificus, *ib.*
Infuſum, Amarum, Simplex, 105
Chalybeatum, *ib.*
Paralyticum, *ib.*
Roſarum Compoſitum, 106
Linctus, Detergens, *ib.*
Emolliens, *ib.*
ad Raucedinem, *ib.*

Miſtura

Miſtura, Neutralis Higgiana, Pag. 106
Nitroſa, 107
Oralis Higgiana, *ib.*
Scillitica, *ib.*
e Valeriana, *ib.*
Pilulæ, Æthiopicæ, *ib.*
Cachecticæ, 108
Caſtoreæ, *ib.*
Catarrhales, *ib.*
Chalybeatæ Catharticæ, *ib.*
Colicæ, *ib.*
Dyſentericæ, 109
Emmenagogæ, *ib.*
de Guaiaco, *ib.*
Gummoſæ, *ib.*
Hyſtericæ, *ib.*
Martiales, 110
Reſinoſæ, *ib.*
de Sanguine Draconis, *ib.*
de Spermate Ceti, *ib.*
Stomachicæ Catharticæ, *ib.*
Pulvis, Abſorbens, 111
Æthiopicus Higgianus, *ib.*
Alexipharmacus, *ib.*
Anthelminthicus. 112
Antilyſſus, *ib.*
Aſtringens, *ib.*
Bezoardicus, *ib.*
Catharticus pro Pueris, *ib.*
Martialis Compoſitus, 113
Partum Provocans, *ib.*

Tinctura, Anti-Phthiſica, Pag. 113
Paralytica, *ib.*
Rhabarbari Vinoſa, *ib.*
Sacra, 114
Vinum, Arthriticum Purgans, *ib.*
Chalybeatum, *ib.*
Enulatum, *ib.*
Millepedum, 115
Scorbuticum, *ib.*
Stomachicum, *ib.*
Unguentum, Ophthalmicum, *ib.*
Pſoricum. 116

THE

THE APPENDIX.

Balsamum Anodynum.

An Anodyne Balsam.

TAKE an Ounce of Caſtile Soap; Half an Ounce of Opium; Six Drams of Camphire; a Dram of Saffron; and Eighteen Ounces of Rectified Spirit of Wine. Digeſt Theſe in a Sand-Heat Ten Days, Shaking the Veſſel between whiles till the laſt Day or two. Then Pour off the Balſam Clear for Uſe.

For this Preſcription we are obliged to the Famous Dr. Bate, Phyſician to King Charles the Second. The Compoſition, perhaps, has not its Equal in the Whole Extent of Medicine for Procuring Eaſe in the moſt Excruciating Pains; which it not only Alleviates by its Opiate Powers, but by its Attenuating Qualities Promotes at the ſame time the Diſcharge of the Humours, from whence Thoſe

Pains are Derived. It is Highly Serviceable in Nervous Colics, and Effectually Scours the Viſcera, and Glandular Parts of the Body. It is Particularly Beneficial in the Jaundice and Gravel, Opening the Obſtructed Liver, and Cleanſing the Urinary Paſſages to a great degree. It is likewiſe very Prevalent even in the Gout, Allaying its Tortures, by Cauſing the Offending Stimulating Matter to Tranſpire, from whence is put a Period to the Fit. It is Given Inwardly from Twenty to Fifty Drops at a Doſe; and, as to its External Application, a Rag Dipped in it may be Laid on the Pained Part.

Balsamum Guaiacinum: Balsam of Guaiacum.

Take Two Pounds and a Half of Rectified Spirit of Wine. Infuſe in it with a Gentle Heat and often Stirring a Pound of Gum Guaiacum; and, laſtly, Add Three Drams of Balſam of Peru, ſo that the Whole may Mix together into a Balſam.

This Medicine is Endued with Great Efficacy, and will prove of Singular Service on Many Occaſions. It is a Good Preſervative

Preſervative againſt the Gout, as by its Warmth it will Defend the Nerves from the Saline Defluxions which are wont to Obſtruct the Motions of Thoſe Organs, and ſo Form That Diſtemper in the Joints. It is Beneficial likewiſe in a Dropſical Tendency, Diſſipating by Inſenſible Tranſpiration All Superfluous Moiſtures; as it is alſo in Scrophulous Complaints. And, in regard of an Old Gleet, if there Remain no Virulence, it will very much Contribute to the Removal of That Diſorder. Its Doſe is Twenty or Thirty Drops two or three times a day Diluted in Some Liquid.

Bolus Alexipharmacus.
An Alexipharmac Bole.

Take a Scruple of Venice-Treacle; Powder of Contrayerva-Root and Virginia Snake-Root, of Each Twelve Grains; Four Grains of Saffron; and, with a Sufficient Quantity of Confection of Alkermes, Make a Bole.

In All Fevers of the Low, Depreſſed, or Nervous Kind, This Bole Given ſucceſſively Every Six or Eight Hours, (more or leſs, as the Circumſtances of the Pa-

tient may Require,) with Two or Three Spoonfuls of Some Suitable Julep, is Generally Attended with a Laudable Diaphoreſis, which for the moſt part proves Critical. Bliſtering pretty Smartly at the ſame time, in This Sort of Fevers, is Adviſable, as the Stimulating Faculty of Thoſe Flies will Enable Nature to Carry on the Circulation, till the Morbific Matter chance to be Thrown off by Regular Secretions.

Bolus ex Alumine.
An Alum Bole.

Take Alum, Nutmeg, and Extract of the Peruvian Bark, of Each Fifteen Grains; and, with a Sufficient Quantity of Syrup of Cloves, Make a Bole.

This in Perſons of a Strong Conſtitution, whoſe Stomach will not Recoil on the Offenſive Senſation generally created in it by the Stypticity and Vellicating Property of the Alum, Taken Three Mornings together Faſting, will almoſt infallibly Cure even the moſt Stubborn Agues. On which account it may, by reaſon of its Cheapneſs, be of Singular Uſe to Poor Country People, on ſuch an Occaſion. It

is

is likewiſe of Great Efficacy, where it Agrees, in a Fluor Albus, and alſo in a Diabetes.

Bolus Anodynus.
An Anodyne Bole.

Take Half a Dram of Venice-Treacle; Eight Grains of Matthew's Pill; and Make a Bole.

This is a Safe and Good Opiate, and may be Given, whenever Pains are to be Eaſed, or Sleep Procured, with very little Caution.

Bolus e Borace.
A Borax Bolus.

Take Borax, Myrrh, and Nutmeg, of Each Ten Grains; Four Grains of Saffron; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make a Bolus.

This Bole, Taken with Three Spoonfuls of ſome Cordial Julep, and Repeated at Proper Diſtances, according to the Exigency of the Caſe, will be of Singular Service in Several Hyſteric Diſorders. But

its Principal Uſe is deſigned to Promote the Pains in Child-Birth, where They are otherwiſe Lingering and Defective; in which Circumſtances it has been known to Succeed ſurpriſingly. But, before the Exhibition of a Medicine of This Nature, one muſt be very Cautious and Circumſpect, and Perfectly well-aſſured, that the Fœtus is in no Tranſverſe or Preternatural Poſition, it being to a Miſchievous Purpoſe to Bring on Pains that muſt neceſſarily be Impotent, and where Manual Operation alone can be of any Aſſiſtance.

Bolus e Camphora.
A Camphire Bolus.

Take Half a Dram of Gum-Arabic; a Scruple of Camphire; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make a Bolus.

In Fevers attended with a Delirium, Twitching of the Tendons, and a Heat of Urine, or Strangury from an Application of Bliſters, This Bole, by the Cooling and Emollient Faculty of the Gum-Arabic on the one hand, and the Penetrating, De-obſtruent, and Anti-febrile Property of the Camphire on the other, may

may happen to Relieve the Patient even in ſuch Deplored Circumſtances. It is to be Given with Three or Four Spoonfuls of a Julep impregnated with ſome Volatile Spirit, and to be Repeated in the ſame Manner after an Interval of Six or Eight Hours.

Bolus Catharticus.

A Cathartic Bolus.

Take Half a Dram of Jalap in Powder; Two Drops of Oil of Juniper; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make a Bolus.

This is a very Safe and at the ſame time a very Efficacious Purge, particularly in a Dropſical Habit; which it will powerfully Drain of Watry Redundancies if it be Duely followed, and accompanied with an Obſervation of the Rules neceſſary to be attended to by Perſons in That Condition, of which Temperance, in regard of Liquids, is not the Leaſt. To be Taken Early in the Morning Faſting.

Bolus e Contrayerva.
A Contrayerva Bolus.

Take Half a Dram of Contrayerva-Root in Powder; Fifteen Grains of Purified Nitre; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make a a Bolus.

This may take place after Due Bleeding, (and a Vomit if neceſſary) in an Inflammatory Fever; as the Nitre will greatly aſſiſt in Reſtraining the Ebullition of the Blood, while the Other Ingredient is employed in Exterminating the Morbific Matter through the Pores of the Skin by a Gentle Diaphoreſis. It is to be Taken Every Four or Six Hours with a few Spoonfuls of ſome Suitable Julep, or a Little Draught of a Proper Emulſion.

Bolus e Gambogia.
A Gamboge Bolus.

Take Gamboge in Powder and Cryſtals of Tartar, of Each Ten Grains; and, with a Sufficient Quantity of Syrup of Buckthorn, Make a Bolus.

This

This is a Purging Doſe for a Perſon of a Strong Conſtitution in a Dropſy. See, under the Article of Electarium Hydropicum, in the Preceding Part of this Work, What is ſaid concerning the Violent Action of Gamboge, and the Caution requiſite in the Adminiſtration of That Exceſſively-Draſtic Drug.

Bolus ex Ipecacoanha.

An Ipecacoanha Bolus.

Take Four Grains of Ipecacoanha-Root in Powder; Sixteen Grains of Aromatic Species; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make a Bolus.

By Thus Exhibiting the Ipecacoanha in a Small Doſe, This Root, from an Emetic, becomes an Admirably-Efficacious Alterative, and a Powerful Specific in a Dyſentery. It may be Repeated Every Morning during the Continuance of the Malady.

Bolus ex Mercurio Dulci Sexties Sublimato.

A Calomel Bolus.

Take Ten Grains of Calomel; and, with a Sufficient Quantity of the Conſerve of Red Roſes, Make a Bolus.

This is frequently Preſcribed to be Taken over night, Previouſly to the Exhibition of ſome Purging Potion. By this means the Operation of the Cathartic is rendered more Effectual, and the Calomel ſecured againſt Exerting its Salivating Faculty. Whence in Some Particular Caſes, that require Medicines of this Nature, This Method of Practice is found not only Uſeful, but in a manner Neceſſary.

Bolus e Myrrha cum Marte.

A Myrrh Bolus with Steel.

Take a Scruple of Compound Powder of Myrrh; Flowers of Steel and Extract of Savine, of Each Ten Grains; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make a Bolus.

This is Peculiarly Conſecrated to the Relief of Diſorders in the Female Sex, Each of the reſpective Ingredients concurring in its Virtues to that End. Conſequently, it may be very Properly Directed in order to Promote the Menſes, to Forward Delivery, or to Procure a Diſcharge of the Lochia, and Secundines. To be Taken with

with Two or Three Spoonfuls of ſome Julep of the Same Intention, and Repeated or Continued, as the Circumſtances of the Caſe may Require.

Cerevisia Anti-Splenetica cum Chalybe.

An Anti-Splenetic Diet-Drink with Steel.

Take Four Ounces of the Bark of Tamariſk; Two Ounces of Aſh-Bark; Guaiacum and Saſſafras, of Each an Ounce; Four Handfuls of Agrimony; and Wormwood and Dodder, of Each Two Handfuls. Boil Them in Six Gallons of Wort; and in the Working Hang Half a Pound of the Filings of Steel, and Four Ounces of Crude Antimony, in a Bag.

This will not only be Serviceable in Procuring Relief in Obſtructions of Any of the Viſcera, the Liver particularly, and the Spleen; but, from the Efficacy of the Filings of Steel and the Antimony, will contribute likewiſe to the Removal of Diſorders Peculiar to the Fair Sex, and concur to Open any incidental Uterine Obſtruction, the Source, if of Long Continuance and Obſtinate, of much untoward

ward Dejection and Uneaſineſs, commonly called VAPOURS. To be Uſed for ſome time pretty Liberally.

CEREVISIA ASTRINGENS.

AN ASTRINGENT DIET-DRINK.

Take Roots of Comfrey and Solomon's-Seal, of Each Eight Ounces. Boil Them in Six Gallons of Strong Wort to Four; which Strain, and, when it is Tunned, Pour into it Juice of Yarrow and Plantain, of Each a Pound; and, while it is Working, Hang in it a Bag with Shepherd's-Purſe, Knot-Graſs, Sanicle, and Mouſe-Ear, of Each Four Handfuls, and a Pound of Malaga-Raiſins.

The Aſtringency of This Compoſition admirably well adapts it to the Removing all Complaints ariſing from too Relaxed a State of Any Part of the Human Body. On which account in Habitual Diarrhœas and Dyſenteries, in Hectics accompanied with Colliquative Sweats, in an Exceſs of the Menſtrual Diſcharges, and the Whites in Women, in Hæmorrhages from a Rupture of ſome Minute Veſſels, and in order to Prevent Abortion, Much Good may be expected from a Continued Uſe of it.

it. Should it render the Bowels too Coſtive, a little Lenitive Electary, or any Medicine of the like Nature, will remedy that Inconvenience. It may be Drank at diſcretion.

Cerevisia Chlorotica.

A Diet-Drink for the Green-Sickness.

Take Roots of Madder, Smallage, Butcher's Broom, and Zedoary, of Each Four Ounces; Leaves of Mother-Wort, Pennyroyal, and Mugwort, of Each two Handfuls; Thyme and Dittany of Crete, of Each a Handful; Three Ounces of Daucus-Seed; an Ounce of Grains of Paradiſe; and Half a Pound of Filings of Steel. Hang Them in a Bag in Four Gallons of Ale, during its Fermentation.

An Irregular Appetite in Young Girls before the Uſual Time of the Eruption of the Menſes, ſuch as the Eating of Chalk, Wall, &c. occurs commonly enough; together with a Pallid Complexion, Shortneſs of Breath, and a Great Inability for Action; and in ſhort Every Symptom incident to Thoſe of a Full-grown Age from a Suppreſſion of the Uterine Monthly Diſcharges. In ſuch Obſtinate Circumſtances, it will be very Adviſable to mix

Some

Some of This Compoſition with the Common Drink; but in a Proportion, that will not Create any Nauſea or Diſguſt againſt a Continued Uſe of it. From What is ſaid, it muſt of courſe be ſuppoſed, if but Little Diluted, a very Efficacious Remedy in all Obſtructions of the Womb whatever; nor indeed can there for Such Purpoſes be deviſed, in This Form, either an Eaſier, or a Better.

Decoctum Album.
A White Drink.

Take Two Ounces of Powder of Burnt Hartſhorn, and Three Pints of Spring-Water. Boil it away to Half, with a Cruſt of Bread in it and ſome Cinnamon. Then Strain, and Sweeten it with Doubly-Refined Sugar.

In the Small-Pox, Meaſles, and indeed in all Kinds of Fevers and Acute Diſeaſes, where the Inteſtines, from too Violent an Irritation of their Fibres by Acid or Acrid Humours, are too much ſollicited to an Evacuation of the Serous Matter of the Blood by their Canal, or are in a State of too great Relaxation, This Abſorbent and Sub-Aſtringent Decoction, Taken

Taken by way of Common Drink, will be found endued with Salutary Qualities Equal perhaps to Thoſe of more Pompous Compoſitions. But, as we hinted above, before the Exhibition of any Thing of this Sort, it muſt be maturely weighed, whether the Stools in queſtion are not Critical, and a Lucky Effort of Nature to get rid of What Oppreſſes her, by Diſpatching the Offending Matter from the Blood and Juices by That Outlet. In which Caſe, They ought rather to be Encouraged, than Checked.

Decoctum Emmenagogum: An Apozem to Promote the Menses.

Take Two Ounces of the Roots of Smallage; Calamus Aromaticus and Bayberries, of Each Two Drams; Zedoary and Cubebs, of Each a Dram and a Half; Two Scruples of Mace; Galangal and Grains of Paradiſe, of Each Ten Grains; Dittany of Crete and Pennyroyal, of Each a Handful. Boil in a Quart of Water and a Pint of White-Wine to Eight and Twenty Ounces. When Strained, Add to it an Ounce of Tincture of Saffron Prepared with Treacle-Water, and Mix for Uſe.

In

In Obſtructions of the Womb, and a Suppreſſion of the Menſtrual Purgations in the Fair Sex, This Preparation, eſpecially if Aſſiſted by Proper Cathartics and Moderate Exerciſe, will ſo Invigorate the Blood, that the Uterine Arteries muſt at length be Determined to Open their Orifices, and Give way to the Flux Ordained by Nature to be Periodically and at Rated Times Diſcharged in that Manner. About Six Ounces of it are to be Taken Twice or Thrice a day.

Electarium Æthiopicum.
An Æthiops Mineral Electary.

Take Six Drams of the Conſerve of Red Roſes; an Ounce of Æthiops Mineral; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

In all Foulneſs of Blood Productive of Cutaneous Eruptions, ſuch as the Itch, Tettars, &c. This is a very Efficacious Remedy. It may be Taken Twice a day, to the Quantity of an Ordinary Nutmeg.

Elec-

Electarium Asthmaticum.
An Electary for an Asthma.

Take Two Ounces of Honey; an Ounce of the Flowers of Sulphur; Half an Ounce of Ginger in Powder; a Dram of Saffron in Powder; and, with a Sufficient Quantity of Syrup of Cloves, Make an Electary.

This will Powerfully Deterge and Scour the Bronchia and Pulmonic Veſſels, and, conſequently, prove very Beneficial in Aſthmatic Complaints, and Coughs ariſing from Infarctions, and Tough Viſcid Matter adhering to the Senſible Texture of Thoſe Parts. It may be Taken three or four times a day to the Quantity of a Nutmeg, more or leſs, according to the Urgency of the Symptoms.

Electarium Cephalicum.
A Cephalic Electary.

Take Six Drams of Conſerve of Roſemary-Flowers; Half an Ounce of Male Piony-Root Finely Powdered; Three Drams of Native Cinnabar; an Ounce of Candied Nutmeg; and, with a Sufficient Quantity

Quantity of Syrup of Orange-Peels, Make an Electary.

This is an Excellent Remedy in an Habitual Pain in the Head; and a Good Preſervative againſt Apoplectic, Epileptic, Paralytic, and All Convulſive Diſorders. Theſe Virtues it poſſeſſes Principally from the Efficacy of the Native Cinnabar; which, Conſiſting of very Subtile and at the ſame time very Solid Parts, is Powerful enough to Penetrate the Minuteſt Paſſages, and by that means to Clear the Nerves of All Obſtructions, from whence Thoſe Diſorders ariſe. It may be Taken twice or thrice a day to the Quantity of a Cheſnut.

Electarium Chalybeatum.
A Chalybeate Electary.

Take Two Ounces of the Conſerve of Sea-Wormwood; Aromatic Species and Winter's-Bark in Powder, of Each a Dram; a Scruple of Salt of Amber; Three Drams of Steel Prepared with Sulphur; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

This

This is Deſervedly in Great Eſteem in a Poor Languid State of the Blood and Juices, and in All Obſtructed Habits, and is Peculiarly Beneficial in Hyſteric and Hypochondriacal Affections; as it will Invigorate the Nerves, Warm the Vital Fluids, and Promote their Circulation through All the reſpective Canals, eſpecially if the Uſe of it be accompanied with any Degree of Exerciſe. It may be Taken Morning and Afternoon to the Quantity of a Nutmeg, with a Draught of any Suitable Liquid after it.

Electarium Emmenagogum.

An Electary to Promote the Menses.

Take an Ounce and a Half of the Conſerve of Sea-Wormwood; a Dram of Salt of Steel; Two Scruples of Saffron; a Scruple of Powder of Cardamoms; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

In a Green Sickneſs from a Stoppage of the Menſtrual Diſcharges, a Diſtemper Common enough among the Fair Sex, This Electary will be attended with Admirable Succeſs. For, if Taken twice a day

day to the Quantity of a Nutmeg for a Doſe, with Proper Exerciſe along with it, it will Increaſe by degrees the Circulation of the Blood, Help to Reſtore the Veſſels to their Uſual Elaſticity, and, by its Invigorating Qualities, Remove Whatever Obſtructions may be Formed in the Uterine Canals.

Electarium Hystericum.
An Hysteric Electary.

Take an Ounce of the Conſerve of Rue; Half an Ounce of the Electary of Bayberries; Two Drams of Gum Ammoniac Diſſolved in a Sufficient Quantity of Tincture of Caſtor; a Dram of Powder of Myrrh; Half a Dram of Saffron; and, with Syrup of Orange-Peels, Make an Electary.

This is a very De-obſtruent and Detergent Compoſition, Capable of Penetrating into the Minuteſt Paſſages, and of Making its way through Them. Hence it is of Excellent Service in Diſorders of the Womb, the Frequent Source of Strong Fits and Convulſions. It is to be Given to the Quantity of a Nutmeg twice a day, or oftner, if the Symptoms Require it.

Elec-

Electarium Lithontripticum.
An Electary againſt the Stone.

Take an Ounce of Straſbourgh Turpentine. Mix it very well with the Yolk of an Egg, and then Add the Seeds of Burdock and Gromwell Powdered, of Each Half an Ounce; Two Drams of Wintercherries; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary.

This is Appropriated to the Forcing away any Sabulous Matter, that may have made a Lodgment in the Urinary Paſſages. To be Taken to the Quantity of a Nutmeg two or three times a day, with a Glaſs of White-Wine.

Great Care and Circumſpection are Neceſſary in the Exhibition of This Medicine. For, as Turpentine is of a Warm Nature, it muſt by no means be adminiſtred where the Leaſt Degree of Inflammation is attendant on the Obſtructed Part. In that caſe Manna, Oils, and Emollient Clyſters are to be Injoined, in order to Relax the Veſſels, and ſo Procure a leſs Painful Exit for the Offending Matter.

Elec-

Electarium Nephriticum.

A Nephritic Electary.

Take Four Ounces of Lenitive Electary; an Ounce of Straſbourgh Turpentine Mixed with the Yolk of an Egg; Two Drams of Cream of Tartar; and Work them into an Electary.

The Lenitive Electary in This Compoſition and the Cream of Tartar Perform a very Good Part; as, by their Action on the Inteſtinal Canal with which the Urinary Ducts have ſo Cloſe a Connection, they mainly Promote the Intended Efficacy of the Turpentine. It is Adapted to Gravelly Complaints, and is ſometimes Preſcribed in a Simple Gonorrhœa. To be Taken to the Quantity of a Large Nutmeg Every Morning, with a Porringer of Water-gruel after it.

Electarium Paralyticum.

An Electary againſt the Palsy.

Take an Ounce of the Conſerve of Roſemary-Flowers; an Ounce of Muſtard-Seed Beat with Water and Pulped through

through a Sieve; and Two Drams of the Compound Spirit of Lavender. Mix into an Electary.

This is very Pungent and Deterſive, and therefore of Uſe in All Caſes where the Nerves want a Stimulus to Help them Perform their Deſtined Offices. Hence in Paralytic Diſorders, and in Decays attending Old-Age, it is much Recommended. From its Diuretic Quality it is alſo Serviceable in Aſthmatical and Dropſical Habits. To be Taken twice a day to the Quantity of a Cheſnut, along with ſome Suitable Julep, or a Glaſs of Strong White-Wine.

Electarium Restringens.
A Restringent Electary.

Take Two Ounces of the Conſerve of Red Roſes; Half an Ounce of Diaſcordium; Three Drams of Armenian Bole in Fine Powder; a Dram of Dragon's-Blood; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make an Electary,

Where Stools are Immoderate notwithſtanding Rhubarb has been Exhibited, and

and the Patient ſo Low and Sinking as to be no longer Able to bear Such a Continued Evacuation, a Doſe of This Electary to the Quantity of a Nutmeg, Taken three or four times a day with a Draught of the White Drink, will Help Gradually to Strengthen the Relaxed Inteſtines, and conſequentlyGuard them againſt anExceſſive Diſcharge of their Contents. But, as a Flux of This Kind is frequently Critical, and an Effort of Nature to Throw off from the Habit of Body What would otherwiſe be Injurious and Oppreſſive, Due Caution and Circumſpection ought ever to Precede the Adminiſtration of a Medicine of This Tendency; leſt, inſtead of Relieving Harraſſed Nature, we Block up the Peccant Matter, and by this means Furniſh it with an Opportunity of Producing Incurable Effects.

Electarium de Spermate Ceti.

A Sperma Ceti Electary.

Take Two Ounces of the Conſerve of Hips; Two Drams of Sperma Ceti; Half an Ounce of the Compound Powder of Gum Dragant; and, with a Sufficient Quantity of the Syrup of Marſh-Mallows, Make an Electary.

In

In an Acrimony of the Blood and Humours, in Catarrhs and Defluxions of Sharp Rheums from the Glands of the Throat, and in Stubborn Hoarſeneſſes, This Electary, being very Emollient and Agglutinating, will be of Singular Service. It is of Uſe likewiſe in a Heat of Urine, either from a Gonorrhœa, or any other Cauſe. It is to be Taken to the Quantity of a Large Nutmeg three or four times a day, along with ſome Suitable Emulſion.

Electarium e Symphyto.
A Comfrey-Root Electary.

Take Half an Ounce of the Conſerve of Red Roſes; Pulp of Freſh Comfrey-Root and Fine Sugar, of Each an Ounce; a Dram of Maſtich in Powder; and, with a Sufficient Quantity of Syrup of Quinces, Make an Electary.

In all Kinds of Fluxes that are not Critical, in Gleets, and the Fluor Albus in Women, as alſo in Tickling Coughs from Rheums and Defluxions, This Electary, by Allaying the Irritation Productive of thoſe Diſorders, will be found to be of Good Service. It is to be Taken of to the Quantity of a Nutmeg, three or

four times a day along with the Chalk-Julep, or the Gum-Arabic Emulſion.

Elixir Paregoricum, ſeu Asthmaticum.

A Paregoric or Asthmatic Elixir.

Take Flowers of Benjamin and Opium Strained, of Each a Dram; Two Scruples of Camphire; Half a Dram of the Eſſential Oil of Aniſeeds; and a Quart of Rectified Spirit of Wine. After Digeſtion Strain off the Spirit.

Of All our Medical Compoſitions, the Shops, perhaps, cannot Supply One more Adapted to Anſwering the Purpoſes Expreſſed by its Title, than This Medicine. All Irritations to Frequent Coughing are admirably well Allayed by it, the Breaſt being at the ſame time Opened, and the Liberty of Breathing Enlarged; inaſmuch as the Opium Blunts the Acrimony of the Humours, while the Other Ingredients ſerve to Cleanſe the Reſpective Glands, and Promote the Regular Diſcharges. In the Chin-Cough of Children it is Peculiarly Excellent; to whom it may be Given from Five to Ten or Twelve Drops, according to the Age, and from Twenty to a Hundred

Hundred Drops to Adults, in Hyſſop-Water, or Canary, at night going to bed.

Emulsio Arabica.
A Gum-Arabic Emulsion.

Take Half an Ounce of Sweet Almonds Blanched, and Six Drams of the Four Greater Cold Seeds. Pour upon Them, when Bruiſed, a Quart of Barley-Water, with an Ounce of Gum-Arabic Boiled in it. Strain, and, when Cold, Add to the Compoſition Two Ounces of the Syrup of Marſh-Mallows.

This Emulſion is in an Eſpecial Manner Dedicated to the Removal of Thoſe Stranguries, that are apt to Affect the Urinary Paſſages on an Application of Bliſters. On which Occaſion It may be Drank diſcretionally.

Emulsio Asthmatica.
An Emulsion for an Asthma.

Take Millepedes Alive, N°. CXX. Bruiſe Them in a Marble Mortar, Pouring on Them gradually Six Ounces of Pennyroyal-Water. In a Strong Expreſ-

ſion of the Liquor Diſſolve Three Drams of Gum-Ammoniac, and Strain it.

From the Inciding and Attenuating Qualities of the Ingredients that Compoſe This Emulſion, very Good Effects may reaſonably be Expected from it, in Whatſoever Viſcidities of the Blood unattended with an Inflammation; particularly in Infarctions of the Lungs, the anavoidable Source of Wheezing, and Laborious Reſpiration. A Spoonful of it may be Taken three or four times a day in a Draught of Pectoral Decoction.

Emulsio Cretacea.

A Chalk Emulsion.

Take Half an Ounce of Sweet Almonds Blanched, and Six Drams of the Four Greater Cold Seeds. Pour upon Them, when Bruiſed, a Quart of Boiling Barley-Water. Strain, and, when Cold, Add to the Compoſition an Ounce of White Chalk in Fine Powder, and Six Drams of Pearl- Sugar.

Whenever Acidities are Predominant in the Stomach and Firſt Paſſages, which are ever Attended with ſome Degree of Heat,

Heat, This Emulſion, being of a very Abſorbent and Cooling Nature, may prove Singularly Beneficial. Hence in Some Looſeneſſes, after Proper Evacuations, it would be Highly Uſeful, and Help to Sheath the Sharp Particles, that are in Thoſe Diſorders continually Stimulating the Inteſtines. And, in regard of That Uneaſy Senſation of the Ventricle, called the Heart-burn, it can ſcarce Fail of Succeſs. To be Shook, when Taken, which it may be at diſcretion.

Haustus Alexipharmacus.
An Alexipharmac Draught.

Take an Ounce and a Half of Alexeterial Milk-Water; Half an Ounce of Plague-Water; a Scruple of Venice-Treacle; Thirty Drops of Tincture of Saffron; and Two Drams of the Simple Syrup. Mix for a Draught.

In a Slow Malignant Fever, where the Pulſe is Low, the Complexion Pale, and the Forehead Clammy, and where often prevails Great Reſtleſſneſs, This Draught Given and Repeated Every Six Hours will, by its Cordial and Enlivening Quality, frequently Produce a Criſis of the

Diſorder; eſpecially if Bliſtering pretty much to the purpoſe Accompany the Uſe of it.

Haustus Anodynus.
An Anodyne Draught.

Take an Ounce and a Half of Alexeterial Milk-Water; Three Drams of Spirituous Cinnamon-Water; and an Ounce of Diacodium. Mix for a Draught.

Occaſionally, as Sleep may be Wanting, or a little Wearineſs and Fatigue be Subſequent to the Operation of a Vomit, an Opiate of this Gentle Nature will not be without its Uſe, by Refreſhing the Body, and Supplying the Neceſſary Spirits for Performing its Several Functions.

Haustus Aromaticus Anodynus.
An Aromatic Anodyne Draught.

Take an Ounce and a Half of Simple Pepper-Mint-Water; Forty Drops of Aromatic Tincture; a Scruple of London Philonium; and a Dram of the Simple Syrup. Mix for a Draught.

This

This is a very Warm, Quieting, and Comfortable Medicine to the Stomach and Bowels; and will be of Service in Flatulent Colicky Diſorders of Thoſe Organs, after a Proper Evacuation by Rhubarb, or the Tinctura Sacra. But in the firſt place, in Theſe Caſes, ſhould there be an Inflammation Subſiſting, Care muſt be taken to Draw away ſome Blood.

Haustus Catharticus.
A Cathartic Draught.

Take an Ounce and a Half of the Infuſion of Sena; a Scruple of Cream of Tartar; Twelve Grains of Jalap in Powder; Half an Ounce of Syrup of Buckthorn; and Two Drams of Aqua Mirabilis. Mix for a Draught.

In All Caſes, where Moderate Purging is Neceſſary or Convenient, This Potion will be very Properly Preſcribed. It muſt be Taken Early in the Morning, and a Regimen Obſerved, during its Operation, Common on Such Occaſions.

Haustus Diureticus.
A Diuretic Draught.

Take an Ounce and a Half of Simple Pennyroyal-Water; Two Scruples of Sal Prunellæ; and a Dram of Oxymel of Squills. Mix for a Draught.

In Any Obſtruction of the Kidneys from a Lodgment of Gravel, in a Heat of Urine, either from a Gonorrhœa, or Any other Cauſe, in Aſthmatical Infarctions, or Whatever Clog beſides on the Humours and Juices, This Draught will be of Service. It may be Repeated, and the Uſe of it Continued, diſcretionally.

Haustus Emeticus.
An Emetic Draught.

Take Two Ounces of Alexeterial Milk-Water; Half a Dram of Ipecacoanha in Powder; and an Ounce of Syrup of Violets. Mix for a Draught. Or,

Take Two Ounces of Wine with Ipecacoanha, and an Ounce of Solutive Syrup of Roſes. Mix for a Draught.

Either

Either of Theſe Draughts, where there is an Indication for Such an Operation, will with Great Eaſe and Efficacy Unload the Stomach, and Rid it of its Superfluous and Noxious Contents. The Uſe of Vomits is very Extenſive. They are of Service not only in Several Chronic Diſtempers, but alſo in Acute ones; particularly at the Beginning and on the Firſt Attack of Moſt Fevers, not excepting Thoſe of the Eruptive Kind, Such as the Small-Pox, &c. the Protruſion of the Morbific Matter being generally Promoted by their Seaſonable Agency.

Haustus Peruvianus.
A Peruvian Bark Draught.

Take Two Ounces of Small Cinnamon-Water; a Dram of Bark in Powder; and Three Drams of Syrup of Cloves. Mix for a Doſe.

Where the Stomach will admit of ſo Large a Quantity of the Bark in Subſtance, This is a very Efficacious Method of Adminiſtring This Famous Drug, there being ſcarce a Poſſibility, that any Ague ſhould Occur of ſo Obſtinate a Nature,

that would not Yield to the Force of This Extraordinary Specific, Thus Exhibited; and in the Intervals of the Paroxyſms, Every Four or Six Hours (more or leſs frequently, according to the Longer or Shorter Space of the Intermiſſion) Repeated. A Vomit ſhould Precede the Uſe of it, and, in caſe it Purges, Ten Drops of Liquid Laudanum muſt be Added to the Next Doſe.

Haustus Salinus.
A Saline Draught.

Take an Ounce of Spring-Water; Half a Dram of Salt of Wormwood; Six Drams of Freſh Lemon-Juice; Two Drams of Tincture of Cinnamon; and, with a little Fine Sugar, Make a Draught.

This is a Mixture of Singular Uſe in Fevers, Taken and Repeated Every Six Hours, as it will ſeldom fail to Promote a Gentle Breathing-Sweat. It is ſometimes likewiſe Preſcribed as a Subſtitute for the Bark, from the Great Chance there is of its putting an Actual Stop to Intermittent Diſorders.

Haustus Sudorificus.
A Sudorific Draught.

Take an Ounce and a Half of Alexeterial Milk-Water; Three Drams of Compound Piony-Water; a Scruple of Compound Powder of Contrayerva; Thirty Drops of Spirit of Hartſhorn per ſe; and Two Drams of Syrup of Orange-Peels. Mix for a Doſe.

Where Sweating may be of Service, This Draught will, after Proper Bleeding, be very Opportunely Exhibited. And it has been known to Succeed in a Particular Manner in a Pain of the Side, that was before its Adminiſtration Exceedingly Obſtinate. On the Return of an Agueiſh Paroxyſm it will be alſo Singularly Beneficial, and, by Eliminating Much of the Morbific Matter through the Pores of the Skin, contribute in a great degree to Shorten it. On Theſe Occaſions, in caſe the Malady be Protracted, on the Expiration of Six Hours it will be Proper to Repeat it.

Infusum Amarum Simplex.
A Simple Bitter Infusion.

Take the Tops of Sea-Wormwood and Gentian-Root, of Each Two Drams; the Outer Peel of Seville Oranges Dried, and the Leſſer Cardamom-Seeds, of Each a Dram. Infuſe Them in a Pint of Boiling Water, and, when Cold, Strain it out for Uſe.

This Infuſion, however Eaſy and Unpompous its Preparation, is a Direct and Natural Remedy in a Cold Weak Stomach, and a Decay of Appetite. A Glaſs of it to be Taken on thoſe Occaſions Every Morning, and at Five o'Clock in the Afternoon.

Infusum Amarum Chalybeatum.
A Bitter Infusion with Steel.

Take Two Drams of Gentian-Root; Half an Ounce of the Outer Peel of Seville Oranges Dried; Winter's-Bark and Spaniſh Angelica-Root, of Each a Dram; Half a Dram of Saffron; Tops of Sea-Wormwood and Centaury, of Each Half a Handful; and an Ounce of Filings of Steel.

Steel. Infuſe Theſe Ingredients Cold in Compound Gentian-Water and Strong White-Wine, of Each a Pint, for Eight Days, often Shaking the Veſſel, and then Strain it for Uſe.

The Filings of Steel in This Compoſition not only Render it very Uſeful in Reſtoring the Tone of the Stomach, when too much Relaxed either by Intemperance, or Severe and Continued Illneſſes, but by their Active and Invigorating Faculty aſſiſt in Opening Obſtructions of the Womb in the Fair Sex, and Greatly contribute to a Regular Diſcharge of the Menſes. A Glaſsful of it is to be Taken twice a day.

Infusum Paralyticum.

A Paralytic Infusion.

Take Horſe-Radiſh-Root Sliced Thin, and Muſtard-Seed Bruiſed, of Each Four Ounces. Infuſe Them in Two Quarts of Boiling Water for Twenty Four Hours Cloſe-covered.

This Infuſion is Endued with very Warm, Pungent, and Stimulating Faculties; and is therefore Exhibited with Sufficient Propriety in any Numbneſs of the Parts, Cold

Cold Rheumatic Pains, and in Whatever Relaxation of the Nerves and Veſſels. From a Continued Uſe of it, the Fibres will ſometimes gradually Recover their Native Elaſticity, while the Matter, that Clogs and Preternaturally Stretches them, is Forcibly Carried off from day to day by Urine. Four Ounces of it are to be Taken Morning and Evening.

Infusum Rosarum Compositum.
A Compound Infusion of Roses.

Take Red Roſe-Leaves and Balauſtines, of Each Two Drams; and Half an Ounce of Oak-Bark. Make a Warm Infuſion in a Quart of Spring-Water for Twelve Hours. Then Strain, and Add Four Ounces of Barley-Cinnamon-Water, and a Sufficient Quantity of Doubly-Refined Sugar.

This is a Powerful Aſtringent, and of courſe muſt be very Advantageous in Caſes that call for Medicines of Such Efficacy. But, before the Exhibition of Remedies of This Nature, Great Caution, Care, and Circumſpection are Neceſſary, leſt the Method of Cure prove of more Fatal Conſequence, than the Diſeaſe itſelf. The

Sagacious

Sagacious Dr. FULLER, in his PHARMACOPOEIA EXTEMPORANEA, has left us Some Excellent Hints in reſpect of This Matter. "In a Symptomatical Diarrhœa, ſays he, where the Original Diſtemper is an Acute Fever, it is a Circumſtance attended with Difficulty. However, it is a Safer Method to Preſcribe on This Occaſion Direct Alexipharmics, in order to Expel the Hoſtile Venom through the Pores of the Skin, than to Recur to Aſtringents and Opiates, which muſt Neceſſarily Fix the Malignant Humours, Obſtruct the Criſis, and Sink the Spirits. Secondly, in a Spitting of Blood, on an Actual Suppreſſion of That Threatning Diſorder, Extravaſated Gore, and Grumous Clots, may nevertheleſs be Subſiſting in the Lungs. Now, in Such a Caſe, to Order Aſtringents would be Pernicious Practice, inaſmuch as They are an Obſtacle to Excretion, and Bring on a Shortneſs of Breath, Suffocation, Vehemently-Acute Fevers, Inflammations of the Lungs, and Death itſelf." Hence it will be Requiſite, Previouſly to the Attempting any thing of This Sort, to Exhibit, in the Former Circumſtance, a Competent Quantity of Rhubarb, and,

in

in the Latter, Such Medicines, as may Gradually Diſlodge the Collected Clots, Diſunite their Concreted Particles, and Evacuate them either by Urine, or Expectoration.

Linctus Detergens.
A Detergent Linctus.

Take Linſeed Oil, Oxymel of Squills, and Syrup of Saffron, of Each an Ounce; and Half an Ounce of Fine Sugar-Candy in Powder. Mix according to Art for a Linctus.

In an Infarction of the Pulmonary Veſſels, or Stuffing of the Glands of the Throat, This Medicine will be of Good Service by Promoting a Diſcharge of the Sluggiſh, Phlegmatic, Matter that Loads them. A Spoonful of it may be Taken at diſcretion.

Linctus Emolliens.
An Emollient Linctus.

Take Oil of Sweet Almonds and Syrup of Violets, of Each Three Ounces. Mix and Make a Linctus.

In

In a Dry, Huſky, Cough, a Spoonful of This Eaſy, Plain, Mixture, Taken every now and then, will Relax by degrees the Criſpy Tone of the Fibres, and conſequently will at length Allay the Irritation from whence the Diſorder intirely Springs.

Linctus ad Raucedinem.

A Linctus for a Hoarseness.

Take an Ounce of Linſeed Oil Freſh-drawn; Half an Ounce of Sperma Ceti; Six Drams of White Sugar-Candy in Powder; and an Ounce and a Half of Balſamic Syrup. Mix for a Linctus.

A Spoonful of it is to be Taken every now and then on the Occaſion Specified by its Title.

Mistura Neutralis Higgiana.

Higgs's Neutral Mixture.

Take Half an Ounce of Sal Rufficum; Half a Pound of Diſtilled Vinegar; a Pound of Spring-Water; and an Ounce and a Half of the Simple Syrup. Make a Mixture.

This

This Medicine is Exhihited by its Author as a Proper Remedy for Gouty Perſons. After the Fit is over, it is Recommended to beTaken mixed with the Tincture of Virginian Snake-Root, or elſe with ſome Rum, Brandy, Arrac, or Mountain Wine, three times a day, from Three Spoonfuls of it to Six. And even during the Fit itſelf it may be Given along with ſome Suitable Abſorbent Powder, as it is endued with a Property of Diſſolving the Arthritic Salts that lodge in the Capillary Veſſels of the Joints, and of Carrying them off by the Cutaneous Pores by means of Perſpiration. It is likewiſe vouched Serviceable, where Proper Evacuations have Preceded, in an Inflammatory and Sizy State of the Blood and Juices, in Fevers of Moſt Kinds, in Colics, Fluxes, and all Hæmorrhages whatever.

With the Addition of Aqua Calcis, it has been likewiſe frequently found Beneficial in Scorbutic Habits though accompanied with Ulcers, and in Scrophulous Complaints, and even Leprous or Venereal Eruptive Diſpoſitions. Being of a Diuretic Nature, it is ſaid, if accompanied with Suitable Purgatives, to anſwer alſo ſeveral Intentions in regard of a Dropſy;

a Dropſy; and, with Gum Ammoniac added to it, to be a very powerful Remedy in an Aſthma. Moreover, in caſe it be Given along with ſome few Drops of the Thebaic Tincture, it will, it ſeems, become a Good Anti-Emetic.

Mistura Nitrosa.
A Nitre Mixture.

Take Six Ounces of Spring-Water; Prepared Crabs-Claws and Purified Nitre, of Each a Dram and a Half; and Half an Ounce of Syrup of Orange-Peels. Make a Mixture.

This is a Good Cooling and Diuretic Medicine, and conſequently Adapted to Several Inflammatory Diſorders, particularly Fevers of This Denomination, in conjunction with a Due Evacuation by Bleeding. A Spoonful of it is to be Taken on Theſe Occaſions pretty frequently.

Mistura Oralis Higgiana.
Higgs's Mixture for the Mouth.

Take Quickſilver and White Chalk, of Each Half an Ounce. Incorporate Them well

well together, and Add Two Ounces of Inſpiſſated Honey.

This Mixture is Calculated for Cancerous Tumours and Ulcers of the Tonſils, Uvula, and Tongue. It is to be Applied to the Parts Affected Twice a day.

Mistura Scillitica.
A Squills Mixture.

Take Eight Ounces of Simple Cinnamon-Water; Vinegar of Squills and Syrup of Marſh-Mallows, of Each Three Ounces. Make a Mixture.

Squills are Powerfully Detergent, and, when Stript of their Emetic Property as They are in This Mixture, will become an Efficacious Remedy in Aſthmatic Diſorders, and All Obſtructions and Infarctions of the Lungs and Viſcera. They are alſo of a Strongly-Diuretic Nature, and, Modelled as in This Compoſition, Work very Forcibly by Urine. Hence may They be Preſcribed with Advantage in Some Dropſies. Two Spoonfuls of This Mixture are to be Taken on Theſe Occaſions Mornings and Evenings, and the

the Uſe of it Continued according to the Exigency of the Illneſs.

Mistura e Valeriana.
A Valerian Mixture.

Take Twelve Ounces of Simple Pepper-Mint-Water; an Ounce of Valerian-Root in Powder; Half an Ounce of Compound Spirit of Lavender; and an Ounce of Syrup of Orange-Peels. Make a Mixture.

The Valerian-Root is Warm and Aromatic, and of Great Efficacy in All Nervous and Hyſteric Complaints. Conſequently it is no Wonder, it is Such a Favourite of the Preſent Practice. As it is Highly-Attenuating, it may be of Service likewiſe in Obſtinate Agues, eſpecially if Aſſiſted by Camphire. The Doſe of This Mixture is a Spoonful to be Taken three or four times a day.

Pilulæ Æthiopicæ.
Æthiops Mineral Pills.

Take Two Drams of Æthiops Mineral; a Dram of Ceruſs of Antimony; Half a Dram of Gum Guaiacum; and, with

with a Sufficient Quantity of Syrup of Orange-Peels, Make them into Pills, Ten out of Each Dram.

This is Recommended by Dr. BATE, from whoſe PHARMACOPOEIA it is Here Inſerted, as a very Powerful Remedy in Dropſies, Venereal Diſeaſes, and in All Cutaneous Diſtempers. And, indeed, if we conſider the Properties of its Ingredients, we muſt conclude it Efficacious in Opening Obſtructions even in the Minuteſt Paſſages, and Correcting the Sharpneſs and Acrimony of the Humours. Five of them are Ordered for a Doſe, and their Uſe is to be Continued for at leaſt Six Weeks.

PILULÆ CACHECTICÆ.

PILLS for an ILL HABIT of BODY.

Take Socotorine Aloes and Gum-Ammoniac, of Each a Dram and a Half; a Dram of Steel Prepared with Sulphur; Six Drops of Oil of Aniſeed; and, with a Sufficient Quantity of Syrup of Orange-Peels, of Every Dram of the Whole Compound Make Twelve Pills.

The

The Blending of Aloes, in This Compoſition, with the Gum-Ammoniac, and Steel, Renders it a very Good Medicine in regard of the Purpoſe to be Anſwered by its Title. For by this means the Peccant Matter, that Loads the Veſſels, and to a great degree Obſtructs the Circulation of the Blood and Juices, is more Expeditiouſly Diſlodged, as a Paſſage is Continually Promoted for it through the Channel of the Inteſtines. Wherefore Theſe Pills will be of Efficacy in Hypochondriacal and Hyſterical Diſorders, and Particularly in a Defect of the Menſes. Four or Five of Them are to be Taken Every Night at Bed-time.

Pilulæ Castoreæ.
Castor Pills.

Take Two Drams of Ruſſia Caſtor; a Dram of Salt of Amber; and, with a Sufficient Quantity of Balſam of Peru, Make Fifty Pills.

Caſtor is of Noble Uſe in Medicine, and, being very Friendly to the Nerves, is Particularly Serviceable in Cephalic and Hyſteric

Hyſteric Complaints, that often Owe their Origine to Some Diſorder in the Nervous Syſtem. In Theſe Pills the Salt of Amber likewiſe Aſſiſts its Efficacy. Five of Them are to be Taken twice or thrice a day.

Pilulæ Catarrhales.
Pills for a Catarrh.

Take a Dram of Rufus's Pills; Half a Dram of Storax Pills; and Two Drops of Oil of Cinnamon. Make Theſe Ingredients into Twenty Pills.

Through the Evacuation Procured by the Rufus's Pills, and a Succeſſive Derivation of the Matter by the Inteſtines, that would otherwiſe Clog the Glands of the Throat and the Organs of Reſpiration, while the Agglutinating and Softening Virtues of the Storax Pills are Exerting themſelves againſt Sharp Rheums and the Irritations they are Accuſtomed to Produce, This is a Compoſition very well Adapted for the Conferring the Benefit Expected from the Title. Three of Theſe Pills are to be Taken Every Night, while the Diſorder is Urgent.

Pilulæ Chalybeatæ Catharticæ. Purging Steel Pills.

Take a Dram of Scammony Prepared with Sulphur; Two Drams of Gum-Ammoniac; Half a Dram of Salt of Steel; Three Drops of Oil of Cloves; and, with a Sufficient Quantity of Syrup of Orange-Peels, of Every Dram of the Whole Compound, Make Ten Pills.

This is a very Good Compoſition for a Chloroſis, or Green-Sickneſs; as Four or Five of Theſe Pills Taken in a Morning, and Repeated at Proper Diſtances, partly by Evacuating the Clogging Obſtructing Matter, and partly by gradually Invigorating the Whole Syſtem of the Body, will almoſt Infallibly Remove the Symptoms Attendant on That Diſorder, Such as Shortneſs of Breath, Paleneſs of Complexion, &c. They will be alſo Serviceable in Hypochondriacal Oppreſſions.

Pilulæ Colicæ. Pills for the Colic.

Take Half a Dram of the more Simple Pills of Coloquintida; a Grain and a

Half of London Laudanum; and a Drop of Oil of Cloves. Make Theſe Ingredients into Five Pills.

In a Bilious Colic, it is an Admirable Method, and, indeed, an Abſolutely Neceſſary one, neither to Preſcribe an Opiate unleſs Blended with ſome Medicine of a Cathartic Property, nor to Order a Remedy of a Cathartic Tendency without Keeping the Bowels quiet by the Concomitancy of Something of an Opiate Nature. In Theſe Pills there is a Juſt and an Exactly Proportioned Mixture of Each; ſo that the Anodyne Part of the Compoſition will be Alleviating Whatever Painful Senſation may be Prevailing in the Inteſtines, while the Purgative one is Carrying off the Foreign Stimulating Matter Productive of the Diſorder. But in Hyſteric Colics Great Caution and Circumſpection are Requiſite; as the Leaſt Irritation almoſt, in Thoſe of that Claſs, from a Purgative of any Force and Efficacy, would be in danger of Promoting Convulſions; the Whole Buſineſs There being to be Managed by Emollient Fomentations and Anodynes.

Pilulæ Dysentericæ.
Pills in a Bloody-Flux.

Take Half an Ounce of Yellow Bees-Wax; Japan Earth and Sperma Ceti, of Each a Dram; a Scruple of Sugar of Lead; and Twelve Drops of Oil of Cinnamon. Form Theſe Ingredients into a Maſs by the Fire, and of Every Dram of the Whole Compoſition Make Ten Pills.

Theſe Pills will be of Service whenever there is a Predominancy of Acrimonious Humours either in the Inteſtines, or in the Urinary or Uterine Paſſages; and therefore may be Preſcribed with Advantage not only in the Diſorder Specified by their Title, but alſo in Old Gleets, and the Fluor Albus. Four or Five of Them are to be Taken two or three times a day.

Pilulæ Emmenagogæ.
Pills to Promote the Menses.

Take Borax and Myrrh, of Each a Dram; Birthwort and Saffron, of Each a Scruple; Oil of Pennyroyal, Savin,

and Cloves, of Each Two Drops; and, with a Sufficient Quantity of Syrup of Orange-Peels, of Every Dram of the Whole Compoſition Make Ten Pills.

Theſe Pills, from their Warming and Attenuating Property, are Effectually Calculated for Anſwering the Purpoſe Specified by their Title. Nor will They only be of Service on That Occaſion, but likewiſe in All Hyſterical Complaints in general. And, as there is a Great Analogy between Theſe and Diſorders of the Spleen, They would be alſo very Properly Adminiſtred to Hypochondriacal Perſons. In regard of the Menſes, Three of them are to be Taken twice a day for Three or Four Days before the Uſual Time of their Appearance; and in Other Caſes the Uſe of them may be continued for Several Weeks together.

Pilulæ de Guaiaco.
Guaiacum Pills.

Take Gum Guaiacum and Aloes, of Each a Dram and a Half; and, with a Sufficient Quantity of Balſam of Peru, Make Them into Pills.

Three

Three or Four of Theſe Pills, Taken Every Night on going to bed, will keep the Body Moderately Open, and conſequently be of Service in Hypochondriacal Afflictions, and, indeed, in almoſt All Chronic Diſorders Whatever. The Gum Guaiacum of itſelf is of Singular Efficacy; and, being a Powerful Promoter of Inſenſible Perſpiration, is very well Adapted to the Removal of All Complaints ariſing from any Obſtructions in the Cutaneous Pores.

Pilulæ Gummosæ.

Gum Pills.

Take Galbanum, Myrrh, and Sagapenum, of Each an Ounce; Half an Ounce of Aſa Fœtida; and, with a Sufficient Quantity of Syrup of Orange-Peels, Make a Maſs for Pills.

The Ingredients of This Compoſition concur to render it very Effectual in Removing Hyſteric Diſorders. As it is of the Attenuating and Detergent Claſs, it will likewiſe be Serviceable in All Diſtempers that Owe their Origin to Grumes and Viſcidities, which Stuff the Veſſels, and

Obſtruct the Neceſſary Motion of the Nervous Fluids. Hence may it be Ordered in certain Aſthmatic Complaints, in the Quantity of about Five and Twenty Grains to be Taken Every Night at Bed-time.

Pilulæ Hystericæ.
Hysteric Pills.

Take Galbanum Strained, Aſa Fœtida, and Gum-Ammoniac, of Each a Dram; Caſtor, Camphire, and Salt of Amber, of Each Fifteen Grains; Four Drops of Oil of Amber; and, with a Sufficient Quantity of Balſam of Peru, of Every Dram of the Whole Compoſition Make Twelve Pills.

Three of Theſe Pills may be Taken twice a day in a Defective State of the Menſes, or in Any other Hyſterical Diſorder. But They would be intirely Foreign to the Affair in caſe of Pregnancy; inaſmuch as, being of a very Strong Nature, They would Subject the Patient to an Abortion. In Hypochondriacal Complaints likewiſe in the Other Sex They would be Taken to Advantage.

Pilulæ Martiales.
Steel Pills.

Take a Dram of Salt of Steel; Two Drams of Aloes; Half a Dram of Gum-Ammoniac; and, with a Sufficient Quantity of Balſam of Peru, Make Them into Pills. Or,

Take Two Drams of Steel Prepared with Sulphur; Half a Dram of Saffron; and, with a Sufficient Quantity of Extract of Gentian, Make Them into Pills.

Three Pills from Either of Theſe Compoſitions, Given twice a day, will be Singularly Beneficial in a Difficult Eruption of the Menſes in very Young People, or in an Obſtructed Habit in regard of Thoſe more Advanced in Age. This Form is Contrived for the Conveniency of Taking the Steel, which perhaps in Any other would be apt to Recoil, or Sit very Uneaſily on the Stomach.

Pilulæ Resinosæ.
Rosin Pills.

Take Common Roſin and Sugar of Lead, of Each a Dram; Camphire and Balſam of Copaiva, of Each Half a Dram; Twelve Drops of Oil of Turpentine; and, with a Sufficient Quantity of the Yolk of an Egg, Make Them into Pills.

This is a Compoſition well enough Adapted to That no Uncommon Complaint in the Female Sex, Called the Fluor Albus, or Whites. Four of Theſe Pills may on This Occaſion be Taken twice a day, and Continued as Circumſtances may Require. In a Gonorrhœa likewiſe, after the Virulence has been Removed by Proper Evacuation, Doſes of Them, Exhibited in the Same Manner, will be Serviceable, without running any riſque from their Aſtringent Faculty.

Pilulæ de Sanguine Draconis.
Dragon's-Blood Pills.

Take Two Drams and a Half of Dragon's-Blood; Sugar of Lead and Roch-Alum;

Alum, of Each Fifteen Grains; and, with a Sufficient Quantity of Straſbourgh Turpentine, Form Them into Fifty Pills.

Theſe Pills are Endued with a Great Stypticity, and on that account are Accommodated to Several Diſorders Proceeding from a Preternatural Relaxation of the Veſſels. In an Immoderate Flux of the Menſes They are Particularly Beneficial, and, by Corrugating the Fibres of the Stomach, will very much Aſſiſt in Promoting Digeſtion. Four of Them are to be Taken twice or thrice a day. In a Diarrhœa, Rhubarb ought to Precede the Uſe of Them.

Pilulæ de Spermate Ceti.

Sperma Ceti Pills.

Take a Dram of Sperma Ceti; and Two Drams of White Sugar-Candy in Powder. Grind Theſe well together, and then with a Warm Peſtle, and a Sufficient Quantity of Syrup of Balſam, Form Them into Pills.

Sperma Ceti is Emollient, Gently Deterſive, and Vulnerary. Hence it Becomes an Admirable Medicine in Coughs

that Owe their Riſe to Sharp Defluxions, Eroſions of the Veſſels, and even Ulcerations of them. It is very Effectual in Inward Bruiſes, and Impoſtumations, as alſo in Pleuriſies, and After Delivery. In Nephritic Caſes likewiſe, by Enlarging the Paſſages, and Expelling the Gritty Sabulous Matter, it Confers Great Eaſe, and will do Service even in Bloody Urine. Three or Four of Theſe Pills may be Taken twice or thrice a day, and Continued according to the Exigency of the Complaint.

Pilulæ Stomachicæ Catharticæ.
Purging Stomach Pills.

Take a Scruple of Rufus's Pill; Reſin of Jalap and Salt of Tartar, of Each Five Grains; a Drop of Oil of Cinnamon; and, with a Sufficient Quantity of Elixir Proprietatis, Make Theſe Ingredients into Five Pills.

As Pills are more Eligible to Several Perſons than a Purge in a Liquid Form, Theſe will be Uſeful on Occaſions where anEvacuation of That Nature is Neceſſary or Convenient, being a Doſe that will Anſwer the End Gently and Mildly,

Taken

Taken Early in the Morning, and Repeated at Proper Diſtances as Circumſtances may Require.

Pulvis Absorbens.
An Absorbent Powder.

Take Prepared Crabs-Eyes, and Red Coral Prepared, of Each a Scruple. Make a Powder.

From the General Predominancy of Acidities in the Stomach, Abſorbents are of Frequent and Singular Uſe. In the Beginning of Fevers, after Bleeding and Vomiting, They are of Particular Service; inaſmuch as They Produce a moſt Agreeable Senſation in the Stomach, by Sheathing Whatever Acrimonious Particles may be Exerting their Vellicating Property in That Organ, and thereby be Raiſing a Commotion in the Blood and Fluids. And, as the Fineſt Parts may poſſibly Enter the Lacteals, and by that means be Communicated to the Circulating Maſs, their Efficacy will be Manifeſted there by their Deſtroying Sour Foreign Corpuſcles, the Main Source of Feveriſh Fermentations and Inflammations. And, in regard of Children, we are Deſtitute

titute of our Principal Support without the Uſe of Abſorbents. For their Fevers, and in a manner All their Other Diſorders, Spring Chiefly from Acidities Prevailing in the Stomach and Firſt Paſſages; for the Removal of which Vellicating Particles Nothing is ſo Directly Adapted, as the Obtunding and Sheathing Faculty of Alkaline Subſtances, Such as Crabs Eyes, Coral, Chalk, and the Like. The Above Forms are only Single Doſes for Grown Perſons, which are to be Taken in Some Suitable Liquid, and Repeated Every Four or Six Hours according to the Circumſtances of the Patient. In reſpect of Children, the Quantity of Powder is to be Proportioned to their Reſpective Ages. And there is One Conveniency Attendant on the Exhibition of Theſe Abſorbents, which is very Worthy our Attention, viz. that, with the Leaſt Caution Imaginable, there is almoſt an Impoſſibility of Doing any Injury by Preſcribing Them.

Pulvis Æthiopicus Higgianus.
Higgs's Æthiopic Powder.

Take Four Ounces of the Flower of Sulphur, and a Pound of Quickſilver. Mix, and Make a very Fine Powder.

This

This Powder, ſays its Author, Incorporated according to Art, will work its way through the Minuteſt Paſſages, and that more forcibly than any other Alterative whatever. Conſequently it is of Great Efficacy in Removing Obſtructions that are wont to be formed in the Veſſels, and is infinitely Preferable to the Common Æthiops Mineral of the Shops. It may be uſed Externally, worked into an Ointment with Hog's-Lard, in all Cold Tumours and Obſtructed Glands, and Internally, in its Native Æthiopic Form, as an Alterative.

Pulvis Alexipharmacus.

An Alexipharmac Powder.

Take a Scruple of the Compound Powder of Contrayerva, and Ten Grains of Saffron. Mix for a Powder. Or,

Take Fourteen Grains of Virginia Snake-Root; Caſtor and Saffron, of Each Six Grains. Mix for a Powder. Or,

Take the Compound Powder of Contrayerva, and Virginia Snake-Root, of Each Fifteen Grains. Mix for a Powder. Or,

Take

Take Fifteen Grains of the Calx of Antimony; Saffron and Camphire, of Each Five Grains. Mix for a Powder. Or,

Take a Scruple of Bezoardic Powder; Myrrh and Caſtor, of Each Four Grains. Mix for a Powder. Or,

Take a Scruple of Compound Powder of Crabs Claws, and Ten Grains of Saffron. Mix for a Powder.

In Fevers of the Low, Depreſſed, or Nervous Kind, Something of the Nature of Theſe Powders will be Abſolutely Neceſſary; Any one of which Taken at once, and Repeated Every Four or Six Hours, along with Some Julep Correſponding with the Same Intention, will Greatly Contribute to the Raiſing of the Pulſe, and the Expulſion of the Morbific Matter through the Pores of the Skin by a Continued Diaphoreſis. Should Any Twitchings of the Tendons ſhew themſelves at the ſame time, Bliſtering to a pretty good degree Ought to Accompany the Uſe of the Other Remedies.

Pulvis Anthelminthicus.
A Powder againſt Worms.

Take Coralline in Powder, and Æthiops Mineral, of Each Fifteen Grains; and Mix for aDoſe. Or,

Take Ten Grains of Powder of Tin; a Scruple of Æthiops Mineral; and Mix for a Doſe. Or,

Take a Scruple of Powdered Tin; Ten Grains of Æthiops Mineral; and Mix for a Doſe. Or,

Take Sixteen Grains of Powder of Coralline; Ten Grains of Æthiops Mineral; Powder of Savine and Saffron, of Each Three Grains. Mix for One Doſe.

Worms are a Common Complaint in Children. When Theſe are Predominant, Some one of the Above Powders, Mixed with Treacle for the Conveniency of Taking, Given twice a day for Three Succeſſive Days, by way of Preparation for a Purgative Medicine on the Fourth, will go near to Diſarm Thoſe Animalcula of their Eroding Powers, and Continued in Like

Like Manner for a Few days longer, will Intirely Clear the Inteſtines of Them. The Doſe is to be Increaſed, or Diminiſhed, in Proportion to the Age.

Pulvis Antilyssus.

A Powder againſt the Bite of a Mad Dog.

Take Half an Ounce of Aſh-coloured Ground-Liverwort, and Two Drams of Black-Pepper. Beat Them together into a Powder.

This Powder was inſerted in the London Pharmacopœa in the Year 1721, at the Deſire of Dr. Mead; whoſe Method of Giving it, as Set down in his Mechanical Account of Poiſons, is This, viz.

The Patient muſt be Blooded at the Arm Nine or Ten Ounces; and, This Powder being Divided into Four Doſes, One of Them muſt be Taken Every Morning, Faſting, for Four Mornings Succeſſively, in Half a Pint of Cow's-Milk, Warm. After Theſe Four Doſes are Taken, the Patient muſt go into the Cold Bath, or a Cold Spring, or River, Every Morning Faſting for a Month. He muſt be Dipt all over, but not Stay in (with

(with his Head above Water) longer than Half a Minute, if the Water be very Cold. After This he muſt go in three times a Week for a Fortnight longer. Thus by means of a Courſe Eaſily to be Purſued, by Preventing the Fever for a long time after the Bite, and Conſtantly Provoking a Great Diſcharge by Urine, the Patient may poſſibly be Secured from Danger.

Pulvis Astringens.
An Astringent Powder.

Take Japan Earth, Armenian Bole, and Dragon's Blood, of Each Eight Grains; and a Drop of Oil of Cinnamon. Mix for One Doſe.

This may be Taken and Repeated Every Six or Eight Hours in Whatever Preternatural Relaxation of the Veſſels in Either Sex. It would be Particularly Serviceable in the Fluor Albus, and in an Exceſſive Diſcharge of the Menſes in Women, and in Preventing an Abortion. In Inteſtinal Fluxes alſo, after the Exhibition of Rhubarb, it would, by its Corrugating Faculty, be very Beneficial. The White-

White-Drink may on Theſe Occaſions accompany its Adminiſtration.

Pulvis Bezoardicus.
Bezoardic Powder.

Take a Pound of the Compound Powder of Crabs-Claws, and an Ounce of Oriental Bezoar Prepared. Make Them together into a Powder.

In Fevers of the Eruptive Kind, the Small-Pox Particularly, as Dr. Mead Suggeſts, it is Neceſſary Jointly to Reſtrain the Inflammation of the Blood, and Aſſiſt the Expulſion of the Matter through the Skin. For the Promoting Both Theſe Purpoſes, This Powder and Nitre will be found of Uſe, in the Proportion of Two Parts of the Former with One of the Latter, though Sometimes Theſe are Mixed in Equal Quantities. An Adult may Take Half a Dram of the Powder Thus Mixed three or four times a day, the Doſe being Leſſened for Children Agreeably to their Age. To This alſo, ſhould the Heat of the Blood be Increaſed to a Violent Degree, muſt be Added Spirit of Vitriol Dropped in a Suitable Quantity into the Patient's Uſual Drink. But

ſhould

ſhould Vomitings, or a Nauſea, be Predominant, Half an Ounce of Juice of Lemon Mixed with a Scruple of Salt of Wormwood, Given in a Draught, will Allay Theſe Symptoms.

Pulvis Catharticus pro Pueris.
A Purging Powder for Children.

Take Rhubarb, Reſin of Jalap, and Calomel, of Each a Dram; and Three Drams of Doubly-Refined Sugar. Mix for a Powder.

This is no leſs an Efficacious than Safe Purge for Children. For it will Subſtantially Evacuate Whatever Slimy Humours may be Lining the Coats of the Inteſtines, Productive of Gripes and Worms. The Doſe is from Ten Grains to a Scruple, in Proportion to the Age. The Ingredients ſhould All be Powdered Separately, and Rendered very Fine.

Pulvis Martialis Compositus.
Compound Powder of Steel.

Take Six Drams of Prepared Steel; Caſſia-Bark and Nutmegs, of Each Half an Ounce; Cloves and Mace, of Each

Two

Two Drams; and Two Ounces of Fine Sugar. Powder, and Mix according to Art.

Chalybeates are of the Claſs of very Powerful De-obſtruents, and conſequently of Known Efficacy in a Chloroſis, Suppreſſion of the Menſes, and All Cachexies, either in regard of the Male or Female Sex. From their Warming and Invigorating Faculty, They likewiſe are Greatly Inſtrumental in Reſtoring a Decayed Conſtitution. We are indebted to Dr. BATE for This Powder, who ſpeaks highly in its Commendation. The Doſe of it is from a Dram to Two Drams, to be Taken for Some Time Every Morning in a Glaſs of White-Wine.

PULVIS PARTUM PROVOCANS:

A POWDER to Help DELIVERY.

Take Cinnamon and Saffron, of Each Ten Grains; Two Scruples of Borax; and Mix into a Powder according to Art,

This Powder, where Labour-Pains are Defective, Taken in Any Suitable Vehicle, will ſcarce ever Fail of Giving Relief, in caſe there be no Obſtacle in the Way

Way to Delivery from Some Preternatural Poſition of the Fœtus. Of courſe it is a Medicine much in Vogue for Effecting the Purpoſe Expreſſed by its Title.

Tinctura Anti-Phthisica.
An Anti-Hectic Tincture.

Take Salt of Steel and Sugar of Lead, of Each Four Ounces. Put Them into a Matraſs with a Quart of Brandy. Digeſt for Twenty Hours, in order to Make a Tincture.

As Hectical Indiſpoſitions are Ever Accompanied with a Great Relaxation of the Solids, and Fuſion of the Fluids, This Tincture, from the Property it is Endued with of Bracing the Former and of Giving a Firmer Texture to the Latter, is, as it were, Specifically Adapted to the Relief of them; ſo that it is no Wonder it ſhould be Frequently Preſcribed on Thoſe Occaſions. And, indeed, it will be Serviceable in Whatever Caſe that may Call for Medicines of an Aſtringent Nature. A Tea-Spoonful of it may be Taken twice a day in a Draught of Spaw or Briſtol Water.

Tinctura Paralytica.

An Anti-Paralytic Tincture.

Take Two Ounces of Cantharides in Powder; Six Drams of the Seeds of Biſhop's-weed; and a Pint and a Half of Rectified Spirit of Wine. Digeſt Them together for Some Days, and then Strain off the Liquor for Uſe.

This is Devoted intirely to External Embrocations, where the Parts are become Numbed or Paralytic. It is Stimulating to a great degree, and on that ſcore Highly Proper to be Uſed, in order to Reſtore the Stupified Fibres to their Former State of Senſibility. It is Apt to Excoriate if much Rubbed on the Part, but without any Ill Conſequence on that account. It is Here Inſerted from Dr. Bate.

Tinctura Rhabarbari Vinosa.

The Tincture of Rhubarb in Wine.

Take Two Ounces of Rhubarb; Half an Ounce of the Leſſer Cardamom-Seeds; and Two Drams of Saffron. Infuſe Theſe Ingredients Three Days without

out Heat in a Quart of White-Wine, and then Strain for Uſe.

Rhubarb, being an Excellent Strengthener of the Stomach and Bowels, is a Powerful Help in Fluxes of All Kinds, and an Efficacious Medicine againſt Any Diſtempered Contents of the Inteſtinal and Meſenteriac Glands. It is likewiſe a Serviceable Remedy in the Jaundice, being Celebrated by Several Authors for its Property of Purging the Liver. Nor is it Void of Diuretic Qualities, as it Frequently Paſſes through the Kidneys ſo much, as very Evidently to Diſcover itſelf in the Urine. On which account it is of Benefit in Obſtructions of the Reins and Ureters. It is a Good Purge againſt Worms, and will Clear away Thoſe Crudities in the Bowels, which are apt to Generate them. This Tincture is a very Convenient Form of Conveying its Virtues; which may be Given to an Adult in the Quantity of about Two Ounces, Half over night, and to Children a Spoonful or Two at a time, in Proportion to their Age.

TINCTURA

Tinctura Sacra.

Tinctura Sacra.

Take an Ounce of Socotorine Aloes Powdered; the Leſſer Cardamom-Seeds and Virginia Snake-Root, of Each a Dram; a Scruple of Cochineal; and Half a Pint of White-Wine. Digeſt Theſe in a Sand-Heat Two Days, and then Strain for Uſe.

In All Wind and Flatulencies of the Bowels Creating Troubleſom Colicky Pains, This Tincture, by its Diſcuſſing Warmth in the firſt place, and its Evacuating the Slimy Humours in the next from whence Thoſe Diſtending Pains Proceed, will Produce very Agreeable Effects. But Care muſt at the ſame time be Taken, that no Inflammation be Subſiſting in the Bowels, which a Hot, Aloetic, Purgative, as This is, would Undoubtedly Increaſe. In That Caſe Bleeding would be Requiſite. Other Main Advantages might be Derived from This Remedy in Several Chronic Diſorders, were it Managed ſo as to Make it Become an Alterative, which is Done by Giving it in Small Quantities. For by this means it would Enter the Lacteals,

Lacteals, and Circulate with the Maſs of Blood, without Exerting its Cathartic Property in the Inteſtines. Hence it would be Serviceable in the Jaundice, Aſthmatic Complaints, and Whatever Viſcidities of the Juices, or Infarctions of the Veſſels; as it could not but very Powerfully Break and Deterge the Humours in the Minuteſt Canals, ſo as to Fit them for Evacuation, in a Manner the moſt Agreeable to Nature. If the Intention be to Purge with it, the Doſe is about Two Ounces, Half to be Taken over night.

Vinum Arthriticum Purgans.
A Purging Wine againſt the Gout.

Take Turpeth and Hermodactyls, of Each Two Ounces; Jalap and Black Hellebore, of Each an Ounce; Two Drams of Cinnamon; Half an Ounce of Ginger; and an Ounce of Lavender-Flowers. Infuſe Theſe Ingredients in Two Quarts of Mountain-Wine for a Fortnight, and then Strain off for Uſe.

In Any Obſtruction of the Nerves, or Stagnation of Humours in Remote Parts of the Body, This is both a Pleaſant and

an Efficacious Remedy; Eſpecially, if it be ſo Managed as to Render it an Alterative, which is Done by Taking it in Such Small Quantities, as to Prevent its Exerting its Powers in the Firſt Paſſages. By this means it will Enter the Lacteals, and by the Laws of Circulation Reach the moſt Minute Receſſes; and, by its Active and Attenuating Faculty, Diſſociate Whatever Particles may be there already Concreted, and Cut off Any Future Lodgment of Thoſe Humours on the Joints, which Form That Painful Diſtemper, the Gout. For This End Three or Four Spoonfuls of it are to be Taken over night, and to be Often Repeated, according to the Urgency of the Complaint.

Vinum Chalybeatum.
Steel Wine.

Take Four Ounces of the Filings of Steel; Rue and Pennyroyal, of Each Two Handfuls; Piony and Caſſamunair Roots, of Each an Ounce; and Two Drams of Saffron. Infuſe in Two Quarts of White-Wine for Fourteen Days, and then Strain for Uſe.

In All Obſtructions of the Womb, Liver, and Spleen, This, by its Attenuating and at the ſame time Invigorating Quality, is Juſtly Eſteemed a Good Medicine. It not only Promotes the Menſtrual Diſcharges to a great degree, but, by Cleanſing the Organs of Generation and Strengthening the Tone of the Blood, will if Uſed for Some Time even Forward Conception. Two or Three Ounces of it are to be Taken Every day for a Month or Six Weeks.

Vinum Enulatum.
Elecampane Wine.

Take Green Elecampane-Root, White Sugar, and Currants cut ſmall, of Each Four Ounces. Infuſe Theſe Ingredients Cold for Fourteen Days in Two Quarts of White-Wine.

Notwithſtanding the Simplicity of This Preparation, it is of Singular Uſe in Complaints of the Breaſt, in Weak Lungs, and in Aſthmatic Diſorders; and, from the Deterſive Property of the Elecampane-Root, will Greatly Help to Prevent Thoſe Ulcerations, which almoſt Ever Termi-

nate in a Confirmed Conſumption, and conſequently Death. The Same Deterging Power of This Root Renders This Infuſion Serviceable likewiſe in All Cachexies, and Tendencies towards a Dropſy. A Glaſs-full of it is to be Drank twice a day.

Vinum Millepedum.
Wine of Millepedes.

Take Half a Pound of Millepedes. Put Them Alive into a Quart of White-Wine. After Some Days Infuſion Strain and Preſs out very hard. Then Put in Two Drams of Saffron; a Dram of Salt of Steel; Two Scruples of Salt of Amber; and after Three or Four Days Strain for Uſe.

This is of a Greatly Detergent Nature, and Works very Powerfully by Urine. Hence it is an Admirable Medicine in a Jaundice, Dropſy, or Any Obſtructed or Loaded Habit. Two Ounces of it are to be Taken twice a day.

Vinum Scorbuticum.
Wine againſt the Scurvy.

Take Sorrel, Brooklime, Water-Creſſes, and Garden Scurvygraſs, of Each Three Handfuls; Roots of Elecampane, Blue Flower-de-luce, and Horſe-Radiſh, of Each an Ounce and a Half; an Ounce of Scurvy-graſs-Seed; and Two Quarts of White-Wine. Let All Digeſt Two Days together. Then Preſs out hard for Settling and Uſe.

This Preparation, being of a very Scouring and Deterſive Nature, is in an Eſpecial Manner Devoted to the Relief of Scorbutic Diſorders. Taken in Spring-time, when the Ingredients are in their Full Force and Vigour, it may Break and Divide Whatever Preternatural Coheſions of the Blood may happen to Obſtruct the Glands; and, by Reſtoring the Maſs to a Due State of Fluidity, Obviate Thoſe Feveriſh Diſpoſitions, which Naturally Ariſe from Any Impediment and Bar Put to the Neceſſary Secretions. Being Diuretic, and a Great Quickener of the Motions of the Fluids, it may be likewiſe Serviceable in an Unwieldy Habit from Sluggiſh Wa-

tery Humours, and Help to Throw off a Dropſy. A Glaſsful of it is to be Drank twice a day, and Continued for Some Time.

Vinum Stomachicum.
Stomach Wine.

Take Half an Ounce of Gentian-Root; Galangal, Calamus Aromaticus, and Spaniſh Angelica-Root, of Each Two Drams; an Ounce of Centaury-Tops; the Outer Peel of Three Seville Oranges with their Juice; and a Dram of Saffron. Infuſe Theſe Materials in Two Quarts of Sherry for Fourteen Days. Then Strain for Uſe.

All the Ingredients of this Compoſition Concur to Render it a moſt Grateful Bitter. Nor indeed can there be Deviſed a more Agreeable Remedy in a Want of Appetite, a Cold Conſtitution, or Any Sudden Indiſpoſition, either from Intemperance, or Any Other Cauſe. A Glaſsful of it is to be Taken twice a day.

Un-

Unguentum Ophthalmicum.
An Ointment for the Eyes.

Take an Ounce of Prepared Tutty; Two Scruples of Lapis Hæmatites Prepared; Twelve Grains of the Beſt Aloes; and Four Grains of Prepared Pearl. Put Them into a Porphyry, or Marble, Mortar, and Rub Them with a Sufficient Quantity of Viper's Greaſe, or Fat, to Make a Liniment.

For the Communication of This Medicine we are indebted to the Late Sir Hans Sloane, who Thus Expreſſes himſelf in his Account of it. "The "Method, ſays he, which has Beſt Succeeded with me in Facilitating the Efficacious Uſe of This Liniment, is to "Bleed, and Bliſter in the Neck and Behind the Ears, in order to Draw off "the Humours from the Eyes; and "afterwards, according to the Degree of the Inflammation, or Acrimony of the Juices, to Make a Drain "by Iſſues Between the Shoulders, or a "Perpetual Bliſter. And, for Waſhing "the Eyes, I Generally Recommend "Spring-Water, which I think Prefer-

" able to Any Spirituous Lotion, whether " Simple, or Compound. And the Beſt " Inward Medicines I have Experienced " to be Conſerve of Roſemary-Flowers ; " Anti-Epileptic Powders, Such as Pul- " vis ad Guttetam; Betony, Sage, Roſe- " mary, Eyebright, Wild-Valerian-Root, " Caſtor, &c. Waſhed down with a Tea " Made of Some of the Same Ingredi- " ents ; as alſo Drops of Spirit. Laven- " dul. Compoſit. and Sal Volat. Oleos. " If the Inflammation Returns, Draw- " ing about Six Ounces of Blood from " the Temples by Leeches, or Cupping " on the Shoulders, is very Proper. The " Liniment is to be Applied with a " Small Hair-Pencil, the Eye Winking, " or a little Opened".

Unguentum Psoricum.
An Ointment for the Itch.

Take Four Ounces of Crude Brimſtone; Two Drams of Sal Armoniac Finely Powdered ; and, with a Sufficient Quantity of Hog's Lard, Work it up into an Ointment.

In Thoſe Cutaneous Eruptions, Termed the Itch, This Ointment, Rubbed in well on

on the Parts Affected, will be Attended with the Desired Succeſs, though the Diſorder be never ſo Inveterate; and, for Eaſe, Safety, and Expedition, Gives place to no Application Whatever, that can be Made uſe of in order to Remove That Troubleſom Complaint. Phyſick Ought to Accompany the Unction, and Bleeding to Precede it.

DIRECTIONS CONCERNING BLEEDING.

OF All the Remedies Recurred to in Relieving the Diſeaſed Part of Mankind, there are None of Such General Service and Advantage, as That of BLEEDING; as there is No one, on the other hand, Attended with more Pernicious Conſequences, when Indirectly and Injudiciouſly Ordered. A Number of Illneſſes are Abſolutely Owing to too Great a Quantity of Blood; in which Caſes there is Ever of courſe an Indiſpenſable Neceſſity for Proportionably Draining This Fluid. Though, in the Preceding Work, there is Pointed out a Variety of Occaſions, where Venæſection is Indicated Previouſly to, or Along with, This or That Particular Medicine; yet, perhaps, it may be no Diſagreeable Taſk I Perform, in the Opinion of the Generality

rality of my Readers, in Thus Collecting Thoſe Scattered Directions. In All Inflammatory Diſtempers, it is Next kin to a Sacrilege to Omit it; as it is, on the contrary, Expoſing the Patient to the Utmoſt Hazard, to Injoin it in a Low, Languid, Depreſſed State, where the Spirits before were too much Exhauſted, and Nature, conſequently, Unable to Support the Leaſt Evacuation. Hence, it Ought to be Conſtantly Directed, and Repeated according to the Exigency of the Violence and Duration of the Malady, in Pleuritic and Peripneumonic Diſorders, During the Firſt Few Days of Thoſe Painful Attacks. But it is in vain to Expect Any Reſource from thence, when once Suppuration is Begun, and the Morbid Matter is Only to be Thrown off by Expectoration, which Bleeding muſt Neceſſarily Retard.

Again, in Apoplectic and Epileptic Diſorders, a Dyſentery, or Bloody-Flux, and Irkſom Heat of the Bowels, we muſt Bleed in Proportion to the Illneſs: which we muſt likewiſe Generally Do in the Beginning of Fevers, and as Religiouſly Abſtain from Drawing away Blood on their Decline; as, from being Inflammatory, They

are Often at This Period Degenerated into the Nervous Kind, when the Chief of the Affair is to be Tranſacted by a Liberal Application of Bliſters.

Bleeding, again, Ought to be Directed in Large Abſceſſes, where there is an Exceſſive Turgency from the Flux of Humours, and a Great Oppreſſion of Nature from Immoderate Heat. For in That Caſe, by Drawing away Some Blood, the Suppuration is Happily Performed, both in point of Time, and the Compleat Diſcharge of the Morbific Matter.

In the Small-Pox alſo, (for the Communication of which Experience we are Obliged to Dr. MEAD, to whoſe Treatiſe on That Subject I refer the Reader,) Bleeding, and That Repeated in Some Caſes, may be Advantageouſly Ordered in Plethoric Habits at Any Period of That Diſtemper, except in Children under Twitchings of the Nerves before the Eruption; it being, in reſpect to Theſe, Found by Frequent Trials, that the Taking away Blood in that Situation Renders the Diſeaſe Mortal.

In a word, Where-ever Prevail Sore Eyes, a Sciatica, a Dry, Huſky, Cough, an

an Head-Ach, Inflammations of the Womb, or Bladder, a Virulent Gonorrhœa, Cordee, Buboes, Venereal Stricture, Inflamed Piles, Hot Rheumatiſm, Dry Gripes, Sore Throat, an Aſthma, Colic, Strangury, Gravel, Nephritic Pains, Hæmorrhages, an Inveterate Itch, and the Like, the Opening of a Vein is of Peculiar Service. But in Dropſies, a Jaundice, the Gout, and All Illneſſes Derived from too Great a Relaxation of the Veſſels, or Obſtruction of them, Remedies Adapted to the Reſpective Complaints muſt be Sought for from Other, Specific, Quarters, without the Leaſt Thought of Increaſing Thoſe Diſorders by Abrupt and Prepoſterous Bleeding.

AN INDEX of DISEASES, WITH REMEDIES for their Reſpective Cures.

ABORTION, to Prevent. Cereviſia Aſtringens, Pulvis Aſtringens.

Ague. Bolus ex Alumine, Hauſtus Peruvianus, Hauſtus Sudorificus, Miſtura e Valeriana.

Apoplexy, to Preſerve againſt. Electarium Cephalicum.

Appetite, to Create, Infuſum Amarum Simplex, Vinum Stomachicum. Irregular in Young Girls. Cereviſia Chlorotica.

Aſthma. Electarium Aſthmaticum, Electarium Paralyticum, Elixir Paregoricum ſeu Aſthmaticum, Emulſio Aſthmatica, Hauſtus Diureticus, Miſtura Neutralis Higgiana, Miſtura Scillitica, Pilulæ Gummoſæ.

Aſthmatical

Aſthmatical Complaints, Pilulæ Gummoſæ, Tinctura Sacra, Vinum Enulatum.
Habit. Electarium Paralyticum.
Bite of a Mad Dog. Pulvis Antilyſſus.
Bleeding. See Hæmorrhage.
Bloody-Flux. Bolus ex Ipecacoanha, Cereviſia Aſtringens, Pilulæ Dyſentericæ, Tinctura Rhabarbari Vinoſa.
Bruiſes, Internal. Pilulæ de Spermate Ceti.
Cachexy. Cereviſia Anti-Splenetica cum Chalybe, Electarium Chalybeatum, Pilulæ Cachecticæ, Pilulæ Chalybeatæ Catharticæ, Pulvis Martialis Compoſitus, Tinctura Sacra, Vinum Enulatum.
Catarrh. Electarium de Spermate Ceti, Pilulæ Catarrhales.
Chin-Cough. Elixir Paregoricum ſeu Aſthmaticum.
Chloroſis. See Green-Sickneſs.
Colic, Hauſtus Aromaticus Anodynus, Miſtura Neutralis Higgiana, Pilulæ Colicæ, Tinctura Sacra.
Bilious, Pilulæ Colicæ.
Hyſteric, What Caution Requiſite. Pilulæ Colicæ.

Colic, Nervous. Balſamum Anodynum.
Conception, to Forward. Vinum Chalybeatum.
Conſumption. Tinctura Anti-Phthiſica.
Convulſions, Bolus e Camphora.
to Preſerve againſt. Electarium Cephalicum.
Cough. Electarium Aſthmaticum, Electarium e Symphyto, Elixir Paregoricum ſeu Aſthmaticum, Linctus Emolliens, Pilulæ de Spermate Ceti.
Diabetes. Bolus ex Alumine.
Delirium in Fevers. Bolus e Camphora.
Delivery, to Promote, Bolus e Borace, Bolus e Myrrha cum Marte, Pulvis Partum Provocans.
What Effectual after. Pilulæ de Spermate Ceti.
Diarrhœa. See Looſeneſs.
Digeſtion, to Promote. Pilulæ e Sanguine Draconis.
Diſcharge of the Lochia and Secundines, to Promote. Bolus e Myrrha cum Marte.
Dropſy. Bolus e Gambogia, Miſtura Neutralis Higgiana, Miſtura Scillitica, Pilulæ Æthiopicæ, Vinum Millepedum, Vinum Scorbuticum.

Dropſical

Dropſical Habit. Balſamum Guaiacinum, Bolus Catharticus, Electarium Paralyticum, Vinum Enulatum.
Dyſentery. See Bloody-Flux.
Epilepſy. See Falling-Sickneſs.
Eyes, Sore, &c Unguentum Ophthalmicum.
Falling-Sickneſs, to Preſerve againſt. Electarium Cephalicum.
Fever, Decoctum Album, Hauſtus Salinus, Miſtura Neutralis Higgiana, Pulvis Abſorbens.
in Children, Pulvis Abſorbens.
Hectic, Cereviſia Aſtringens, Tinctura Anti-Phthiſica.
Inflammatory, Bolus e Contrayerva, Hauſtus Salinus, Miſtura Neutralis Higgiana, Miſtura Nitroſa.
Intermittent, Hauſtus Peru. Hauſtus Salinus, Hauſtus Sudorificus.
Malignant, or Nervous, Hauſtus Alexipharmacus, Pulvis Alexipharmacus.
On the Spirits. Bolus Alexipharmacus, Miſtura e Valeriana, Pulvis Alexipharmacus.
Fluor Albus. Bolus ex Alumine, Cereviſia Aſtringens, Electarium e Symphyto, Pilulæ Dyſentericæ, Pilulæ Reſinoſæ, Pulvis Aſtringens.

Fluxes of all Kinds. Miſtura Neutralis Higgiana.

Gleet. Balſamum Guaiacinum, Electarium e Symphyto, Pilulæ Dyſentericæ.

Gonorrhœa. Electarium Nephriticum, Pilulæ Reſinoſæ.

Gout. Balſamum Anodynum, Balſamum Guaiacinum, Miſtura Neutralis Higgiana, Vinum Arthriticum Purgans.

Gravel. Balſamum Anodynum, Electarium Lithontripticum, Electarium Nephriticum, Hauſtus Diureticus, Pilulæ de Spermate Ceti, Tinctura Rhabarbari Vinoſa.

Green-Sickneſs. Cereviſia Chlorotica, Electarium Emmenagogum, Pilulæ Chalybeatæ Catharticæ, Pulvis Martialis Compoſitus.

Gripes, in Children. Pulvis Catharticus pro Pueris.

Hæmorrhage. Cereviſia Aſtringens, Miſtura Neutralis Higgiana.

Heat of Urine. Bolus e Camphora, Electarium de Spermate Ceti, Hauſtus Diureticus.

Hoarſeneſs. Electarium de Spermate Ceti, Linctus ad Raucedinem.

Hypo.

Hypo. Electarium Chalybeatum, Pilulæ Cachecticæ, Pilulæ Caſtoreæ, Pilulæ Chalybeatæ Catharticæ, Pilulæ Emmenagogæ, Pilulæ de Guaiaco, Pilulæ Hyſtericæ, Pulvis Martialis Compoſitus, Vinum Chalybeatum.

Hyſteric Diſorders. Bolus e Borace, Electarium Chalybeatum, Electarium Hyſtericum, Miſtura e Valeriana, Pilulæ Cachecticæ, Pilulæ Caſtoreæ, Pilulæ Emmenagogæ, Pilulæ Gummoſæ, Pilulæ Hyſtericæ.

Jaundice. Balſamum Anodynum, Cereviſia Anti-Splenetica cum Chalybe, Tinctura Rhabarbari Vinoſa, Tinctura Sacra, Vinum Millepedum.

Impoſtumations. Pilulæ de Spermate Ceti.

Infarction of the Lungs. Linctus Detergens, Miſtura Scillitica.

Itch. Electarium Æthiopicum, Pilulæ Æthiopicæ, Unguentum Pſoricum.

King's-Evil. Balſamum Guaiacinum, Miſtura Neutralis Higgiana.

Leprous Diſorders. Miſtura Neutralis Higgiana.

Liver, Obſtructions of. Cereviſia Anti-Splenetica cum Chalybe.

Looſeneſs.

Looſeneſs. Cereviſia Aſtringens, Electarium Reſtringens, Electarium e Symphyto, Emulſio Cretacea, Infuſum Roſarum Compoſitum, Pilulæ de Sanguine Draconis, Pulvis Aſtringens, Tinctura Rhabarbari Vinoſa.

Meaſles. Decoctum Album.

Menſes, to Promote, Bolus e Myrrha cum Marte, Cereviſia Anti-Splenetica cum Chalybe, Cereviſia Chlorotica, Decoctum Emmenagogum, Electarium Chalybeatum, Electarium Emmenagogum, Infuſum Amarum Chalybeatum, Pilulæ Cachecticæ, Pilulæ Emmenagogæ, Pilulæ Hyſtericæ, Pilulæ Martiales, Pulvis Martialis Compoſitus, Vinum Chalybeatum.

to Reſtrain. Cereviſia Aſtringens, Infuſum Roſarum Compoſitum, Pilulæ e Sanguine Draconis, Pulvis Aſtringens.

Nephritic Diſorders. Electarium Lithontripticum, Electarium Nephriticum, Pilulæ de Spermate Ceti.

Obſtructed

Obſtructed Habit. Electarium Chalybeatum, Pulvis Æthiopicus Higgianus.
Pains in Child-Birth, to Promote. Bolus e Boraçe, Pulvis Partum Provocans.
Pain in the Head. Electarium Cephalicum, Pilulæ Caſtoreæ.
Pains, to Eaſe. Bolus Anodynus, Hauſtus Anodynus.
Pains in the Side. Hauſtus Sudorificus.
Palſy, Electarium Paralyticum, Infuſum Paralyticum, Tinctura Paralytica.
to Preſerve againſt. Electarium Cephalicum.
Pleuriſy. Pilulæ de Spermate Ceti.
Reſtleſſneſs. Bolus Anodynus, Hauſtus Anodynus.
Rheumatiſm. Infuſum Paralyticum.
Scrophulous Caſes. See King's-Evil.
Scorbutic Habit. Miſtura Neutralis Higgiana.
Scurvy. Vinum Scorbuticum.
Sleep, to Procure. Bolus Anodynus, Hauſtus Anodynus.
Small-Pox. Decoctum Album, Hauſtus Emeticus, Pulvis Bezoardicus.
Spleen, See Hypo.
Obſtructions of. Cereviſia Anti-Splenetica cum Chalybe.

Strangury

Strangury from Bliſters. Bolus e Camphora, Emulſio Arabica.
Tettars. Electarium Æthiopicum.
Tumours, Cancerous, of the Tonſils, Uvula, and Tongue, Miſtura Oralis Higgiana.
Cold. Pulv. Æthiop. Higgianus.
Twitching of the Tendons. Bolus e Camphora, Pulvis Alexipharmacus.
Vapours. Cereviſia Anti-Splenetica cum Chalybe, Electarium Chalybeatum, Pilulæ Cachecticæ, Pilulæ Caſtoreæ, Pilulæ Gummoſæ, Pilulæ Hyſtericæ.
Ulcers, Cancerous, of the Tonſils, Uvula, and Tongue,
Miſtura Oralis Higgianæ.
Scorbutic. Miſtura Neutralis Higgiana.
Urine, Bloody, Pilulæ de Spermate Ceti.
Heat of, Hauſtus Diureticus.
Heat of in Fevers. Bolus e Camphora.
Wheezing. Emulſio Aſthmatica.
Whites, in Women. See Fluor Albus.
Wind in the Stomach and Bowels. Tinctura Sacra.
Worms. Pulvis Anthelminthicus, Pulvis Catharticus pro Pueris, Tinctura Rhabarbari Vinoſa.

POSTSCRIPT.

POSTSCRIPT.

MR. HIGGS, an Ingenious Surgeon of BIRMINGHAM, having given the Public an Essay on Several Stubborn Disorders, altogether worthy the Perusal of Every Gentleman Devoted to the Practice of PHYSICK, I have selected from this Piece of his Three of the most Important Formulæ, and inserted them in the Foregoing APPENDIX under his Name, pointing out their Uses at the same time in the Words as near as is possible of their Sagacious Author: being unwilling to omit Adopting any thing capable of coming within the Compass of my Projected Scheme, that seems to bid fair for Proving of really Eminent Service to the Sick and Distressed.

From the same Motive of being as Serviceable as I can in my Situation, I shall shortly Communicate to the Public a DISSERTATION on a very Interesting Subject, *viz.* That of FREQUENT SALI-

POSTSCRIPT.

SALIVATIONS: to which I ſhall annex a Detail of the Extraordinary Effects, not as yet Univerſally known, that are found by Continued Experience to flow from a Liberal Uſe of the PULVIS BASILICUS, and the PERUVIAN BARK; the Virtues of the Latter of which were ſomewhat prematurely inſinuated by me (in my Comment on HAUSTUS PERUVIANUS) to be ſufficiently Diſplayed and Propagated. However, They will be Recounted now and Set forth, I hope, to the Reader's Satisfaction.

JOHN THEOBALD.

FINIS.